

GRAPHICS DIVISION.




INTERNATIONAL EDITION

CATALOGUE
2023

FIND A DISTRIBUTOR

FULL LIST ON: WWW.HEXIS-GRAPHICS.COM/EN/DISTRIBUTION/




HEXIS NEW ANTIMICROBIAL FILM

PURE ZONE[®]

24/7 protection against bacteria and viruses

ACTIVE AGAINST
CORONAVIRUS*
INCLUDING
SARS-COV-2*



Contact us for
more information!

www.hexis-health.com



* SARS-CoV-2 Colcov & HCoV-229E (according to ISO 21702), tested by UB'L3 Laboratory of The University of Bordeaux

The commitment by HEXIS through partnerships

HEXIS supports many renowned teams in the world of motor sport. Driven by excellence, passion and performance, HEXIS makes French industry shine in this challenging market that requires a constant need for innovation.

HEXIS is proud to be the technical partner of several racing teams by providing self-adhesive product solutions.


Beyond the manufacturing of self-adhesive films, HEXIS has always assisted its customers and partners in the choice of products, the printing and the application of its adhesives.

For this reason, HEXIS operates training centres dedicated to installation in France and abroad.

During each training session, customers and partners have the opportunity to live an integral, unique and immersive experience within our production facility in Frontignan. A 360° vision of the profession that is acclaimed by all!



In parallel to **motor sport**, HEXIS is also involved in **cultural, artistic, environmental, humanitarian** and **medical** projects.



- Montpellier Reine Run ●
- Dys Mille Pas Race ●
- La Biennale - Lyon ●



Focus on the Digital Printing Department

HEXIS CUSTOMER SERVICE WELL KNOWN AND RESPECTED

As a manufacturer and distributor of printable self-adhesive films, the HEXIS Digital Printing Division provides a bespoke customer service for printing professionals.

From the provision of personalised profiles to training, our technicians know how to respond precisely to the expectations and needs of each client.

Remember that a personalised ICC profile allows time savings with stable printing results and faithful colour reproduction, as well as a significant reduction in inking costs of at least 15% compared to a generic profile.

In 2022, our duo of experts assisted and advised our customers remotely five days a week on RIPs and ICC profiles. They also supported our customers' personnel directly on their equipment in their workshops and conducted more more than 10 days of training.

The expertise of our team is ensured by continuous training at our partners - machine manufacturers - on printing systems and the RIPs. These partnerships facilitate the regular updating and enrichment of our ICC profile library. More than 2800 profiles are available and accessible from our website www.hexis-graphics.com.



Customer testimonial:

PROCOM

"Our team really appreciated Valerie's availability, ability to listen and good humour. She provided a lot of knowledge on the use of Illustrator and tips related to printing, very useful information on ICC profiles and configurations."



Are you interested in a one-day
Digital Printing training course?

Refer to page 260 of the catalogue for the full programme,
methodology and teaching materials.

Focus on the Support Centre




Since 2016, a team 100% dedicated to technical and functional support answers your questions on a daily basis to advise you on your projects and bring you satisfactory solutions.

In 2022, the Support Centre recorded a customer satisfaction rate as high as 95% and is doing its utmost to maintain this high level of performance throughout the year. Our consultants are at your disposal to help you with the following issues:

- Regulatory documentation (REACH, certifications etc.)
- Quality of a product BEFORE/DURING/AFTER its application
- Transport/Shipping (lost or damaged package, recipient error, labelling etc.)

In order to simplify the procedures with the HEXIS Support Centre, a number of documents can be accessed from the customer area on www.hexis-online.com or from the Support Centre:

- Guide to good practice (the right steps to adopt)
- Goods receipt form
- Support request form



The Support Centre answers and processes requests from clients who are direct customers of HEXIS. For customers working with a subsidiary or a distributor, please contact your usual sales contacts.



Focus on the custom colour service (MALT)

For over 30 years, HEXIS has been offering a custom colour service for its ranges of cast PVC, polymeric and monomeric films. A commitment and an expertise which are the fruit of a successful daily cooperation between the sales division and the industrial division in order to respond efficiently and as quickly as possible to MALT requests for France and abroad.

With more than 1,000 successfully completed MALTs, our customers have so far and will in the future complete their custom projects to their entire satisfaction.

In 2023, HEXIS will continue to provide quality support to its clients in order to satisfy the most stringent requirements in terms of graphic identity.

HEXIS's CSR policy



Since HEXIS is committed to a dynamic of continuous improvement and operational excellence, the company is pursuing its CSR policy in order to come closer to the standards imposed by article 116 of the 2001 law on new economic regulations (NRE), even though the company is not subject to the latter.

The ambition of HEXIS to be transparent to its stakeholders on the challenges of the plastics industry has led it to undertake and monitor actions on the life cycle of its products.

Thanks to its involvement in various CSR initiatives, HEXIS has obtained several awards, which are tokens of excellence and performance.



Renewal of Qualiopi certification for HEXIS training courses in 2022

HEXIS has been ISO 9001 certified since June 2005. This standard certifies the implementation of a quality management system within the company.



HEXIS has been ISO 9001 certified since June 2005. This standard certifies the implementation of a quality management system within the company.

HEXIS has been ISO 14001 certified since July 2020. This standard certifies the implementation of an environmental management system within the company.



In April 2022, HEXIS became a member of the United Nations Global Compact. This initiative sets targets to be achieved on sustainable development issues in the 2030 Agenda. In October 2022, HEXIS finished second in the "CSR team oriented towards sustainable development goals" trophy.

At the beginning of 2022 HEXIS completed the EcoVadis review and received a score of 55/100, which is equivalent to a bronze medal.



HEXIS is certified under the Oeko-Tex label. This label aims to certify the sanitary and ecological qualities of textile and leather products, by guaranteeing the absence of products that are toxic to health and the environment.

The environmental impact of HEXIS, illustrated in a few examples and targets, includes:

- A circular economy highlighted through the flange recovery programme: **51,700 end-pieces collected in 2022**, which are **recyclable up to 7 times**.
- A reduction of 141.75 tonnes of diffuse CO2 emissions in 5 years, equivalent to the manufacture of 6,250 jeans.
- A reduction of over 30% in total gas emissions for the purchase of a PVC-free product.
- The installation of 3 thermal oxidisers which avoided the generation of 1,335 tonnes of CO2 in 3 years, i.e. 1,335 return trips from Paris to New York by plane.
- The purchase of 81% bio-sourced cartons.
- Procurement of 81% FSC®/PEFC® liner.
- Achieving the threshold of 0.9kg of CO2 per parcel shipped in 2024.

To find out the full details of the HEXIS CSR policy, we invite you to refer to the 2023 CSR report available on www.hexis-graphics.com.

Keep a green MIND

WITH OUR PVC-FREE SOLUTIONS

As part of a continuous improvement process, HEXIS puts the development of alternative solutions at the heart of its priorities. Whatever your project may be, HEXIS brings you a PVC-free solution.

Throughout this catalogue, you will find PVC-free products identified by: 

PRINTABLE FILMS

P. 74

- > **LINPRINT** : Printable self-adhesive PET film
- > **V202CG3** : Alternative version of V202CG1 PET liner
- > **VCSR202CG3** : Clear printable polymeric film with super-reinforced adhesive
- > **KROMPRINT** : Printable chrome with Hex'press liner
- > **EPS135AD** : Self-adhesive printable satin paper - outdoor application
- > **EPS150ADE** : Self-adhesive printable satin paper with structured liner - interior application
- > **CLEARWRAP** : Premium clear cast film
- > **EPBANIN** : PVC-free woven digital printing banner for indoor use
- > **EPBANOUT** : PVC-free woven digital printing banner for outdoor use



BODYWORK PROTECTION

P. 175

- > **DFENCEONEX** : PPF 130µm - X technology - gloss
- > **DFENCEONEXM** : PPF 130µm - X technology - matt
- > **BFBLACKM** : Deep black PPF - X technology - matt
- > **BODYFENCEXM** : PPF - X technology - matt
- > **BODYFENCEXS** : PPF - X technology - satin
- > **BODYXFAST** : Ultra-soft premium PPF - X technology - gloss
- > **HEXFLARE01** : Yellow headlight decoration film
- > **HEXFLARE02** : Red headlight decoration film
- > **HEXFLARE03** : Blue headlight decoration film
- > **HEXFLARE04** : Grey headlight decoration film
- > **3333SHIELD** : Windscreen protection for cars
- > **4444RACING** : Windscreen protection for racing vehicles

LAMINATES

P. 117

- > **V750S** : Clear satin polymeric PVC laminate
- > **XTTWICE** : Double-sided film for use in extreme deco kits
- > **PC300** : Gloss PU laminate, permanent clear adhesive
- > **PCR190G2** : Gloss cast laminate with reinforced permanent clear adhesive
- > **PCLEATHER** : Cast PVC laminate with embossed leather effect
- > **PCWOOD02** : Cast PVC laminate with wood effect

DECORATION

P. 135

- > **New HEX'PERIENCE designs**





P. 23 **PLOTTER FILMS**

> **T5000**

	
T5871 GOLD	T5877 SILVER

> **SUPTAC HXS5000**

				
HXS5186M RUBY RED	HXS5200M BLOOD RED	HXS5295B NAVY BLUE	HXS5280M PACIFIC BLUE	HXS5293B CURAÇAO BLUE

				
HXS5375B LIGHT GREEN	HXS5336B VERT MÉLÈZE	HXS5990B METEORITE GREY	HXS5990M METEORITE GREY	HXS5446M ELEPHANT GREY



HXS5108B
LEMON YELLOW

> **S5ICE**



S5ICE
ETCHED GLASS
FINISH

P. 193 **TOOLS & ACCESSORIES**

> Find out about a multitude of new SHAG accessories for the best full wraps with SKINTAC films:
SHAGBOX, SHAGWHEEL, SHAGPINK...

P. 15 **VEHICLE CUSTOMISATION**

> **SKINTAC HX30000**

	
HX30IMAB AUSTRAL SEA IRIDESCENT	HX30IFBB BOREAL FOREST IRIDESCENT

> **SKINTAC HX20000**

				
HX20B37B POLARIS BLUE	HX20VNAS NAIAD GREEN	HX20G12B PLEIADES GREY	HX20NMYB MYSTERY BLACK	HX20R90W DEEP BLACK

P. 149 **FILMS FOR TEXTILES**

> DTF-H-PEEL : Printable Direct To Film Hot Peel	> SC28 : Water Blue
> CC17 : Orange Red	> SC64 : Pink
> CC110 : Platinum	> SC100 : Copper
> CC44 : Fluorescent Blue	> SC44 : Fluorescent Blue
> SC82 : Light Beige	> SC45 : Fluorescent Red





A new high-performance marking range
For each textile, a TEXIS solution!

CUTTING FILMS

PRINTING FILMS



www.hexis-graphics.com




CONTENTS

FULL WRAPS	P. 15
SIGN VINYLs	P. 23
SPECIALTIES.....	P. 51
APPLICATION TAPES	P. 69
DIGITAL PRINTING	P. 74
LAMINATES	P. 117
DECORATION SOLUTIONS	P. 135
TEXTILE DECORATION	P. 149
PROTECTION & SECURITY FILMS.....	P. 175
TOOLS & DISPLAYS	P. 193
TRAINING	P. 243
THE HEXIS PLUS.....	P. 267



PICTOGRAM LEGEND

	TAKE HEAT EASY® liner		New product
	White adhesive		Satin finish
	Matt finish		Compatible with eco-solvent inks
	Compatible with solvent-based inks		Compatible with UV inks and protective laminates for UV prints
	Compatible with latex inks		Certified for use with HP Latex printers
	Product rated M1 or NF EN 13501-1		Product rated R7 according to standard EN-45545 (Contact your sales representative for more information)
	Product rated R1 according to standard EN-45545 (Contact your sales representative for more information)		Product without PVC
EN 13501-1	EUROPEAN CLASSIFICATION ACCORDING TO NF EN 13501-1 (fire resistance rating)		PVC product with a corresponding product without PVC
	HEX'Press liner		Wet finish



Short rolls sales policy: new advantages

- **Short rolls from stock available :**
 - Price per sqm will be identical to full rolls sqm price
- **Short rolls on request :**
 - only in 5/10/15/20 linear meters, sqm price of linear meter

FILMS FOR FULL WRAPS

SKINTAC HX45000 CAST FILM..... **16 - 17**

SKINTAC HX30000 CAST FILM..... **18 - 19**

SKINTAC HX20000 CAST FILM..... **20 - 21**

HEXIS DAM **22**

● CAST FILM
SKINTAC HX45000


3D

LONG-TERM

FULL WRAPS

**AUTOMOTIVE
FLEETS & BOATS**

Fully conformable, **SKINTAC HX45000** can be easily applied on any indoor or outdoor surface. Its excellent performance and conformability allow it to be used on curved or textured surfaces (welds or rivets). Thanks to its surface sliding properties, it offers easy and time-saving application. Particularly suitable for application on boats.



The **Hex'PRESS** liner is an innovation used by **HEXIS** for our high-performance films.

INFORMATION



N This pictogram shows new colours

This range is available in gloss and satin **S**
Repositionable **Hex'PRESS** liner

DATA SHEET

- > **HIGH-PERFORMANCE** MULTILAYERED CAST FILM
- > FROM **100 TO 150 MICRONS (3.9 - 5.9 MILS)** DEPENDING ON PRODUCT CODE
- > **HEX'PRESS** LINER
- > **65 GLOSS** COLOURS
- > **8 SATIN** COLOURS **S**
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **12 YEARS** DURABILITY
- > WARRANTY OF **2 YEARS** (HORIZONTAL) / **5 YEARS** (VERTICAL) AGAINST YELLOWING AND CRACKING

HX45000	WIDTH MM	LENGTH LM
GAMME 1	1520	25
GAMME 2	1520	25
GAMME 3	1520	25
GAMME 4	1370	25
	1520	25



HEXIS are committed to you and applies a unique principle in the market.

We offer a comprehensive warranty* against yellowing and cracking:

- > 5 years in vertical / 2 years in horizontal position on all land vehicles
- > 3 years in horizontal position on boats



- 1** HX45109B
PAINT STYLING AG | SWITZERLAND
- 2** HX45109B
PAINT STYLING AG | SWITZERLAND

* The warranty against yellowing and cracking comes into force from the date of installation by the client according to the terms and conditions specified in "Special Basic Warranty HX45000". Technical data sheet available on www.hexis-graphics.com



2

RANGE 1

HX45002B LAPLAND WHITE	HX45003B GLACIER WHITE	HX45000B ICE WHITE	HX45889B COAL BLACK	HX45890B DEEP BLACK	HX45890S DEEP BLACK

RANGE 2

HX456004B LAPP SPARKLE WHITE	HX456006B SATURN WHITE	HX45108B LEMON YELLOW	HX45109B SUN YELLOW	HX45016B HONEY YELLOW	HX45495B URBAN ORANGE	HX45165B MANDARIN RED	HX45485B EMBER RED	HX45186B RUBY RED	HX45200B BLOOD RED
HX45220B FUCHSIA	HX45218B CANDY PINK	HX45008B PLUM VIOLET	HX45V18B DAMSON VIOLET	HX456010B BYZANTINE VIOLET	HX45352B ELDERBERRY PURPLE	HX45266S ACID GREEN	HX45348B EMERALD GREEN	HX45228B WASABI GREEN	HX45375B LIGHT GREEN
HX45V16B DROSERA GREEN	HX45V14B SHERWOOD GREEN	HX45284B NIAGARA BLUE	HX45646B YAS MARINA	HX45B11B SOUTH SEA BLUE	HX45532B ABYSSAL BLUE	HX45281B NIGHT BLUE	HX45033B FIRMAMENT BLUE	HX45905B NIGHT BLUE METAL	HX45236S CELESTIAL BLUE
HX45280B PACIFIC BLUE	HX45300B SAPPHIRE BLUE	HX45293B CURAÇAO BLUE	HX456283B TRITON BLUE	HX45219S ARA BLUE METALLIC	HX45315B PIGEON BLUE	HX456359B APOLLO BLUE	HX45299B MONTPELLIER BLUE	HX45035B TI BLUE	HX45034B TAXI BEIGE
HX45042B ASHEN BEIGE METALLIC	HX45661S CANYON BRONZE METAL	HX45468B IVORY	HX45476B BROWN	HX45MMAB MARRAKESH BROWN	HX45894B COFFEE BROWN	HX45428B CLOUD GREY	HX45877B SILVER	HX45990B METEORITE GREY METAL	HX45445B PEARL GREY
HX45446B ELEPHANT GREY	HX45603S SANTI GREY METAL	HX45604S ARGENTIC GREY	HX45423B SHARK GREY	HX45432B DARK GREY	HX45N03B VAMPIRE BLACK	HX456895B EBONY SPARKLE BLACK	HX45NCAB CATECHU BLACK		

RANGE 3

HX45PE770B NACRE WHITE	HX45PE770S NACRE WHITE	HX456446B CHAMELEON GREY	HX45PE914B NEON BLUE	HX45RW002B LAPLAND RAINBOW WHITE	HX45RW889B COAL RAINBOW BLACK

RANGE 4

HX45CA890B CARBON BLACK	HX45CA891B* RAVEN CARBON BLACK	HX45CA892B PETROLEUM CARBON BLACK



* Colour available in 1370 mm only: HX45CA891B



SWATCHBOOKS / COLOUR CARDS
Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.

● CAST FILM
SKINTAC HX30000

3D

LONG-TERM

FULL WRAPS

**AUTOMOTIVE
 DECORATION**

SKINTAC HX30000, specially designed for customising vehicles and for decoration, consists of a multilayered cast PVC film and the **HEX'PRESS** liner for easy application.

DATA SHEET

- > **HIGH-PERFORMANCE** MULTILAYERED CAST FILM
- > FROM **70 TO 280 MICRONS (2.7 - 11 MILS)** DEPENDING ON PRODUCT CODE
- > **HEX'PRESS** LINER
- > **35 GLOSS** COLOURS
- > **16 SATIN** COLOURS
- > **3 MATT** COLOURS
- > **29 CHROME** COLOURS
- > **11 TEXTURED** PRODUCTS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **5 YEARS** DURABILITY

HX30000	WIDTH MM	LENGTH LM
RANGE 1	1520	25
RANGE 2	1370*	25
	1520	
RANGE 3	1370	25

* Width available only for HX30CANC0B.

INFORMATION



N This pictogram shows new colours. This range is available in gloss, matt **M** or satin **S**.



To clean and maintain SKINTAC gloss films, we recommend our SHAGFINISH Kit. (See page 220)

Colours available in 1370 mm only: HX30CANC0B, HX30AL003B.





CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?


HEXIS offer a custom colour service.

Please contact us for more information.




- 1 **IRIDESCENT GALACTIC HX30SS22B**
HEXIS SAS | FRANCE
- 2 **HX30N71M**
TAYLOR DESIGNS - PHOTO : FOCUS'NFIRE MEDIA, INC
- 3 **HX20NPRS / HX20G04S**
VINYL LABS | UKRAINE
- 4 **HX20RINB, S5001B**
OPARUSIC REKLAMBYRÅ AB | SWEDEN

RANGE 1



RANGE 2



RANGE 3



M1

* While stocks last.



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.



● CAST FILM
SKINTAC HX20000

3D

LONG-TERM

FULL WRAPS

AUTOMOTIVE DECORATION

STANDARD EN 13501-1

Specially designed for full wraps, **SKINTAC HX20000** is a multilayered cast PVC film over 100 microns thick with a **Hex[®]PRESS** liner. Thanks to its thickness, it preserves its colour even under strong deformation.

DATA SHEET

- > **HIGH-PERFORMANCE** MULTILAYERED CAST FILM
- > OVER **100 MICRONS (3.9 MILS)**
- > **85 GLOSS** COLOURS
- > **21 MATT** COLOURS
- > **12 SATIN** COLOURS
- > **1 WET** COLOUR
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **6 YEARS** DURABILITY
- > **Hex[®]PRESS** LINER

M1

HX20000	WIDTH MM	LENGTH LM
RANGE 1	1520	25
RANGE 2	1520	25

INFORMATION



N This pictogram shows new colours
This range is available in gloss, matt **M**, satin **S** or wet **W**



HEXIS ADVICE



To install films with a gloss finish, we recommend MagicSpray. (See page 218)



To clean and maintain SKINTAC gloss films, we recommend our SHAGFINISH Kit. (See page 220)





CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?
HEXIS offer a custom colour service.

Contact us for more information



1 SKINTAC HX20614B + HX20219S
RADIN D.O.O | CROATIA

2 SKINTAC HX20614B + PC190M
GESTALTUNG KOLOURGUARD | AUSTRALIEN

RANGE 1

HX20001B POLAR WHITE	HX20002B LAPLAND WHITE	HX20002M LAPLAND WHITE	HX20003B GLACIER WHITE	HX20003M GLACIER WHITE	HX20500B ICE WHITE	HX20889B COAL BLACK	HX20890B DEEP BLACK	HX20890W DEEP BLACK	HX20NPRM DEEP BLACK	HX20NPRS DEEP BLACK

RANGE 2

HX20BSAB SATURN WHITE	HX20BLPB LAPP SPARKLE WHITE	HX20BNCS NACRE WHITE	HX20B7XB TAXI BEIGE	HX20468B IVORY	HX20BCMB ASHEN BEIGE METALLIC	HX20P001B ZEUS GOLD	HX20871B GOLD	HX20613B FLUOR YELLOW	HX20108B LEMON YELLOW	HX20108M LEMON YELLOW
HX20JJAM JAIPUR YELLOW	HX20109B SUN YELLOW	HX20123B DAFFODIL YELLOW	HX20548M FLORIDA YELLOW	HX20JMIB HONEY YELLOW	HX20558B YELLOW METALLIC	HX20614B FLUOR ORANGE	HX20495B URBAN ORANGE	HX20165B MANDARIN RED	HX20165M MANDARIN RED	HX20585B ZENITH ORANGE
HX200AUB AURORA ORANGE	HX20615B FLUOR RED	HX20615S FLUOR RED	HX20485B EMBER RED	HX20R05B RACING RED	HX20186B RUBY RED	HX20200B BLOOD RED	HX20200M BLOOD RED	HX20R6RB GARNET RED	HX20196S ALU RED	HX20PCAB CANDY PINK
HX20R0RB JELLYBEAN PINK	HX20R1NB INDIAN PINK	HX20220B FUCHSIA	HX20220M FUCHSIA MATT	HX20008B PLUM VIOLET	HX20V18B DAMSON VIOLET	HX20352B ELDERBERRY PURPLE	HX20V8YB BYZANTINE VIOLET	HX20B37B POLARIS BLUE	HX20B32B JAZZ BLUE	HX20284B NIAGARA BLUE
HX20646B YAS MARINA	HX20299B MONTPELLIER BLUE	HX20219S ARA BLUE METALLIC	HX20521S LIGHT RACING BLUE	HX20293B CURAÇAO BLUE	HX20P004B APOLLO BLUE	HX20300B SAPPHIRE BLUE	HX20905B NIGHT BLUE METAL	HX20905M NIGHT BLUE METAL	HX20236S CELESTIAL BLUE	HX20280B PACIFIC BLUE
HX20P005B TRITON BLUE	HX20281B NIGHT BLUE	HX20B7B TI BLUE	HX20B7M TURQUOISE BLUE	HX20B11B SOUTH SEA BLUE	HX20B7B FJORD BLUE	HX20315B PIGEON BLUE	HX20033B FIRMAMENT BLUE	HX20532B ABYSSAL BLUE	HX20VNAS VERT NAÏADE	HX20612B FLUOR GREEN
HX20V24B TOXIC GREEN	HX20266S ACID GREEN	HX20375B LIGHT GREEN	HX20375M LIGHT GREEN	HX20228B WASABI GREEN	HX20228M WASABI GREEN	HX20369B APPLE GREEN	HX20V16B DROSERA GREEN	HX20348B EMERALD GREEN	HX20V14B SHERWOOD GREEN	HX20AVM ADVENTURE GREEN
HX20VMM MILITARY GREEN	HX20012B SUMMIT WHITE	HX20428B CLOUD GREY	HX20877B SILVER	HX20990B METEORITE GREY METAL	HX20990M METEORITE GREY METAL	HX20948B BRONZE GREY METAL	HX2066M FROZEN GREY	HX20612B PLEIADES GREY	HX20606B DUST GREY	HX20445B PEARL GREY
HX20446B ELEPHANT GREY	HX20603S SANTI GREY METAL	HX20607B ASTON GREY	HX20604S ARGENTIC GREY	HX20GANM ANTHRACITE GREY METAL	HX20423B SHARK GREY	HX20432B SHARK GREY	HX20437B CINDER ROSE METAL	HX20437M CINDER ROSE METAL	HX20MMAB MARRAKESH BROWN	HX20MMAM MARRAKESH BROWN
HX20661S CANYON BRONZE METAL	HX20731B HAVANE BROWN	HX20476B BROWN	HX20MCAB COFFEE BROWN	HX20N03B VAMPIRE BLACK	HX20NEPB EBONY SPARKLE BLACK	HX20NEPM EBONY SPARKLE BLACK	HX20NCAB CATECHU BLACK	HX20NMYB MYSTERY BLACK		

* White stocks last.





SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards
by writing to export@hexisgroup.com or
contact your local distributor.





Explore our new media library **HEXIS DAM**




BROWSE, PUBLISH, SHARE

All resources available for HEXIS Group Partners

<https://media.hexisgroup.com>

ACCESS
ALL HEXIS
RESOURCES
WITH A SINGLE
CLICK



SIGN VINYL

SMARTAC KG8000 CAST FILM	24 - 25
SMARTAC EVOLUTION A5000 CAST FILM	26 - 27
SUPTAC S5000 POLYMERIC FILM	28 - 29
SUPTAC HXS5000 POLYMERIC FILM.....	30 - 31
ECOTAC PLUS E3000+ MONOMERIC FILM.....	32 - 33
ECOTAC SUPER + VCRE3000 MONOMERIC FILM.....	34
PVC-FREE ECOLOGICAL CUT ECE3000	35
MICROTAC M2000 MONOMERIC FILM.....	36 - 37
TRUCK BANNER SPECIAL TB9000S PLOTTER FILM.....	38 - 39
BANNER SPECIAL B3000 SEMI-POLYMERIC FILM.....	40
P6000 POLYESTER FILM	40
FLUO F610 POLYMERIC FILM.....	41
CAST FILM PHOTOLUMINESCENT HEXGLOW01	42
CRISTAL C4000 POLYMERIC FILM.....	43
ETCHED GLASS KG15DEPM CAST FILM.....	44
ETCHED GLASS CLASSIC POLYMERIC FILMS	45
ETCHED GLASS WHITE SPARKLE POLYMERIC FILMS	46
FROSTED GLASS MONOMERIC FILMS	47
POLYESTER PRIVACY FILM	48
TRANSLUCENT T5000 POLYMERIC FILM	49
OPACIFYING BLOCK-OUT POLYMERIC FILM.....	50

SMARTAC KG8000

CAST FILM

2D+

LONG-TERM

PERMANENT

SMARTAC KG8000 is a cast film offering good conformability on complex surfaces such as rivets or deformations on vans. Great for decorative strips on vehicles as well.

The product is easy to cut and to apply thanks to its good dimensional stability.

DATA SHEET

- > **HIGH-PERFORMANCE** CAST FILM
- > **50 MICRONS (1.9 MILS)**
- > **45 GLOSS** COLOURS
- > **2 MATT** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **10 YEARS** DURABILITY
- > SILICONISED **KRAFT** LINER

M1

KG8000	WIDTH MM	LENGTH LM
RANGE 1	1230	30
RANGE 2	1230	30
RANGE 3	1230	30

INFORMATION



This range is available in gloss and matt .



1
SMARTAC K8002M
BÜRKI MOSER GMBH
SWISS

2
SMARTAC KG8187B
PUBLIFLASH
FRANCE





CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?
HEXIS offer a custom colour service.

Please contact us for more information.

RANGE 1



KG8002B
LAPLAND WHITE

KG8002M
LAPLAND WHITE
MATT

KG8889B
COAL BLACK

KG8890B
DEEP BLACK

KG8890M
DEEP BLACK
MATT

RANGE 2



KG8109B
SUN YELLOW

KG8115B
KLEE YELLOW

KG8123B*
DAFFODIL
YELLOW

KG8136B
MUSTARD
YELLOW

KG8164B*
COLOCYNTH
ORANGE

KG8165B
MANDARIN RED

KG8485B
EMBER RED

KG8187B
LOVE RED

KG8186B
RUBY RED

KG8220B
FUCHSIA

KG8PK1B
KIWI PLUM

KG8297B
SKY BLUE

KG8299B
MONTPELLIER
BLUE

KG8293B
CURAÇAO BLUE

KG8300B
SAPPHIRE BLUE

KG8280B
PACIFIC BLUE

KG8281B
NIGHT BLUE

KG8532B
ABYSSAL BLUE

KG8VPRB
SPRINGTIME
GREEN

KG8375B
LIGHT GREEN

KG8369B
APPLE GREEN

KG8370B
MEADOW GREEN

KG8348B
EMERALD GREEN

KG8336B
LARCH GREEN

KG8302B
BRAMBLE GREEN

KG8428B
CLOUD GREY

KG8430B
MOUSE GREY

KG8445B
PEARL GREY

KG8602B
GALACTIC GREY

RANGE 3



KG8963B
LIPARI BLUE
METALLIC

KG8964B
POSEIDON BLUE

KG8961B*
LIQUEUR
BLUE

KG8965B
LAZULI BLUE

KG8990B
METEORITE GREY
METALLIC

KG89FUB
SMOKEY GREY

KG8875B
ROBOT GREY
METALLIC

KG8878B
MINERAL GREY
METALLIC

KG8870B
ONYX BEIGE
METALLIC

KG8871B
GOLD

KG8877B
SILVER

* While stocks last.



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by
writing to export@hexisgroup.com or contact
your local distributor.



SMARTAC EVOLUTION A5000

CAST FILM

2D+

PVC-FREE

LONG-TERM

PERMANENT

Need an eco-friendly solution for your marking and long-term projects?

Choose the **SMARTAC A5000** range of premium PVC-free lettering films. Specially designed for your long-term campaigns, the **A5000** film meets the strictest requirements of sustainable development and calls for tenders requiring the use of environmentally friendly products. Its high technical performance gives it excellent conformability for installations on a wide range of convex, concave and flat surfaces (windows, vehicles, panels etc.). The **SMARTAC** range is available in 14 gloss colours.

DATA SHEET

PVC-FREE

M1

F1

- > **HIGH-PERFORMANCE**
CAST POLYURETHANE FILM
- > **PVC-FREE**
- > **60 MICRONS**
- > **14 GLOSS** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **10 YEARS** DURABILITY
- > SILICONISED **KRAFT** LINER



A5000	WIDTH MM	LENGTH LM
RANGE 1	1230	30
RANGE 2	1230	30
RANGE 3	1230	30

INFORMATION



This range is available in gloss only.



HEXIS ADVICE

This chlorine-free product is perfect for laser cutters/engravers.





CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?
HEXIS offer a custom colour service.

Please contact us for more information.


RANGE 1

	
A5001B POLAR WHITE	A5889B COAL BLACK

RANGE 2

				
A5293B CURAÇAO BLUE	A5280B PACIFIC BLUE	A5348B EMERALD GREEN	A5445B PEARL GREY	A5446B ELEPHANT GREY

RANGE 3

						
A5109B SUN YELLOW	A5136B MUSTARD YELLOW	A5165B MANDARIN	A5485B EMBER RED	A5186B RUBY RED	A5200B BLOOD RED	A5476B BROWN



1
SMARTAC A5445B
ILLIMITED | FRANCE

2
SMARTAC A5293B
SMARTAC A5280B
PHOTO ILLIMITED | FRANCE



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.



• SUPTAC S5000 POLYMERIC FILM

2D

LONG-TERM

PERMANENT

The ultimate multi-purpose product!

SUPTAC S5000 is perfect for panels, totems, outdoor signage, sign boards and vehicle decoration. Application on flat and slightly curved surfaces.



Have you considered the PVC-free equivalent **A5000**

INFORMATION



This range is available in gloss and matt **M**. Some products are available in **1520** mm.



HEXIS ADVICE

To transfer **SUPTAC Carbone S5CANB**, we recommend to use **HEX750** tape.

DATA SHEET

- > **HIGH-PERFORMANCE POLYMERIC** FILM
- > **65 MICRONS**
- > **86 GLOSS** COLOURS
- > **7 MATT** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **10 YEARS** DURABILITY
- > 'BLUE CONTRAST' LINER ON WHITE **S5001B/M** FILMS
- > SILICONISED **KRAFT** LINER

M1

S5000	WIDTH MM	LENGTH LM
RANGE 1	1230	30
	1520	
RANGE 2	1230	30
	1520	
RANGE 3	1230	30
	1520	
S5CANB	1520	30



1 SUPTAC
FREE STYLE IMPRESIONES - SPAIN

2 SUPTAC
PHOTO PRISMA MEDIENWERK - GERMANY



1 SUPTAC 50002B
HEXIS SAS
FRANCE

2 SUPTAC S5048B
SUPTAC S5001B
INSTALLATION STICKSONE
FRANCE



CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?
HEXIS offer a custom colour service.

Contact us for more information

RANGE 1

S5001B POLAR WHITE	S5001M POLAR WHITE MATT	S5899B CRISTAL	S5899M TRANSPARENT	S5889B COAL BLACK	S5889M COAL BLACK MATT

RANGE 2

S5108B LEMON YELLOW	S5109B SUN YELLOW	S5123B DAFFODIL YELLOW	S5136B MUSTARD YELLOW	S5137B SAFFRON	S5165B MANDARIN	S50VIF BRIGHT ORANGE	S5048B ORANGE RED	S5179B VERMILION RED	S5795B FIRE RED
S5485B EMBER RED	S5186B RUBY RED	S5193B CARDINAL RED	S5200B BLOOD RED	S5201B WINE RED	S5605B BURGUNDY	S5214B MAGENTA	S5220B FUCHSIA	S5169B FLAMINGO PINK	S5251B LILAC
S5480B ANEMONE PURPLE	S5623B AMETHYST	S5655B LAVENDER FIELD	S5527B PURPLE	S5532B ABYSSAL BLUE	S5303B ONYX BLUE	S5295B NAVY BLUE	S5281B NIGHT BLUE	S5280B PACIFIC BLUE	S5N0RB NORDIC BLUE
S5ELEB ELECTRIC BLUE	S5RFXB REFLEX BLUE	S5288B ADRIATIC BLUE	S5300B SAPPHIRE BLUE	S5293B CURAÇAO BLUE	S5005B OCEAN BLUE	S5299B MONTPELLIER BLUE	S5278B HOLLYHOCK BLUE	S5297B SKY BLUE	S5125B ATOLL BLUE
S5298B PERIWINKLE BLUE	S5351B LIME BLOSSOM GREEN	S5332B JADE	S5268B DARK JADE GREEN	S5320B TURQUOISE	S5323B FOREST GREEN	S5336B LARCH GREEN	S5348B EMERALD GREEN	S5340B MEDIUM GREEN	S5354B VIVID GREEN
S5370B GRANNY GREEN	S5360B FERN GREEN	S5375B LIGHT GREEN	S5VACB ACACIA GREEN	S5392B OLIVE GREEN	S5498B CAPER GREEN	S5167B PAPRIKA	S5635B LIGHT BROWN	S5476B BROWN	S5461B SAND
S5468B IVORY	S5685B MAGNOLIA	S5805B ECRU	S5BPAB PANAMA BEIGE	S568EB BEIGE GREY	S5408B TAUPE BEIGE	S5404B BROWN GREY	S56PEB LIGHT PEARL GREY	S56CLB LIGHT GREY	S5BA01B CREAM
S5205B CLAY GREY	S5428B CLOUD GREY	S5431B MEDIUM GREY	S5443B GREY	S5430B MOUSE GREY	S5445B PEARL GREY	S5446B ELEPHANT GREY	S5111B FEATHER GREY	S5850B DARK GREY	

RANGE 3

S5433B ANTHRACITE	S5871B GOLD	S5877B SILVER

OUT OF RANGE

S5CANB CARBON BLACK



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.



• SUPTAC HXS5000 POLYMERIC FILM

2D

LONG-TERM

PERMANENT

The premium range of cutting films, for even greater ease of installation!

Vehicle marking and signs, general signage and window decoration

Find out more about the **HXS5000** range, which combines the characteristics of **SUPTAC** with a **HEX:PRESS** structured liner. Allow your creativity to run free with a palette of over 30 colours.

DATA SHEET

- > **HIGH-PERFORMANCE POLYMERIC** FILM
- > **65 MICRONS**
- > **23 GLOSS** COLOURS
- > **7 MATT** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **10 YEARS** DURABILITY
- > **HEX:PRESS** LINER

HXS5000	WIDTH MM	LENGTH LM
RANGE 1	1230	30
	1520	
RANGE 2	1230	30
	1520	
RANGE 3	1230	30
	1520	
RANGE 4	1520	30

INFORMATION



N This pictogram shows new colours.

This range is available in gloss and matt **M**.

This range offers the **HEX:PRESS** liner.





CUSTOM COLOURS


You didn't find the colour you want in our swatchbook?
HEXIS offer a custom colour service.

Contact us for more information

RANGE 1



RANGE 2



RANGE 3



GAMME 4



1 SUPTAC HXS5001B
PHOTO ILLUMINATED | FRANCE

2 SUPTAC HXS5200B + HXS5001B
PHOTO PRPGND | SPAIN

3 SUPTAC HXS5889B
INSTALLATION ASAPAL | FRANCE

4 SUPTAC HXS5001B
INSTALLATION 4 COLORS | FRANCE

• ECOTAC PLUS E3000+ MONOMERIC FILM

2D

LONG-TERM

PERMANENT

A true intermediate marking film for all your communication projects! The **ECOTAC** range offers a perfect price/quality value and is available in 70 colours. It is mainly intended for indoor and outdoor markings on flat surfaces such as panels, windows and stands. It is used to highlight promotional operations at the point of sale, to create signage or displays at exhibitions.



Have you considered the PVC-free equivalent **ECE3000**

INFORMATION



This range is available in gloss and matt **M**. Some products are available in **1520** mm.



HEXIS ADVICE


You are looking for an **ECOTAC** product with reinforced adhesive? **VCRE3000** is the answer! See page 34

DATA SHEET


- > INTERMEDIATE **MONOMERIC** FILM
- > **80 MICRONS**
- > **37 GLOSS** COLOURS
- > **33 MATT** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **6 YEARS** DURABILITY
- > SILICONISED **KRAFT** LINER
- > "BLUE CONTRAST" LINER ON WHITE **E3829B/M** FILMS



E3000+	WIDTH MM	LENGTH LM
RANGE 1	1230	30
	1520	
RANGE 2	1230	30
	1520	
RANGE 3	1230	30



RANGE 1

				
E3829B WHITE	E3829M WHITE MATT	E3899B TRANSPARENT	E3889B COAL BLACK	E3889M COAL BLACK MATT

RANGE 2

										
E3116B LIGHT YELLOW	E3110B BRIGHT YELLOW	E3123B DAFFODIL YELLOW	E3151B ORANGE	E3179B VERMILION RED	E3485B EMBER RED	E3186B RUBY RED	E3505B BURGUNDY	E3220B FUCHSIA	E3527B PURPLE	
										
E3116M LIGHT YELLOW	E3110M BRIGHT YELLOW	E3123M DAFFODIL YELLOW	E3151M ORANGE	E3179M VERMILION RED	E3485M EMBER RED	E3186M RUBY RED MATT	E3505M BURGUNDY MATT	E3220M FUCHSIA	E3527M PURPLE	
										
E3281B NIGHT BLUE	E3280B PACIFIC BLUE	E3E1EB ELECTRIC BLUE	E3286B DARK BLUE	E3294B ULTRAMARINE BLUE	E3293B CURAÇAO BLUE	E3300B SAPPHIRE BLUE	E3PROB PROCESS BLUE	E3298B PERIWINKLE BLUE	E3297B SKY BLUE	E3307B PEACOCK BLUE
										
E3281M NIGHT BLUE	E3280M PACIFIC BLUE	E3E1EM ELECTRIC BLUE	E3286M DARK BLUE MATT	E3294M ULTRAMARINE BLUE	E3293M CURAÇAO BLUE	E3300M SAPPHIRE BLUE	E3PROM PROCESS BLUE	E3298M PERIWINKLE BLUE	E3297M SKY BLUE	E3320B TURQUOISE
										
E3376B MINT GREEN	E3361B ALMOND GREEN	E3362B LILY PAD GREEN	E3340B MEDIUM GREEN	E3348B EMERALD GREEN	E3336B LARCH GREEN	E3357B BOTTLE GREEN	E3476B BROWN	E3430B MOUSE GREY	E3444B DARK GREY	E3320M TURQUOISE MATT
										
E3376M MINT GREEN	E3361M ALMOND GREEN	E3362M LILY PAD GREEN	E3340M MEDIUM GREEN	E3348M EMERALD GREEN	E3336M LARCH GREEN	E3357M BOTTLE GREEN	E3476M BROWN MATT	E3430M MOUSE GREY	E3444M DARK GREY MATT	

RANGE 3

	
E3871B GOLD	E3877B SILVER



CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?
HEXIS offer a custom colour service.

Please contact us for more information.



1
ECOTAC E3297M
ECOTAC E3300M
PHOTO PLANET GRAPHIC
FRANCE

2
ECOTAC E3829M
ECOTAC E3151M
ECOTAC E889M
PHOTO COM-UNICK
FRANCE

3
ECOTAC E3889B
PHOTO LA BORNE
FRANCE



SWATCHBOOKS / COLOUR CARDS
Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.



• ECOTAC SUPER + VCRE3000 MONOMERIC FILM

2D

MEDIUM-TERM

REINFORCED ADHESIVE

PERMANENT

Thanks to its reinforced adhesive, **VCRE3000** is particularly recommended for indoor application on walls (such as Placoplatre® BA13, smooth or slightly textured walls) or on low-energy surfaces (polyethylene or polypropylene, e.g. waste containers). Matt and gloss finish.

DATA SHEET

- > INTERMEDIATE **MONOMERIC** FILM
- > **80 MICRONS**
- > UP TO **6 YEARS** DURABILITY
- > **2 GLOSS** COLOURS
- > **8 MATT** COLOURS
- > CLEAR REINFORCED SOLVENT-BASED ACRYLIC ADHESIVE
- > SILICONISED **KRAFT** LINER
- > "BLUE CONTRAST" LINER ON WHITE **VCRE3829M** FILM

M1


VCRE3000	WIDTH MM	LENGTH LM
RANGE 1	1230	30
RANGE 2	1230	30

INFORMATION



This range is available in gloss and matt .

RANGE 1



RANGE 2



¹ **ECOTAC VCRE3889B**
INSTALLATION ILLIMITED I FRANCE



CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?
HEXIS offer a custom colour service.

Please contact us for more information.



2D

LONG-TERM

REMOVABLE



The Ecological Cut **ECE3000** film is perfect for indoor and outdoor signage.

Free of PVC, chlorine and plasticiser, it offers an eco-friendly solution for projects having to meet ever stricter specifications.

This film is rated B-s1,d0 (**EN 13501-1**).

Designed for flat and smooth surfaces, it enables a wide variety of applications, including signs and windows.

DATA SHEET

PVC-FREE

M1

F1

N

- > **POLYOLEFIN FILM FREE OF PVC,** CHLORINE AND PLASTICISERS
- > **70 MICRONS**
- > CLEAR REMOVABLE SOLVENT-BASED ACRYLIC ADHESIVE
- > DURABILITY UP TO **5 YEARS**
- > REMOVABLE FOR UP TO **6 MONTHS WITH NO MAJOR TRACES**
- > AVAILABLE IN BLACK AND WHITE **MATT**
- > SILICONISED **KRAFT** LINER

WIDTH
MM

LENGTH
LM

1230

30



1 ECOLOGICAL CUT ECE3004M
INSTALLATION ILLIMITED | FRANCE



SWATCHBOOKS / COLOUR CARDS
Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.



MICROTAC M2000

MONOMERIC FILM

2D

PROMOTIONAL

PERMANENT & REMOVABLE

A tailored solution for your short- and medium-term projects.

Temporary signage, promotional advertising, one-off decorations, exhibitions and more...

Rediscover and choose the **MICROTAC M2000** film to guarantee a successful execution at the right price!

DATA SHEET

- > **MONOMERIC** FILM
- > **80 MICRONS**
- > UP TO **5 YEARS** DURABILITY
- > **MG2000/MM2000: 28 GLOSS** COLOURS, **2 MATT** COLOURS
- > **ME2000: 2 MATT** COLOURS

PERMANENT MICROTAC MG2000 MM2000	WIDTH MM	LENGTH LM
RANGE 1	1230	50
RANGE 2	1230	50

REMOVABLE MICROTAC ME2000	WIDTH MM	LENGTH LM
BLACK / WHITE	1230	30



INFORMATION



Some products are available in matt .



¹ **MICROTAC MG2829**
INSTALLATION LA BORNE | FRANCE

² **MICROTAC MG2889**
INSTALLATION ILLIMITED | FRANCE



2

RANGE 1

MG2829 WHITE	MM2829 WHITE	MG2889 BLACK	MM2889 BLACK	MG2899 TRANSPARENT

RANGE 2

MG2123 DAFFODIL YELLOW	MG2P01 PEACH	MG2165 MANDARIN	MG2RED TOMATO RED	MG2186 RUBY RED	MG2505 BURGUNDY	MG2V09 WISTERIA PURPLE	MG2281 NIGHT BLUE	MG2280 PACIFIC BLUE
MG2RFX REFLEX BLUE	MG2293 CURAÇAO BLUE	MG2307 PEACOCK BLUE	MG2299 MONTPELLIER BLUE	MG2B19 IGLOO BLUE	MG2V08 SEA GREEN	MG2320 TURQUOISE	MG2376 MINT GREEN	MG2368 APPLE GREEN
MG2362 LILY PAD GREEN	MG2340 MEDIUM GREEN	MG2357 BOTTLE GREEN	MG2430 MOUSE GREY	MG2431 MEDIUM GREY	MG2444 DARK GREY	MG2871 GOLD		

NO REMOVABLE OPTIONS

ME2829 WHITE	ME2889 BLACK



CUSTOM COLOURS

You didn't find the colour you want in our swatchbook? HEXIS offer a custom colour service.

Please contact us for more information.

TRUCK BANNER SPECIAL TB9000S

PLOTTER FILM

2D

MEDIUM-TERM

PERMANENT

With excellent flexibility, making it easy to weed, the **TB9000S** film is perfect for creating large lettering (logos, graphics, decorative strips and more).

This film offers superior resistance to adverse weather and mechanical stress (e.g. automatic wash programs).

Designed for fast application, it also offers strong immediate adhesion, allowing the tape to be removed straight after application.



DATA SHEET

- > **CAST** PVC FILM
- > **80 MICRONS**
- > ACRYLIC ADHESIVE & **KRAFT** LINER
- > UP TO **5 YEARS** DURABILITY
- > **13 SATIN** COLOURS

WIDTH
MM

1230

LENGTH
LM

30

INFORMATION



Durability of **TB9990S** & **TB9873S** films: up to 4 years.



HEXIS ADVICE

The superior quality **TB9000S** film adapts perfectly to ripples in the banner, working with its deformations and sections that pass under straps. We recommend using **HEX904** (see page 70) tape for transferring the film.



1



CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?
HEXIS offer a custom colour service.

Please contact us for more information.



¹
MICROTAC MG2368
HEXIS | FRANCE

²
TB9873S - TB9003S
CREATEM | FRANCE

BANNER SPECIAL B3000

SEMI-POLYMERIC FILM

2D

SHORT-TERM

PERMANENT

Very smooth, **B3000** is the ideal product for banners and canopies.

It can be used for communications announcing cultural or sports events, or at the POS, etc.

INFORMATION




Note: **B3000** is not suitable for truck banners

DATA SHEET

- > SEMI-POLYMERIC FILM
- > **80 MICRONS**
- > **2 SATIN COLOURS**
- > UP TO **3 YEARS** DURABILITY
- > SILICONISED **KRAFT** LINER

WIDTH MM	LENGTH LM
1230	30



POLYESTER FILM

P6000

SHORT-TERM

PERMANENT

WINDOW GRAPHICS

DECORATION

Are you looking for a mirror effect film to brighten up your shop windows?

The polyester film **P6000** is sure to offer a stylish and glamorous solution to embellish all types of glass surfaces!

Window graphics, interior design, exhibition stands and signage.

Decorators, designers, architects... do not wait any longer to bring an elegant metallic touch to all your renovation or furnishing projects. Here is a dazzling idea for transforming your offices, meeting rooms, lounges, glass façades, shop windows and more!

DATA SHEET

- > POLYESTER FILM
- > **50 MICRONS**
- > **5 CHROME COLOURS**
- > **1 BRUSHED ALUMINIUM COLOUR**
- > UP TO **1 YEAR** DURABILITY
- > SILICONISED **KRAFT** LINER



P6000	WIDTH MM	LENGTH LM
ROSE GOLD AND SILVER	1230	30
BRUSHED ALU	1230	30



• FLUO F610

POLYMERIC FILM

2D

SHORT-TERM

PERMANENT

These fluorescent vinyls are ideal for creating short-term promotional visuals such as trestles, store windows or stands. The 5 colours on offer ensure instant visual impact.

DATA SHEET

- > **POLYMERIC FILM**
- > **80 MICRONS**
- > UP TO **6 MONTHS** DURABILITY
- > **5 FLUORESCENT COLOURS**
- > SILICONISED **KRAFT** LINER

WIDTH MM	LENGTH LM
1230	30



- P6877B**
INSTALLATION PUBLIFLASH | FRANCE
- P6871B**
INSTALLATION HEXIS S.A.S. | FRANCE



CAST FILM PHOTOLUMINESCENT HEXGLOW01

2D

MEDIUM TERM

PERMANENT


FICHE TECHNIQUE

- > CAST PVC FILM
- > **100 MICRONS**
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > SILICONISED **KRAFT** LINER

You want to create a surprising atmosphere when it gets dark? Find out about the new **HEXGLOW01** film. At last, a bright idea for communicating in daylight and particularly at night! The photoluminescent film **HEXGLOW01** has been designed to re-emit light. It recharges after exposure to natural or artificial light, and then illuminates in the dark.

This film allows to offer a beautiful luminous effect, for original interior decoration or customised signage that remains visible in a dark environment (museums, discotheques, POS, shops, children's rooms, meeting rooms, car parks...)

HEXGLOW01	LAIZE MM	LENGTH LM
	1230	30



1 BEFORE
HEXGLOW01
INSTALLATION HEXIS S.A.S.
FRANCE

2 AFTER
HEXGLOW01
INSTALLATION HEXIS S.A.S.
FRANCE

2D

MEDIUM-TERM

PERMANENT

Our range of PVC films guarantees you a homogeneous transparent colouring!

Our **C4000** range is specially designed for shop windows, bars and restaurants.

This ultra transparent colour marking film is useful for window decorations and illuminated signs.

The polyester liner gives the transparent film a very high transparency and avoids visual distortion of objects placed behind glass.

Find out more about our range of bright colours!

DATA SHEET

- > **POLYMERIC FILM**
- > **80 MICRONS**
- > **13 GLOSS COLOURS**
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **5 YEARS** DURABILITY
- > SILICONISED **PET** LINER

WIDTH MM	LENGTH LM
1230	30



**HEXIS ADVICE
BEFORE
APPLICATION**

For better results, apply transfer paper to the **CRISTAL C4000** film before you start.

APPLICATION

For even greater transparency, use the **SHAGFENCEM** squeegee (see page 194) and **HEXISGEL** application gel (see page 218).



1 AVANT
CRISTAL C4000
INSTALLATION MAF SRL
ITALY

• ETCHED GLASS KG15DEPM CAST FILM

2D

LONG-TERM

PERMANENT

The **KG15DEPM** film offers real sparkles and a clearer finish than other products from our etched glass range.

DATA SHEET

- > **VERY HIGH-PERFORMANCE** CAST FILM
- > **80 MICRONS**
- > **ETCHED GLASS CLEAR MATT FINISH** WITH SPARKLES
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **7 YEARS** DURABILITY
- > SILICONISED **KRAFT** LINER

WIDTH MM	LENGTH LM
1230	30



¹ **KG15DEPM**
INSTALLATION TNV DESIGN
FRANCE

² **SSDEPM**
INSTALLATION BECKER PUBLICITÉ
FRANCE



KG15DEPM
ETCHED GLASS
CLEAR MATT
FINISH WITH
SPARKLES



2D

LONG-TERM

PERMANENT
& REMOVABLE
(S6DE00)

The **S5DEPM** is the ultimate etched glass film. Suitable for wet application.

The **HX5DEPM** film comes with a textured adhesive **Hex'PRESS** for better air egress and faster application. This product is for dry application.

The **S6DE00** is a removable etched glass film for temporary applications.

The **S5ICE** frosted glass offers a white frosted look on your windows.

DATA SHEET

- > **HIGH-PERFORMANCE POLYMERIC** FILMS
- > **80 MICRONS**
- > **ETCHED GLASS MATT** FINISH
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **8 YEARS** DURABILITY
- > **S5DEPM/S6DE00/S5ICE**: SILICONISED **KRAFT** LINER
- > **HX5DEPM**: **Hex'PRESS** LINER

SAME FINISH
3 DIFFERENT ADHESIVES

CODES	WIDTH MM	LENGTH LM
S5DEPM M1	1230	30
	1520	
HX5DEPM	1230	30
	1520	
S6DE00	1230	30
S5ICE	1230	30

INFORMATION



S6DE00 can be removed for up to 6 months without adhesive residue.



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.



2D

LONG-TERM

PERMANENT

These etched glass films are ideal for indoor decorations and signage.

They have the same type of finish

but two different adhesives.

The **HX5DP03** film comes with a textured adhesive

Hex[®]PRESS for better air egress and faster application.

This product is for dry application.

DATA SHEET

- > **POLYMERIC FILMS**
- > **80 MICRONS**
- > UP TO **4 YEARS** DURABILITY
- > **ETCHED GLASS CLEAR MATT FINISH** WITH SPARKLES
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > **S5DP03**: SILICONISED **KRAFT** LINER
- > **HX5DP03**: **Hex[®]PRESS** LINER

SAME FINISH
2 DIFFERENT ADHESIVES

PRODUCT CODE	WIDTH MM	LENGTH LM
S5DP03	1230	30
HX5DP03	1230	30



S5DP03
ETCHED GLASS WHITE
WITH SPARKLES



HX5DP03
Hex[®]PRESS ETCHED
GLASS WHITE WITH
SPARKLES



¹
S5DP03
PHOTO
TNV DESIGN
FRANCE

1

2D

**LONG-TERM
 PERMANENT**

This self-adhesive film with a frosted glass finish is perfect for all short- to medium-term applications.
 The **HXE3GIVMV2** film comes with a textured adhesive **HexiPRESS** for better air egress and faster application. This product is for dry application.

DATA SHEET


- > **MONOMERIC** FILM
- > **80 MICRONS**
- > UP TO **3 YEARS** DURABILITY
- > **FROSTED GLASS MATT** FINISH
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > **E3GIVMV2**: SILICONISED **KRAFT** LINER
- > **HXE3GIVMV2**: **HexiPRESS** LINER

M1

PRODUCT CODE	WIDTH MM	LENGTH LM
E3GIVMV2	1230	50
	1520	
HXE3GIVMV2	1230	50
	1520	



1 **E3GIVMV2**
 PHOTO
 FOLIENWERK7
 GERMANY



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.



POLYESTER PRIVACY FILM

2D

LONG-TERM

PERMANENT

DSVG180 is a decorative film for indoor applications on glass.

It has a 'Venetian blinds' look with etched glass, greyed 18 mm wide stripes, spaced by 6 mm.

DATA SHEET

- > **POLYESTER** FILM
- > **40 MICRONS**
- > UP TO **10 YEARS** DURABILITY
- > **GREYED ETCHED GLASS** STRIPES


M1


PRODUCT CODE	WIDTH MM	LENGTH LM
DSVG180	1523	30



HEXIS ADVICE

This film is applied just like protective films for buildings. For advice on application, we recommend reading our building film application sheet.


1
DSVG180

2D

**LONG-TERM
PERMANENT**

T5000 is specially designed for decorating light boxes. Its slightly grained finish ensures perfectly uniform light diffusion for your signs. Thanks to excellent dimensional stability, it can be easily installed. Equally suitable for both Plexiglas® and light diffusing banners. Combine this translucent film with Block-Out to create opaque effects.

B-S1d0 CLASSIFICATION

EN 13501-1

DATA SHEET

- > **INTERMEDIATE TRANSLUCENT POLYMERIC FILM**
- > **80 MICRONS**
- > UP TO **7 YEARS** DURABILITY
- > **18 SATIN** COLOURS
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > SILICONISED **KRAFT** LINER

M1

T5000	WIDTH MM	LENGTH LM
COLOURS	1230	30



1
T5127 - T5053 - T5001
INSTALLATION
STICKSONE
FRANCE

2
T5127 - T5053 - T5001
INSTALLATION
STICKSONE
FRANCE



OPACIFYING BLOCK-OUT POLYMERIC FILM

2D

LONG-TERM

PERMANENT

BLOCK-OUT is used to make light boxes opaque. It works hand in hand with Translucent **T5000**.

DATA SHEET

- > COLAMINATED **POLYMERIC** FILM
- > **165 MICRONS**
- > MAKES LIGHT BOXES OPAQUE
- > UP TO **5 YEARS** DURABILITY
- > **2 MATT** COLOURS
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > SILICONISED **KRAFT** LINER

PRODUCT CODE	WIDTH MM	LENGTH LM
BOBLANC BONOIR	1230	30



BONOIR
BLOCK-OUT
BLACK



BOBLANC
BLOCK-OUT
WHITE



1
BONOIR
INSTALLATION
VISIPIB
FRANCE



1

SPECIALTIES

LONG-TERM DRY ERASE FILMS	52
SELF-ADHESIVE BLACKBOARD FILM	53
MASKING FILM	54
ULS800 PERMANENT RETRO-REFLECTIVE FILMS FOR ROAD SIGNS.....	55
ULX800 PERMANENT RETRO-REFLECTIVE FILMS FOR ROAD SIGNS.....	56
P8100 PERMANENT RETRO-REFLECTIVE	56
APPROVED MARKINGS FOR EMERGENCY VEHICLES.....	57
APPROVED MARKINGS FOR VEHICLES.....	57
PRECUT MARKINGS	58 - 57
APPROVED REFLECTIVE STRIPES FOR HEAVY GOODS VEHICLE SAFETY	60
R3000 DECORATIVE RETRO-REFLECTIVE FILMS	61
N2PAPSILI SILICONISED PAPER	62
MB800 MAGNETIC FILM	63
FM580 SELF-ADHESIVE MAGNETIC FILM	64
FF480 SELF-ADHESIVE FERROUS FILM.....	65
DOUBLE-SIDED TAPE	66 - 68
VELCRO FASTENING	68

LONG TERM DRY ERASE FILMS

LONG-TERM

PERMANENT

WRITING WITH ERASABLE MARKERS

Writing on these dry-erase films can be erased even after several months. They feature a special varnish coating on top of the PVC. Indoor applications only.

DATA SHEET

DWP001B

- > **DRY ERASE WHITE** POLYMERIC FILM
- > **100 MICRONS**
- > IDEAL FOR **CREATING WRITING BOARDS**
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **5 YEARS** DURABILITY
- > ERASABLE FOR UP TO **3 MONTHS**
- > **PE LINER**
- > **STANDARD EN 13501-1**

WIDTH
MM

1370

LENGTH
LM

30

DATA SHEET

DWP002B

- > **DRY ERASE TRANSPARENT** MONOMERIC FILM
- > **90 MICRONS**
- > IDEAL FOR **TRANSFORMING A PRINTOUT OR DESIGN INTO A WRITING BOARD**
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **2 YEARS** DURABILITY
- > ERASABLE FOR UP TO **3 MONTHS**
- > **PE LINER**

WIDTH
MM

1370

LENGTH
LM

30



HEXIS ADVICE

We recommend to use BIC Velleda® markers. Get a list of compatible markers by downloading the data sheet from our website: www.hexis-graphics.com.



LONG-TERM

PERMANENT

WRITING WITH
TRADITIONAL CHALK

A true classic!
The BBNOIR blackboard film can be used to create school-style or slate-type boards.

It can be cut with a plotter to create original shapes.

DATA SHEET

- > **MONOMERIC** FILM WITH A **BLACK SLATE** FINISH
- > **170 MICRONS**
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **2 YEARS** INDOOR DURABILITY
- > CAN BE CUT WITH A PLOTTER
- > **KRAFT** LINER

PRODUCT CODE	WIDTH MM	LENGTH LM
BBNOIR	1230	30



1 BLACKBOARD
INSTALLATION
ILLIMITED
FRANCE


2 BLACKBOARD
INSTALLATION EXAMPLE



HEXIS ADVICE

The **BBNOIR** film can be erased easily with a damp, non-abrasive cloth or sponge.
Do not use with chalk markers.
Indoor use only.

For painted substrates, apply to undamaged, original paintwork only.



MASKING FILMS

The **M1000** stencil is specially designed for sandblasting granite, marble and glass.

DATA SHEET

M1000

- > **MONOMERIC** FILM
- > **230 MICRONS**
- > GREEN COLOUR
- > **SEMI-REMOVABLE** ADHESIVE

The **STENCIL** version is for smooth surfaces: sheets, walls, etc.

DATA SHEET

STENCIL

- > **SEMI-POLYMERIC** FILM
- > **80 MICRONS**
- > **GREY COLOUR**
- > **REMOVABLE** ADHESIVE

For masking canvas, use the **LAMBREQUIN** version. Its flexibility and special adhesive allow it to adapt perfectly to the fibres of the canvas, avoiding paint bleeding.

DATA SHEET

LAMBREQUIN

- > CADMIUM-FREE **POLYMERIC CALENDERED** PVC
- > **70 MICRONS**
- > **WHITE COLOUR**
- > **SEMI-REMOVABLE** ADHESIVE

PRODUCT CODE	WIDTH MM	LENGTH LM
M1000	1230	30
STENCIL	1230	30
	1520	
LAMBREQUIN	1230	30



1
M1000
HEXIS UK

2
STENCIL
COPYRIGHT BÜRKI
MOSER GMBH -
SWISS

3
LAMBREQUIN
MATHEUS
COMMUNICATION



**CLASS 2 – STANDARD
EN 12899-1**

**CLASS 2
RETRO-REFLECTIVE
FILM**

**MEDIUM LEVEL OF
VISIBILITY**

**VISIBLE UP TO 250
METRES**

Made with a honeycomb microbead structure, it is used:

In **open countryside**, for all signs **more than 2 metres high** and signs on **motorways and trunk roads, whatever their height**.

In **urban environments**, for all signs in **areas where the maximum speed limit is 70km/h** and at type AB priority roads and junctions (see sign graphic). Road signs covered with **ULS800** films are highly visible both day and night and are especially recommended for sinuous roads.



HEXIS ADVICE

Class 2 films can be used instead of Class 1 films.

For more information on reflection coefficients, download our technical data sheets from our website.

Looking for a printable retro-reflective film?

Take a look at the **R85120** film on page 114.

DATA SHEET



- > **RETRO-REFLECTIVE FILM** WITH MICROBEADS
- > **6 GLOSS** COLOURS
- > UP TO **10 YEARS** DURABILITY

WIDTH MM	LENGTH LM
610	23
1220	46



* Width 1220 mm x 46 lm unavailable

ILLUSTRATION



PERMANENT RETRO-REFLECTIVE FILMS FOR ROAD SIGNS

ULX800

CLASS 2 – STANDARD EN 12899-1

CLASS 2 RETRO-REFLECTIVE FILM

SUPERIOR LEVEL OF VISIBILITY

VISIBLE UP TO 500 METRES

Thanks to its micro-prismatic technology, the **ULX800** range significantly improves the perception and visibility of road signs.

Providing over 500 metres of visibility both day and night, it is ideal for areas with difficult traffic conditions.

The retro-reflective signs can be seen up to 800 metres ahead on main roads running straight.

DATA SHEET

- > MICROPRISMATIC **RETRO-REFLECTIVE** FILM
- > **5 COLOURS**
- > UP TO **10 YEARS** DURABILITY

WIDTH MM	LENGTH LM
610	23
1220	46



P8100

CLASS 1 – STANDARD EN 12899-1

CLASS 1 RETRO-REFLECTIVE FILM

LOWEST LEVEL OF VISIBILITY

VISIBLE UP TO 100 METRES

Made from acrylic resin and glass microbeads, this multilayered film is used for **roads in open countryside and in urban areas where Class 2 films are not mandatory.**

Road signs covered with **P8100** films are visible both day and night.

DATA SHEET

- > MULTILAYERED **RETRO-REFLECTIVE** FILM
- > **175 MICRONS**
- > **7 GLOSS** COLOURS
- > UP TO **7 YEARS** DURABILITY

WIDTH MM	LENGTH LM
610	25
1220	50



* Unavailable in 1220 mm width

APPROVED MARKINGS FOR EMERGENCY VEHICLES

FLUO YELLOW / RED REFLECTIVE CHEVRONS

CLASS B

STANDARD TPESC B 06014

Yellow and red reflective stripes for marking emergency and rescue vehicles, such as fire engines and police cars

Class B TPESC B 06014

The microprismatic technology provides high visibility at long distance (over 800 metres)

INFORMATION



Each kit contains 2 rolls:
left and right.

Never combine different
types of film on the same
vehicle.

PRODUCT CODE	WIDTH MM	LENGTH LM
CHEVS7	140	9 X 2
CHEVS77	280	9 X 2

TPESC B 06014 approval / Class B

Honeycomb microprismatic technology for excellent daytime visibility and long-distance reflective performance.



FOR VEHICLES APPROVED MARKINGS

WHITE / RED REFLECTIVE CHEVRONS

CLASS A & B

STANDARDS TPESC-A 19112 & TPESC-B 5098

Approved by UTAC.

Light and commercial vehicles marked with our approved reflective stripes are highly visible both day and night, improving road traffic safety.

Class A / TPESC-A 19112
Multilayered microbead technology

Class B / TPESC-B 5098
Honeycomb microbead technology

Class A stripes can be used for all works and service vehicles and machinery moving slowly or parked on public roads. More specifically, they are for security and works vehicles travelling in urban areas or on roads with a speed limit below 90 km/h.

Class B stripes ensure visibility from at least 250 metres away. Their honeycomb microbead technology provides a reflection coefficient over and above the minimum legal requirement. Highly visible, they are used on roads where the speed limit is 90 km/h or above.

PRODUCT CODE	WIDTH MM	LENGTH LM
BACS1 CLASS A	140	9 X 2
BACS4 CLASS B	140	9 X 2
BACS44 CLASS B	280	9 X 2



1
REFLECTIVE CHEVRONS
YELLOW | RED
CLASS B



YOUR VISIBILITY / OUR / PRIORITY

*Fitting your vehicle with
with reflective striping has
never been so easy!*

HEXIS offers approved
conspicuity marking kits,
precut in its French factories.

*Find out about our
precut conspicuity
marking kits*

Easy to install, adapted to the
shape of your vehicle, our kits
are available in **Class A*** or **Class
B***



Class A

Multi-layered
microbead
technology



Class B

Honeycombed
microbead
technology

** UTAC approval*

1 vehicle = 1 kit

Over **150 templates** for kits available



What are the advantages of our conspicuity marking kits?



ADAPTABILITY //

Classe A or Classe B according to requirements



APPROVAL //

Marking film with UTAC* approval



VISIBILITY //

Day and night up to 500 meters



RESISTANCE //

Durability of up to 7 years



EASY INSTALLATION //

No cutting on the vehicle bodywork



COST-EFFECTIVE SOLUTION //

No DTP, no proofreading or production

Available in 2023

For further information, please visit our website: www.hexis-graphics.com


Precut conspicuity marking kits

HEXIS conspicuity marking films are cut to size and applied directly to the bodywork of your vehicle.

They make your vehicle more visible because of their reflective finish that works at night.

Which vehicles are subject to conspicuity warning signs?

Emergency vehicles, whether stationary or moving slowly along the road, must be equipped with approved signs.



SIDES

FRONT

REAR



APPROVED MARKINGS

REFLECTIVE STRIPES FOR HEAVY GOODS VEHICLE SAFETY

CLASS C - STANDARD ECE104

PRODUCT CODE	WIDTH MM	LENGTH LM
VC104R-21 WHITE	51	50
VC104R-41 YELLOW	51	50
VC104R-51 RED	51	50

Highly visible conspicuity markings play a crucial role in improving road traffic safety. The **VC104R** range has been approved and meets the legal requirements for the marking of heavy goods vehicles.

Types of vehicle affected: vehicles registered from 1 April 2016 over 3.5 tonnes belonging to one of the following international categories:

**M (transport of passengers),
N (transport of goods),
O (trailers) exceeding 3.5 tonnes.**

These HGVs must be equipped with high-visibility, class C conspicuity markings, which is the highest reflection level.
Available in 3 colours:

YELLOW to be applied on entire vehicle,
WHITE to be applied on the sides of the vehicle only,
RED to be applied on the rear of the vehicle only.


Where to attach the reflective stripes




Minimum 80%
60% for difficult cases



Minimum 150 cm
Minimum 25 cm



Rigid surface



Cylindrical outline

Since 1 January 2021, a measure to improve the safety of vulnerable road users on public roads has been mandatory in France. A warning notice regarding blind spots must be visibly attached to the sides as well as the rear of HGVs over 3.5 tonnes.

There are several products available for this new measure. Please contact the HEXIS sales team.



• DECORATIVE RETRO-REFLECTIVE FILMS
R3000

2D

LONG-TERM

PERMANENT

The particularity of these films is that they reflect light. They are perfect for **decorative lettering** on flat or very slightly curved surfaces. The polyethylene liner offers better dimensional stability and thus avoids curling.


DATA SHEET

- > MULTILAYERED **RETRO-REFLECTIVE FILM**
- > **100 MICRONS**
- > **5 COLOURS**
- > UP TO **3 YEARS** DURABILITY

PRODUCT CODE	WIDTH MM	LENGTH LM
R3000	1230	30



* Available while stocks last



- 1 VC104R-41
ISTOCKPHOTO
- 2 3 R3000
STICKSONE
FRANCE

SILICONISED PAPER

N2PAPSILI

ASSEMBLY OF LETTERING

Siliconised liner for kit preparation.

DATA SHEET

- > **SILICONISED** PAPER
- > **137 G/M²**
- > UP TO **10 YEARS** DURABILITY

PRODUCT CODE	WIDTH MM	LENGTH LM
N2PAPSILI	1230	30

**REMOVABLE
ARTWORK**

MB800 is a white magnetic film with a magnetised black back. Repositionable, it has a strong magnetic force and will adhere magnetically to a variety of substrates such as vehicle bodies.

DATA SHEET

- > WHITE **MAGNETIC** FILM WITH MAGNETISED BLACK BACK
- > **850 MICRONS**
- > UP TO **2 YEARS** INDOOR DURABILITY

PRODUCT CODE	WIDTH MM	LENGTH LM
MB800	620	5 - 10 - 15
	1000	



HEXIS ADVICE

Cut by hand only, not suitable for cutting plotters. Please refer to the product data sheet before use. Handle with care.



1
MB800
PHOTO SHUTTERSTOCK

SELF-ADHESIVE MAGNETIC FILM

FM580

EASY MAGNETIC MARKING

This film makes any flat surface magnetic. It can be used with the **VF180WM** printable ferrous film (see page 114).

DATA SHEET

- > **SMOOTH MAGNETIC** NON-PRINTABLE FILM
- > **500 MICRONS**
- > COLOUR **BLACK**
- > UP TO **2 YEARS** INDOOR DURABILITY

PRODUCT CODE	WIDTH MM	LENGTH LM
FM580	1000	5 - 15




HEXIS HAS DEVELOPED A FULL, INNOVATIVE RANGE FOR YOU TO COMMUNICATE IN AN ORIGINAL MANNER.



Want to **make a surface magnetic** so you can apply customised ferrous objects/films?

Use the **FM580** self-adhesive magnetic film to make any flat surface magnetic together with the **VF180WM** printable ferrous film



¹ FM580 - FF480
TECNIMARC - SPAIN

EASY MAGNETIC MARKING

This film makes any flat surface ferrous. It can be used with the **VM380WM** printable magnetic film (see page 114) or any other light magnetic substrate of your choice.

DATA SHEET


- > **SMOOTH** NON-PRINTABLE FERROUS FILM
- > **400 MICRONS**
- > COLOUR **CHARCOAL**
- > UP TO **2 YEARS** INDOOR DURABILITY

PRODUCT CODE	WIDTH MM	LENGTH LM
FF480	1270	10




Want to **make a surface ferrous** so you can apply customised magnetic objects/films?

Use the **FF480** self-adhesive ferrous film to make any surface ferrous together with **VM380WM printable magnetic film**



NEUTRAL SUBSTRATE



SUBSTRATE MADE **FERROUS** USING FF480 (magnetic receptivity 16 g/cm²)



VM380WM PRINTABLE **MAGNETIC** FILM (magnetic force 5 g/cm²)



DOUBLE-SIDED TAPE

ACRYLIC TAPES

Suitable for structural bonding on **various surfaces: wood, metal, glass and most synthetic materials.**

High initial tack and very high ultimate adhesion. These double-sided tapes replace screws and rivets. Perfect sealing. Resistant to UV rays, solvents and humidity.

Applications: advertising totems, mounting beadings, mouldings, emblems and reinforcement parts.

Typical applications for transparent tapes: light boxes, applications on Plexiglas®.

DATA SHEET

TT32611

- > **GREY TAPE**
- > THICKNESS **1.1 MM**

DATA SHEET

TT32613

- > **WHITE TAPE**
- > THICKNESS **1.1 MM**

DATA SHEET

TT32905

- > **TRANSPARENT TAPE**
- > THICKNESS **0.5 MM**

DATA SHEET

TT32910

- > **TRANSPARENT TAPE**
- > THICKNESS **1 MM**

WIDTH MM	LENGTH LM			
	TT32611	TT32613	TT32905	TT32910
9	-	-	30	30
12	30	30	30	30
19	30	30	30	30



1



2



3



4



- 1 TT32611
- 2 TT32613
- 3 TT32905
- 4 TT32910



PE FOAM TAPES

Suitable for various surfaces: wood, metal, glass and most synthetic materials.

TT21516 is especially suitable for low-energy surfaces like PE and PP.

TT21536 has a rubber adhesive with very high initial tack.

Resistant to UV rays, solvents and humidity.

Applications: mounting beadings, emblems, displays, hooks, cable guides, mirrors.

DATA SHEET

TT21516

- > **ANTHRACITE TAPE**
- > **THICKNESS 1 MM**

DATA SHEET

TT21536

- > **WHITE TAPE**
- > **THICKNESS 1 MM**

DATA SHEET

TT21546

- > **WHITE TAPE**
- > **THICKNESS 0.95 MM**

WIDTH MM	LENGTH LM		
	TT21516	TT21536	TT21546
9	-	-	50
12	50	50	50
19	50	50	50
25	50	-	-



- 1 TT21516
- 2 TT21536
- 3 TT21546



1



2



3

• DOUBLE-SIDED TAPE

ACRYLIC FILM TAPE

Suitable for structural bonding on **various surfaces: wood, metal, glass and most synthetic materials.**

High initial tack and very high ultimate adhesion.

These double-sided tapes replace screws and rivets. Perfect sealing. Resistant to UV rays, solvents and humidity.

Applications: advertising totems, mounting beadings, mouldings, emblems and reinforcement parts.

Typical applications for transparent tapes: light boxes, applications on Plexiglas®.

DATA SHEET

- > **TRANSPARENT TAPE**
- > THICKNESS **0.25 MM**

PRODUCT CODE	WIDTH MM	LENGTH LM
TT13088	12	50
	19	
	25	



• VELCRO FASTENING

DUO GRIP

Fastening with a re-adjustable clip: optimal fastening is achieved by pressing the hook structures into each other.

Suitable for both high and low loads. Can hold loads up to 5 times higher than conventional "hook and loop" fasteners.

Easy to release, but resistant to shearing.

Resistant to UV rays and humidity.

Applications: fixing boards, name plates and emblems.

DATA SHEET

- > **BLACK TAPE**
- > THICKNESS **3.1 MM**
- > **FASTENING THAT CAN BE OPENED AND CLOSED BY PRESSING**

PRODUCT CODE	WIDTH MM	LENGTH LM
TTGRIP	25	12.5 LM X 2 - 1 LM X 2



APPLICATION TAPES

APPLICATION TAPES.....70 - 72

CHOOSING THE RIGHT TAPE.....73

TRANSPARENT TRANSFER FILMS

CODE	THICKNESS MICRONS	TYPE OF TAPE	TYPE OF ADHESION	RECOMMENDED FOR	WIDTH MM	LENGTH LM
HEX904	150	smooth thick	HIGH	Large and small lettering Wet application	610	100
					1000	
					1220	
HEX905*	110	grained standard	MEDIUM	Small lettering Wet application	610	100
					1000	
					1220	
HEX910	98	grained special	MEDIUM Special Kit	Vinyl transfer with reinforced adhesive	610	100
					1000	
					1220	
HEX915	90	grained standard	MEDIUM	Large, medium and small graphics, excl. structured and fluo	610	100
					1000	
					1220	
HEX930	86	grained special	MEDIUM Special Kit	ETCHED GLASS DRY APPLICATION	610	100
					1220	

* Available while stocks last





TRANSFER PAPERS

CODE	THICKNESS MICRONS	TYPE OF TAPE	TYPE OF ADHESION	RECOMMENDED FOR	WIDTH MM	LENGTH LM
HEX100 HEX100I	110	Special Kit HEX100I branded with HEXIS logo	HIGH	Creating kits and transferring digital prints	610	100
					1220	
					1500	
HEX900 HEX900I*	83	HEX900I branded with HEXIS logo	HIGH	Small lettering	610	100
					1000*	
					1220	
HEX901	83	-	LOW	Applying non-laminated digital prints	610	100
HEX902 HEX902I	83	HEX902I branded with HEXIS logo	MEDIUM	Large lettering	610	100
					1000	
					1220	
					1500	
HEX909	135		Very high	Difficult & delicate transfers	610	100
					1220	
					1500	

* Width 1000 mm unavailable for HEX900I.

INFORMATION



Product codes that end in an "i" have a liner printed with HEXIS in a VERY HIGH grey.


Further cutting possible for specified widths, from 50 mm onwards and by increments of 50 mm, based on original widths.

Special Kit tapes provide better dimensional stability and are intended for markings that need to be stored.



SPECIAL TRANSFERS

CODE	THICKNESS MICRONS	TYPE OF TAPE	TYPE OF ADHESION	RECOMMENDED FOR	WIDTH MM	LENGTH LM
HEX750	100	smooth	LOW	FLUO F610, SUPTAC CARBONE S5CANB, FLEX BLOCKPRINT	500	25
HEX860	50	smooth	HIGH	FLEX UFLEX5S FLEX NYLPRINT FLEX SILKPRINT FLEX UFLEX7PV2 TRANSFER of UV prints	500	25
					750	
					1000	
					1500	
HEX960	100	smooth	HIGH	FLEX UFLEX5S FLEX NYLPRINT FLEX SILKPRINT FLEX UFLEX7PV2	500	25
					750	
					1000	
					1500	





BASIC APPLICATION TIPS

Transfer papers are for wet application.
Transfer films are for dry application.

TRANSFERRING SMALL LETTERING (SMALLER THAN 1 CM)?

Use a medium-tack tape such as HEX915.

APPLYING IN COLD WEATHER (UNDER 10°C)?

We recommend a high-tack tape.

TRANSFERRING DIGITAL PRINTS?

Use HEX100i transfer paper for kits. You can use it for transferring digital prints with solvent, eco-solvent and UV inks.

TRANSFERRING S5DEPM ETCHED GLASS FILM?

Use HEX100i and HEX930 tapes.

TRANSFERRING LIGHT COLOURED LETTERING?

You can use HEX910. A transparent transfer film is preferable so you can better see the light colours.

WANT TO MAKE A KIT?

Use HEX100i, HEX910 or HEX930.

TRANSFERRING FLUO VINYL?

You can use the HEX750.

APPLYING ON A WALL?

HEX910 is perfect for transferring vinyl with reinforced adhesive.
Tip: leave a frame of vinyl on the tape around your cutout.

DIGITAL PRINTING

CLEAR PREMIUM CAST FILM CLEARWRAP	76
CHROME CAST FILM	77
BANNER SPECIAL PREMIUM CAST FILM	78
SKINTAC THE190EVO PREMIUM CAST FILM.....	79
100 SERIES PREMIUM CAST FILMS.....	80 - 81
200 SERIES POLYMERIC FILMS.....	82 - 83
240 SERIES POLYMERIC FILMS.....	84
280 SERIES POLYMERIC FILMS.....	85
300 SERIES MONOMERIC FILMS	86
300 SERIES FILM AND FLOOR SOLUTION	87
3000 SERIES MONOMERIC FILMS.....	88 - 89
PVC-FREE FILMS.....	90 - 91
100 SERIES CAST FILMS WITH REINFORCED ADHESIVE	92 - 93
200 SERIES POLYMERIC FILMS WITH REINFORCED ADHESIVE	94
300 SERIES MONOMERIC FILMS WITH REINFORCED ADHESIVE.....	95
SEMI-RIGID MONOMERIC FILM WITH REINFORCED ADHESIVE	96
MICROPERFORATED POLYMERIC FILMS	97
MICROPERFORATED MONOMERIC FILMS	98

SPECIAL MICROPERFORATED FILMS.....	99
TOOLS FOR MICROPERFORATED FILMS.....	100
ETCHED GLASS POLYMERIC FILM.....	102
TRANSLUCENT POLYMERIC FILM.....	102
TRANSPARENT POLYMERIC FILMS.....	103
TRANSPARENT MONOMERIC FILMS.....	103
TRANSPARENT REMOVABLE FILMS.....	104
NON-ADHESIVE BACKLIT FILMS.....	105
PRINTABLE POLYESTER BANNERS.....	106
PRINTABLE DIFFUSING POLYESTER BANNERS.....	107
LINPRINT	108 - 109
CANVAS	110
MEDIA FOR DISPLAYS	111
WALLPAPERS & PAPERS	112
REPOSITIONABLE FILMS.....	113
MAGNETIC & FERROUS FILMS.....	114
REFLECTIVE FILM.....	114
NON-ADHESIVE PAPERS.....	115
PRINTABLE GLOSS FILMS FOR EXTREME DECO KITS.....	116

CLEAR PREMIUM CAST FILM CLEARWRAP



LONG-TERM

PERMANENT

MICRO-EMBOSSSED PE LINER

CLEARWRAP is a clear gloss cast film specially designed for vehicle wraps. It preserves the colour of the vehicle body paintwork.

It comes with a micro-**embossed** liner making installation quick and easy.

DATA SHEET

- > CLEAR PRINTABLE FILM, **GLOSS**
- > **HIGH PERFORMANCE** CAST PVC
- > THICKNESS **50 MICRONS (1.9 MILS)**
- > CLEAR ACRYLIC SOLVENT-BASED ADHESIVE WITH MICRO **EMBOSSSED PE LINER**
- > COMPATIBLE INKS: ECOSOLVENT, SOLVENT, LATEX AND UV
- > DURABILITY: UP TO **5 YEARS**

CODE	FINISH	COMPATIBILITY				WIDTH MM	LENGTH LM
		SOLV	ECO-S	LATEX	UV		
CLEARWRAP	gloss	✓	✓	✓	✓	1370	25

RECOMMENDED LAMINATE

PC50MICP2	gloss	 SEE PAGE 126
------------------	-------	---




1
CLEARWRAP
HEXIS USA
USA



HEXIS ADVICE

Remember to clean your vehicle's bodywork with our liquid products before applying **CLEARWRAP**.
See page 220



1
CLEARWRAP
HEXIS USA
USA



LONG-TERM

PERMANENT

And if you dared to go for a 100% chrome look? Stand out and let yourself be surprised by our new **KROMPRINT** printable chrome film!

The **KROMPRINT** film was specifically designed to enhance your prints with a metallic shine.

This film prints remarkably well with both latex and UV ink technologies; and it can adapt to the most complex shapes: 2D/3D (mirrors, rivets, furniture corners etc.). There is no better way to create eye-catching designs with chrome highlights. And whatever your total wrapping or decoration project, you can now demonstrate your individuality.

DATA SHEET

- > PRINTABLE CHROME FILM, **GLOSS**
- > CAST PVC **HIGH PERFORMANCE**
- > THICKNESS **125 MICRONS (4.9 MILS)**
- > ACRYLIC ADHESIVE & PET LINER PET
- > COMPATIBLE INKS: ECO-SOLVENT, SOLVENT, LATEX AND UV
- > DURABILITY / UNPRINTED FILM: UP TO **5 YEARS**
- > AVAILABLE IN WIDTH **1370 MM BY 25 LM**

CODE	FINISH	COMPATIBILITY				WIDTH MM	LENGTH LM
		SOLV	ECO-S	LATEX	UV		
KROMPRINT	gloss	✓	✓	✓	✓	1370	25

RECOMMENDED LAMINATES

PC300	gloss	 SEE PAGE 120 & 122
PC500G2	gloss	
V750B	gloss	
V750M	matt	
V750S	satin	
VCR750B <i>reinforced adhesive</i>	gloss for UV printing	
VCR750M <i>reinforced adhesive</i>	matt for UV printing	



HEXIS ADVICE

For 3D use, it is recommended to print the **KROMPRINT** with latex inks and to laminate with **PC500G2** or **PC300**. For 2D use, all printing technologies are suitable and can achieve equally spectacular effects. It is recommended to laminate with **V750** or **VRC750**.



1
KROMPRINT
HEXIS SAS
FRANCE

BANNER SPECIAL

PREMIUM CAST FILM



LONG-TERM

PERMANENT

The **VTB901WG1** film is equipped with a PE liner for superior **print quality**. Its excellent opacity and adhesion over time ensure perfect, durable results. This film offers a **high resistance to adverse weather and mechanical stress** (e.g. automatic cleaning). Designed for **quick application**, it minimizes vehicle downtime.

DATA SHEET

- > PRINTABLE WHITE FILM, **GLOSS**
- > **HIGH-PERFORMANCE** CAST PVC
- > THICKNESS **80 MICRONS**
- > ACRYLIC ADHESIVE & PE LINER
- > COMPATIBLE INKS: ECO-SOLVENT, SOLVENT, LATEX AND UV
- > DURABILITY OF UNPRINTED FILM: UP TO **5 YEARS**
- > AVAILABLE IN WIDTHS OF **1520 MM X 45 LM** (OTHER LENGTHS AVAILABLE)

PRODUCT CODE	FINISH	COMPATIBILITY				WIDTH MM	LENGTH LM
		SOLV	ECO-S	LATEX	UV		
VTB901WG1	gloss	✓	✓	✓	✓	1520	45

CREATE YOUR OWN 130-micron PRINTED COMPOSITE

Combined with **VTB901WG1**, the **PTB900** laminate extends the composite's durability to up to **5 years**.
 PTB900: Transparent cast PVC laminate, 50 microns

- Gloss (G), matt (M) and satin (S) finish
- Acrylic adhesive & PE liner
- Available in 1520 mm width x 50 lm

THE HEXIS PLUS



Products compatible with HEXIS banners (**FRONTM1EV2**, **FRONT2V3S**, etc.)



HEXIS ADVICE

For easy installation, the **VTB901WG1** offers a strong and immediate adhesion. Make sure to use our **HEX904** tape. Once the film is installed, you can remove the tape immediately.

RECOMMENDED LAMINATES

PTB900G	gloss
PTB900M	matt
PTB900S	satin



1
VTB901WG1 + PTB900
 PHOTO
 MONDO ADESIVO
 PORTUGAL

2
THE190EVO + PC30B + HX200
 PHOTO
 OPARUSIC REKLAMBYRÅ AB
 SWEDEN



LOOKING FOR A HIGH QUALITY CAST FILM THAT'S EASY TO APPLY?

Hexis has developed **THE190EVO**, the next generation of digital printing films, for people just like you.

It offers properties like conformability, adaptability and an **excellent gloss finish**, making it suitable for use in all sorts of scenarios: wraps, vehicle fleets, interior decoration, boat wraps, etc.

The **THE190EVO** is used with our range of **PC190** high performance cast laminates in gloss, satin or matt finish but can also be combined with other cast laminates.



THE HEXIS PLUS



For optimum durability of the composite, the **laminates** we recommend the most is **PC190**.

Other laminates that can be combined with **THE190EVO**: the **PC300, PC500**, range (PVC-free, very high protection, UV-resistant), the structured **PCCARBON** range (structured carbon effect) / **PCSTAR** (sparkle effect), etc.

DATA SHEET

- > PRINTABLE WHITE FILM, **GLOSS**
- > **HIGH-PERFORMANCE** CAST PVC
- > PERMANENT SOLVENT-BASED GREY ACRYLIC ADHESIVE, WITH A **TAKE HEAT EASY® MICRO-STRUCTURE**
- > THICKNESS **50 MICRONS**
- > FOR INDOOR AND OUTDOOR APPLICATION
- > COMPATIBLE INKS: ECO-SOLVENT, SOLVENT, LATEX AND UV
- > DURABILITY OF UNPRINTED FILM: **10 YEARS** (VERTICAL OUTDOOR APPLICATION)
- > AVAILABLE IN WIDTHS OF **1370** AND **1520 MM** X **45 LM** (OTHER LENGTHS AVAILABLE)

PRODUCT CODE	FINISH	COMPATIBILITY				WIDTH MM	LENGTH LM
		SOLV	ECO-S	LATEX	UV		
THE190EVO	gloss	✓	✓	✓	✓	1370 1520	45

TAKE HEAT EASY		
New technology providing low initial tack thanks to the combination of a new solvent-based adhesive and textured liner .	Cast PVC offering extreme conformability for installations on 'tricky' surfaces such as rivets, rear-view mirrors, etc.	- Low initial tack - Repositionable , printable cast film



THE190EVO: The Benefits

TAKE HEAT EASY® (THE) combines a **new textured liner** with a **new solvent-based adhesive** to reduce the film's initial tack, making it easier to apply. All installers, including beginners, will love it.

Our printable film itself has also been optimised. Like our **HX190WG2** it is still a 50-micron film, but our chemists have integrated a special layer to make it more opaque.

Try it - you'll love it!

100 SERIES

PREMIUM CAST FILMS



3D

LONG-TERM

FULL WRAPS
PRINTED

PERMANENT

PRINTABILITY

Compatible with all printing systems
Optimised ink coverage
Alleviates printing flaws due to inaccuracies of the printing system

INSTALLATION PROPERTIES

Multilayered film. Regardless of ink coverage, the tack perceived during installation remains the same.
Thanks to their composition, these films lower the risks associated with installation quality.

EASE OF APPLICATION

You can choose a 30- or 50-micron laminate to optimise the handling and get an easier installation.

100 SERIES		WHITE PVC FILM - 50 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
V100WG2	gloss	permanent, grey	✓	✓	✓	✓	1370	45

190 SERIES		WHITE PVC FILM - 50 MICRONS - HEXIPRESS & TAKE HEAT EASY LINERS						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
THE190EVO	gloss	permanent grey or transparent	✓	✓	✓	✓	1370 1520	45
HX190WG2	gloss	permanent grey	✓	✓	✓	✓	1370 1520	25-45



Certified for
HP Latex Inks

RECOMMENDED LAMINATES

PC190G2	gloss	<p>SEE PAGE 118</p>
PCR190G2	gloss	
PC190S	satin	
PC190M3	matt	
PC30G2	gloss	
PC30M3	matt	



Have you considered the
PVC-free equivalent
HX500WG2



1



1
HX190WG2 + PC190G2
PHOTO THOMA
WERBETECHNIK
SWEDEN

2
HX190WG2 + PC190M3
APPLICATION
OPARUSIC REKLAMBYRÅ AB
SWEDEN


3
THE200EVO + V850G
APPLICATION:
BÜRKI MOSER GMBH
GERMANY



How to install a film on highly irregular surfaces



WHAT NOT TO DO



WHAT TO DO

200 SERIES

POLYMERIC FILMS



EASE OF APPLICATION

Thanks to the Take Heat Easy technology applied to the Polymeric 200 series, our new **THE200EVO** will provide considerable time savings for your large-format printing,

making it an ideal solution for any 2D projects, particularly those that require fast and accurate fitting of printed graphics.

2D

LONG-TERM

PERMANENT & REMOVABLE

THE200 SERIES		WHITE PREMIUM PVC FILM - 70 MICRONS - <small>TAKE HEAT EASY</small> LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
THE200EVO	gloss	permanent grey	✓	✓	✓	✓	1370 1600	45

EN13501-1 tested and valid for composite **THE200EVO** and **V750B**

HX200 SERIES		WHITE PVC FILM - 70 MICRONS - <small>HEX'PRESS</small> LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
HX200WG2	gloss	permanent low tack grey	✓	✓	✓	✓	1370 1600	45
HX200NTWG2	gloss	permanent standard tack grey	✓	✓	✓	✓	1050 1370 1600	45
HX201WG2	gloss	permanent clear	✓	✓	✓	✓	1050 1370	45





V200 SERIES		WHITE PVC FILM - 70 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
V200WG1 <small>Certified for HP Latex Inks</small>	gloss	permanent grey	✓	✓	✓	✓	1050 1370 1600	45-100
V200WM1	matt	permanent grey	✓	✓	✓	✓	1370 1600	45
V201WG1	gloss	permanent clear	✓	✓	✓	✓	1050 1370 1600	45
V201WM1	matt	permanent clear	✓	✓	✓	✓	1370	45
V210WG1	gloss	removable black	✓	✓	✓	✓	1370	45
V211WG1	gloss	removable clear	✓	✓	✓	✓	1370	45

RECOMMENDED LAMINATES	
V750B	gloss
V750M	matt
N V750S	satın
VCR750B <i>reinforced adhesive</i>	gloss for UV printing
VCR750M <i>reinforced adhesive</i>	matt for UV printing



SEE PAGE 119

INFORMATION



For lengths longer than the standard, please contact your local distributor.



- 
 - 1 HX200NTWG2
INSTALLATION
VISUEL PUB
FRANCE
 - 2 V200WG1
PHOTO
PUBLIFLASH
FRANCE

240 SERIES

POLYMERIC FILMS



2D

LONG-TERM

PERMANENT

You need a durable and printable polymeric film at a fair price? Our promotional polymeric **240 SERIES** is designed for long-term visual communication on both indoor and outdoor flat surfaces.



V240 SERIES		WHITE PVC FILM - 70 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
V240WG1	gloss	permanent grey	✓	✓	✓	✓	1050 1370 1600	45
V240WM1	matt	permanent grey	✓	✓	✓	✓	1050 1370 1600	45

HX240 SERIES		WHITE PVC FILM - 70 MICRONS - HEX [®] PRESS LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
HX240WG2 <small>Certified for HP Latex Inks</small>	gloss	permanent grey	✓	✓	✓	✓	1050 1370 1600	45
HX240WM2	matt	permanent grey	✓	✓	✓	✓	1050 1370 1600	45

RECOMMENDED LAMINATE	
V740B	gloss
V740M	matt
VCR740B	gloss for UV printing
VCR740M	matt for UV printing



SEE PAGE 120

280 SERIES

POLYMERIC FILM



EASE OF APPLICATION

With a thickness of 100 microns, the **280 SERIES** offers easy application combined with the durability specific to polymeric films.

2D

LONG-TERM

PERMANENT

V280 SERIES		WHITE PVC FILM - 100 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
V280WG1	gloss	permanent grey	✓	✓	✓	✓	1370	45

RECOMMENDED LAMINATES

V750B	gloss	<p>SEE PAGE 123</p>
V750M	matt	
N V750S	satin	
VCR750B <i>reinforced adhesive</i>	gloss for UV printing	
VCR750M <i>reinforced adhesive</i>	matt for UV printing	



1
HX240WG2
RÉALISATION GG WERBETECHNIK
SWISS

2
HX240WG
RÉALISATION GOLD COAST WRAPS
AUSTRALIA

3
V240WG1
RÉALISATION GÉNÉRATION IDCO
FRANCE

300 SERIES

MONOMERIC FILMS




MEDIUM-TERM

FLAT SURFACES

PERMANENT &
REMOVABLE

STANDARD EN 13501-1*

* This standard has been tested and is valid for use with laminate V700M for all films from the 300 series



V300 SERIES		WHITE PVC FILM - 100 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ÉCO-S	LATEX	UV		
V300WG1	gloss	permanent grey	✓	✓	✓	✓	1050 1370 1600	45
V300WS1	satın	permanent grey	✓	✓	✓	✓	1050 1370 1600	45
V301WG1	gloss	permanent clear	✓	✓	✓	✓	1370 1600	45
V310WG1	gloss	removable black	✓	✓	✓	✓	1370 1600	45
V311WG1	gloss	removable clear	✓	✓	✓	✓	1370 1600	45

V350 SERIES*		WHITE PVC FILM - 80 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ÉCO-S	LATEX	UV		
V351WG1*	gloss	permanent clear	✓	✓	✓	✓	1600	45

* Available while stocks last

RECOMMENDED LAMINATES		
V700B	gloss	<p>SEE PAGE 120</p>
V700M	mat	
V700S	satın	



ANTI-SLIP

SHORT-TERM

FLAT SURFACES

STANDARD EN 13501-1

REMOVABLE

Film for indoor application on smooth floors with light to moderate footfall. This hexagonal textured film provides extra security against the risk of slipping.



3

300 SERIE

WHITE PVC FILM - 150 MICRONS - PE LINER

PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ÉCO-S	LATEX	UV		
HW301WM1	Matt	removable	✓	✓	✓	✓	1370	30

DIN 51130**
R10

** DIN 51130
Standard used in Europe, slip resistance class for SHOD feet



- 1 V300WG1
INSTALLATION
ILLIMITED EDITION
FRANCE
- 2 V301WS1
INSTALLATION
PUBLIFLASH
FRANCE
- 3 HW301WM1
INSTALLATION
HEXIS SAS
FRANCE
- 4 V351WG1
INSTALLATION
ILLIMITED
FRANCE



4

MONOMERIC FILMS
3000 SERIES



1D

SHORT-TERM

FLAT SURFACES

PERMANENT &
REMOVABLE

TOR top opacity range

TOP OPACITY RANGE		WHITE PVC FILM - 100 MICRONS - KRAFT LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
TOR3001WG	gloss	permanent clear	✓	✓	✓	✓	1050 1370 1600	45

HX3000 SERIES		WHITE PVC FILM - 100 MICRONS - HEXIPRESS LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
HX3000WG2	gloss	permanent grey	✓	✓	✓	✓	1050 1370 1600	45
HX3001WG2	gloss	permanent clear	✓	✓	✓	✓	1370	45
HX3001WM2	matt	permanent clear	✓	✓	✓	✓	1370	45



1
TOR3001WG
INSTALLATION HEXIS S.A.S.
FRANCE

2
V3100WG
INSTALLATION OPARUSIC REKLAMBYRÅ
SWEDEN

3
V3000WG
INSTALLATION PERSONNALIZ
LA RÉUNION



V3000 SERIES		WHITE PVC FILM - 100 MICRONS - KRAFT LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOIV	ECO-S	LATEX	UV		
V3000WG Certified for HP Latex Inks M1	gloss	permanent grey	✓	✓	✓	✓	1050 1370 1520 1600	45
V3000WM Certified for HP Latex Inks	matt	permanent grey	✓	✓	✓	✓	1050 1370 1600	45
V3001WG	gloss	permanent clear	✓	✓	✓	✓	1050 1370 1600	45
V3001WM	matt	permanent clear	✓	✓	✓	✓	1050 1370 1600	45
V3100WG	gloss	removable black	✓	✓	✓	✓	1050 1370 1600	45
V3101WG	gloss	removable clear	✓	✓	✓	✓	1050 1370 1600	45
V3101WM	matt	removable clear	✓	✓	✓	✓	1370	45



RECOMMENDED LAMINATES

V700B	gloss
V700M	matt
V700S	satin
V650B	gloss
V650M	matt
VCR650B <i>reinforced adhesive</i>	gloss for UV printing
VCR650M <i>reinforced adhesive</i>	matt for UV printing


SEE
PAGES 120 & 121



2D+

LONG-TERM

PERMANENT

M1 FIRE RATING*

PVC-FREE

What are the benefits of PVC-free films?

These products reduce the impact on the environment thanks to their specific manufacturing process. HEXIS consumes less energy during production. Furthermore, fewer petroleum-based organic materials are used.

The **HX500WG2** is a 50-micron PVC-free film for 2D+ surfaces. The highly conformable **PC300** and **PC500** laminates allow for very long term customisation of many materials.

Recommended laminates
The **PC500G2** and **PC500M**, due to their formulation, allow an optimised installation. The **PC300**, with its thickness of 30µm, allows you to obtain a particularly flexible compound. Your squeegee glides easily over the lamination and saves you time during installation.

PL300CG2 is a 30-micron clear latex laminate coated with an acrylic pressure sensitive adhesive.

*tested and applicable for the **HX500WG2** with **PC500M** compound



1
HX500WG2 + PC500G2
INSTALLATION HEXIS SAS
FRANCE

2
HX500WG2
INSTALLATION ILLIMITED
FRANCE

3
HX500WG2 + PC500M
INSTALLATION HEXIS SAS



HX500 SERIES		WHITE PVC-FREE FILM - 50 MICRONS - HEXIPRESS LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
HX500WG2 	gloss	permanent grey	✓	✓	✓	✓	1520	45

RECOMMENDED LAMINATES		
PC300	gloss	 SEE PAGE 122
PC500G2	gloss	
PC500M	matt	

ECOLOGICAL PRINT SERIES		WHITE PP FILMS 80 MICRONS				HEXIPRESS		
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
HXR301EPS 	satin	clear reinforced			✓		1370	45
HX301EPS 	satin	permanent, clear			✓		1230	45

ECOLOGICAL PRINT SERIES		ADHESIVE PAPERS						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
EPS135AD 	satin	permanent, clear	✓	✓	✓	✓	1370	30
EPS150ADE 	satin	structured permanent clear	✓	✓	✓	✓	1372	35



WALL WRAPS

LONG-TERM

LOW-ENERGY & COMPLEX SURFACES

These products are especially suited for **wall wraps**, complex surfaces (rivets, corrugated metal, etc.) and low-energy surfaces (e.g. waste containers).

The combination of ultra-conformable cast vinyls and **Hex·PRESS** technology enables you to achieve the highest quality while reducing installation times.

Get even better results by using our high-performance **PC190** and **PC30** laminates available in matt, gloss or satin finish.



1
VCXR101WG1
INSTALLATION STUDIO JAFAR / ATC GROUPE
FRANCE

2
VCSR101WG1
INSTALLATION G&G WERBETECHNIK
SWITZERLAND

3
VCXR201WG1
INSTALLATION R-EVOLUTION ART
ITALY




100 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE - 50 MICRONS							
PRODUCT CODE	FINISH	ADHESIVE	LINER	COMPATIBILITY				WIDTH MM	LENGTH LM
				SOLV	ECO-S	LATEX	UV		
HXR101WG2	gloss	permanent, reinforced, clear	Hexi-PRESS	✓	✓	✓	✓	1370	45
VCSR101WG1	gloss	permanent, super-reinforced, clear	PE	✓	✓	✓	✓	1370	45
VCXR101WG1	gloss	permanent, super-reinforced, clear	PE	✓	✓	✓	✓	1370	45

RECOMMENDED LAMINATES	
PC190G2	gloss
PC190S	satin
PC190M3	matt
PC30G2	gloss
PC30M3	matt



SEE PAGE 118



200 SERIES

POLYMERIC FILMS WITH REINFORCED ADHESIVE



WALL WRAPS

LONG-TERM

LOW-ENERGY & COMPLEX SURFACES



200 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE - 70 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
VCSR200WG1	gloss	permanent, super-reinforced, grey	✓	✓	✓	✓	1050 1370	45
VCSR201WG1	gloss	permanent, super-reinforced, clear	✓	✓	✓	✓	1050 1370 1600	45
VCSR201WM1	matt	permanent, super-reinforced, clear	✓	✓	✓	✓	1370	45
VCXR201WG1	gloss	permanent, extra-reinforced, clear	✓	✓	✓	✓	1050 1370	40
VCSR201DP	gloss	permanent, super-reinforced, clear	✓	✓	✓	✓	1370	45

200 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE - 70 MICRONS - PET LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
N VCSR202CG3	gloss	permanent, super-reinforced, clear	✓	✓	✓	✓	1370 1600	45

RECOMMENDED LAMINATES	
V750B	gloss
V750M	matt
N V750S	satin
VCR750B	gloss for UV printing
VCR750M	matt for UV printing



SEE PAGE 119

MONOMERIC FILMS WITH REINFORCED ADHESIVE



WALL WRAPS

MEDIUM-TERM

LOW-ENERGY & COMPLEX SURFACES



1
VCSR200WG1
INSTALLATION PUBLIFLASH
FRANCE

2
VCSR201DP
INSTALLATION TMS38
FRANCE

3
VCXR201WG1
INSTALLATION AGENT GRAPHIQUE
FRANCE

Specifically designed for covering grained, porous, concrete and brick surfaces, our new monomeric film VCXR301WG1 is suitable for all your indoor and outdoor projects.

300 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE 100 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
VCSR300WG1 M1	gloss	permanent super-reinforced, grey	✓	✓	✓	✓	1050 1370 1600	45
VCSR300WM1 M1	matt	permanent super-reinforced, grey	✓	✓	✓	✓	1050 1370 1600	45
VCSR301WG1 M1	gloss	permanent super-reinforced clear	✓	✓	✓	✓	1050 1370 1600	45
VCSR301WM1 M1	matt	permanent super-reinforced clear	✓	✓	✓	✓	1050 1370 1600	45
VCSR301WS1 	satin	Permanent extra-reinforced clear	✓	✓	✓	✓	1370 1600	45
VCXR301WG1	gloss	Permanent extra-reinforced clear	✓	✓	✓	✓	1370	30
VCXR301WS1 N	satin	Permanent extra-reinforced clear	✓	✓	✓	✓	1370	30



RECOMMENDED LAMINATES

V700B	gloss
V700M	mat
V700S	satin
V650B	gloss
V650M	matt
VCR650B	gloss for UV printing
VCR650M	matt for UV printing

SEE PAGES 120 & 121



SEMI-RIGID MONOMERIC FILM WITH REINFORCED ADHESIVE

WALL WRAPS

SHORT-TERM OR PROMOTIONAL

LOW-ENERGY & COMPLEX SURFACES

The reinforced adhesive ensures adhesion to irregular, grained and textured substrates or low-energy surfaces (waste containers, concrete, bricks).

CSR25		SEMI-RIGID WHITE PVC FILM - 200 MICRONS - KRAFT LINER				
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY		WIDTH MM	LENGTH LM
			SOLV	ECO-S		
CSR25	matt	permanent, reinforced, clear	✓	✓	1370	30



2D+

LONG-TERM

PERMANENT



- 1
CSR25
PHOTO G&G
WERBETECHNIK
- 2
MICRO1
INSTALLATION
AB NÉON
FRANCE
- 3
MICRO2 + PC50MICP2
PHOTO
X-PRESS PRINT & SIGNS
SPAIN



POLYMERIC FILMS

WHITE GLOSS PVC FILM WITH BLACK BACK

PRODUCT CODE	THICKNESS MICRONS	MICRO PERFORATION	ADHESIVE	LINER	COMPATIBILITY				WIDTH MM	LENGTH LM
					SOLV	ECO-S	LATEX	UV		
MICRO1 M1	160	30%	permanent, clear	PE	✓	✓	✓	1050	30	
								1370		
								1520		
MICRO2 M1 <small>Certified for HP Latex Inks</small>	165	32%	permanent, clear	Kraft	✓	✓	✓	1000	10-30-120	
								1370	10-30-90	
								1520	10-30	

RECOMMENDED LAMINATE

PC50MICP2	gloss	 SEE PAGE 126
------------------	-------	---



HEXIS ADVICE

Use polymeric microperforated vinyl so the film adapts perfectly to the curved shape of the rear window.



MICROPERFORATED MONOMERIC FILMS

2D

FLAT GLASS
SURFACES

SHORT-TERM

PERMANENT &
REMOVABLE

MONOMERIC FILMS			WHITE GLOSS PVC FILM WITH BLACK BACK							
PRODUCT CODE	THICKNESS MICRONS	MICRO PERFORATION	ADHESIVE	LINER	COMPATIBILITY				WIDTH MM	LENGTH LM
					SOLV	ECO-S	LATEX	UV		
MICRO170UV	180	40%	removable, clear	PE			✓		1370	30
MICRO6	160	30%	permanent, clear	PE	✓	✓			1370 1520	50

RECOMMENDED LAMINATE

PC50MICP2

gloss


SEE PAGE 126



- 1 MICRO2 PHOTO SIGNARAMA FRANCE
- 2 MICROINSID INSTALLATION BA ENSEIGNE



2D

FLAT GLASS SURFACES

PERMANENT & REMOVABLE

SPECIAL FILMS	WHITE GLOSS PVC FILMS WITH BLACK BACK (MICROINSID) & TRANSPARENT GLOSS (MICROGUV)						
	PRODUCT CODE	THICKNESS MICRONS	MICRO PERFORATION	ADHESIVE	LINER	COMPATIBILITY	WIDTH MM
MICROINSID M1	140	40%	semi-permanent, clear	PET	<div style="display: flex; gap: 5px;"> ✓ SOLV ✓ ECO-S ✓ LATEX ✓ UV </div>	1370	25
MICROGUV	145	40%	removable, clear	PET	<div style="display: flex; gap: 5px;"> ✓ </div>	1372	50


INFORMATION



MICROINSID is designed for indoor use (glass windows and doors). The printable side is the adhesive side. Thus, it is protected from vandalism and bad weather.

The transparent **MICROGUV** film is mirror-printed.

For further information regarding these products, please refer to the data sheets available on our website.



2

**PROTECTIVE MESH
 FOR THE EDGES OF
 ARTWORK**



PRODUCT CODE	THICKNESS MICRONS	TYPE	ADHESIVE	LINER	WIDTH MM	LENGTH LM
FPG836	36	Polyester	permanent	PET	14	30
FPC50MICP2	50	cast PVC	permanent	PET	14	30



¹
 MICROINSID
 INSTALLATION BA
 ENSEIGNE




HEX'PERIENCE

The material experience by HEXIS



**CHOOSE AND CREATE YOUR OWN FULLY CUSTOMISABLE
& PRINTABLE ANTI-MICROBIAL DECORATION COMPOSITE!**



www.hexis-graphics.com



HEXIS S.A.S - ZI Horizons Sud - CS970003 - 34118 FRONTIGNAN CEDEX - FRANCE - Tel: +33 (0) 4 67 18 08 88

POLYMERIC FILM ETCHED GLASS



WINDOW DECORATION

ETCHED GLASS FINISH		PVC FILM - 80 MICRONS - KRAFT LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ÉCO-S	LATEX	UV		
V203EG	matt	permanent, clear	✓	✓	✓	✓	1230 1520	30
N HX203EG	matt	permanent, clear	✓	✓	✓	✓	1230 1520	30

TRANSLUCENT POLYMERIC FILM



LIGHT BOXES

EN 13501-1



- 1 V203EG
INSTALLATION
ILLIMITED
FRANCE
- 2 V201TR1
INSTALLATION
BÜRKI & MOSER GMBH
SWISS

TRANSLUCENT EFFECT

PVC FILM - 80 MICRONS - PE LINER

PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ÉCO-S	LATEX	UV		
M1 V201TR1	translucent satin	permanent, clear	✓	✓	✓	✓	1370	45

POLYMERIC FILMS
TRANSPARENT



WINDOW GRAPHICS

WINDOWS

LIGHT BOXES

TRANSPARENT EFFECT		PVC FILM - 70 MICRONS						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
V202CG1	gloss	permanent, clear	✓	✓	✓	✓	1370 1600	45
V202CG3 N	gloss	permanent, clear	✓	✓	✓	✓	1370	45

TRANSPARENT MONOMERIC FILMS



WINDOW GRAPHICS

WINDOWS

LIGHT BOXES

SHORT-TERM



3
V201TR1
INSTALLATION
PUBLIFLASH
FRANCE



TRANSPARENT EFFECT		PVC FILM - 80 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
V302CG1	gloss	permanent, clear	✓	✓	✓	✓	1370 1600	45
V362CG1	gloss	permanent, clear	✓	✓	✓	✓	1370 1600	45

• TRANSPARENT REMOVABLE FILMS

WINDOW DECORATION

TRANSPARENT EFFECT

PVC FILM - 80 MICRONS - PET LINER

PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
 VCLEARCG1	gloss	removable, clear	✓	✓	✓	✓	1220 1370 1520	50



Have you considered the PVC-free equivalent
PET50CG1 / PET50CG1

ULTRA-TRANSPARENT EFFECT

PET FILM - 75 MICRONS - PET LINER

PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
  PET75CG1*	gloss	removable, clear				✓	1520	30
   PET50CG1	gloss	removable, clear				✓	1520	30

* To be replaced by **PET50CG1** later in 2023




- VCLEARCG1**
INSTALLATION
ILLIMITED EDITION
FRANCE
- PET75CG1**
INSTALLATION
NEW MEDIA FAB
FRANCE
- PET75CG1**
INSTALLATION HEXIS
S.A.S
FRANCE

**LIGHT BOXES & BUS
SHELTERS**

DIFFUSING OPAQUE EFFECT		NON-ADHESIVE PET FILM - 220 MICRONS					
PRODUCT CODE	FINISH	COMPATIBILITY				WIDTHS MM	LENGTH LM
		SOLV	ECO-S	LATEX	UV		
POD225SOLV 	satin	✓	✓			1372	30

DIFFUSING OPAQUE EFFECT		NON-ADHESIVE PET FILM - 230 MICRONS					
PRODUCT CODE	FINISH	COMPATIBILITY				WIDTH MM	LENGTH LM
		SOLV	ECO-S	LATEX	UV		
POD220SOLV 	gloss	✓	✓	✓	✓	1067 1370	30



PRINTABLE POLYESTER BANNERS

PVC FREE POLYESTER BANNER

PRODUCT CODE	VERSION	FINISH	GRAMMAGE G/M ²	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
					SOLV	ÉCO-S	LATEX	UV		
  EPBANIN 	PVC-free polyester fabric	satin	280	intérieure	✓	✓	✓	✓	1060	30
									1370	
									1620	
  EPBANOUT	PVC-free polyester fabric	satin	250	inside	✓	✓	✓	✓	1060	30
									1370	
									1620	

FIRE RATING

PVC-COATED POLYESTER BANNER

PRODUCT CODE	VERSION	FINISH	GRAMMAGE G/M ²	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
					SOLV	ÉCO-S	LATEX	UV		
 FRONTM1EV2	promotional	satin	450	outside	✓	✓	✓	✓	1370	25
									1600	
 FRONT5M1	promotional	satin	340	inside	✓	✓	✓	✓	1100	50
									1370	
 FRONT2V3S	high-performance	satin	510	inside	✓	✓	✓	✓	1100	50
									1370	
									1600	

CLASSIC

PVC-COATED POLYESTER BANNER

PRODUCT CODE	VERSION	FINISH	GRAMMAGE G/M ²	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
					SOLV	ÉCO-S	LATEX	UV		
 FRONT2	high-performance	satin	560	outside	✓	✓	✓	✓	760	30
									1060	
									1370	
									1620	
									1620	
FRONT2V2B	high-performance	gloss	550	inside	✓	✓		✓	1060	50
									1370	
									1600	
FRONT2V2M	high-performance	matt	550	inside	✓	✓		✓	1060	50
									1370	
									1600	
FRONT3V2	intermediate	matt	450	outside	✓	✓	✓	✓	1060	25
									1370	
									1600	
FRONT4V4	promotional	satin	440	inside	✓	✓	✓	✓	1100	50
									1370	
									1600	

* Available while stocks last

DOUBLE-SIDED

PRINTABLE ON BOTH
SIDES

BACKLIT
APPLICATIONS



1
JT300M1
INSTALLATION
OPARUSIC REKLAMBYRÅ
SWEDEN

PVC-COATED POLYESTER BANNER

PRODUCT CODE	VERSION	FINISH	GRAMMAGE G/M ²	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
					SOLV	ECO-S	LATEX	UV		
FRONTOPAC	high-performance	satin	680	inside outside	✓	✓	✓	✓	1020	25
					1370					
					1620					
EFRONTOPAC	promotional	matt	610	inside outside	✓	✓	✓	✓	1120	30
					1370					

SPECIAL RANGE

PVC-COATED POLYESTER BANNER

PRODUCT CODE	TYPE	FINISH	GRAMMAGE G/M ²	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
					SOLV	ECO-S	LATEX	UV		
PG450	small mesh banner	satin	450	outside	✓	✓		✓	1370	30
					1600					
DIF450	backlit diffusing banner	satin	450	outside	✓	✓	✓	✓	1370	30

PVC-FREE POLYESTER BANNER

JT300M1  	eco-friendly soft light fabric, PVC- and phthalate-free, anti-curling, flame retardant, anti-reflective	satin	280	outside	✓	✓	✓	✓	1020	30
					1370					
					1620					



**PRINTABLE WOVEN
FABRIC
INTERIOR DESIGN
& WINDOW
DECORATION**

POLYESTER LINER

Take a look at our printable woven fabric **LINPRINT**. You can use it with or without printing, to decorate your windows and give your interiors a stylish makeover: shops, restaurants, offices, open spaces, public or private places etc.

The **LINPRINT** fabric is suitable for a variety of glass surfaces (windows, doors or partitions). Due to its natural-coloured, semi-transparent appearance, it allows to bring privacy to your interior, without reducing the luminosity.

DATA SHEET

- > SELF-ADHESIVE PRINTABLE WOVEN POLYESTER FABRIC
- > **SEMI-TRANSPARENT LINEN** COLOUR AND FINISH
- > WATER-BASED ACRYLIC ADHESIVE
- > **245-MICRONS** THICKNESS
- > POLYESTER LINER
- > INDOOR APPLICATION, ONLY ON FLAT GLASS SURFACES
- > COMPATIBLE INKS: ECO-S, SOLV, LATEX, UV
- > PRODUCT RATED **B-S1, d0** ACCORDING TO EUROCLASS **EN 13501-1** FIRE CLASSIFICATION
- > DURABILITY: UP TO **5 YEARS** FOR INDOOR USE (VERTICAL EXPOSURE)
- > AVAILABLE IN **1370 MM X 30 M** (OTHER RETAIL OPTIONS ARE POSSIBLE, DEPENDING ON STOCK AVAILABILITY)



PRODUCT CODE	FINISH	COMPATIBILITY				WIDTH MM	LENGTH LM
		SOLV	ECO-S	LATEX	UV		
 LINPRINT	semi-transparent	✓	✓	✓	✓	1370	15 - 30 



¹
LINPRINT
INSTALLATION HEXIS S.A.S
FRANCE

HEXIS ADVICE



Be sure to experiment with the textures and customisation available within the HEXPERIENCE collection.



¹

What if you enhanced your glass surfaces to blend in perfectly with the surroundings?


Take a look at our printable woven fabric **LINPRINT**.
A great way to combine function, style and design!



REPRODUCTION OF OIL PAINTINGS

CANVAS FOR SHORT-TERM DESIGNS

PRODUCT CODE	FINISH	GRAMMAGE G/M ²	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
CANVAS3	matt	300	✓	✓	✓	✓	1067	20



1



2



3



1
CANVAS
INSTALLATION
FL DESIGN
REUNION ISLAND

2
PG450
INSTALLATION
ILLIMITED
FRANCE

3
PG450
INSTALLATION
HEXIS SAS
FRANCE

POP UP

These media are designed for self-supporting displays or roll-up displays. They can also be used for folding display stands. POP200ECOS can be used without lamination. compatible displays: see our range on pages 221 to 222



OPAQUE FILMS FOR DISPLAYS

PRODUCT CODE	COMPATIBLE DISPLAYS	FINISH	THICKNESS MICRONS	COMPATIBILITY				WIDTH MM	LENGTH LM
				SOLV	ECO-S	LATEX	UV		
POPPRIMO 	ROLLFIRST ROLLSHOW85 ROLLSHOW10 ROLLDOUBLE	satin	220	✓	✓	✓	✓	914	30
				1067					
POP190ECOS 	ROLLFIRST ROLLSHOW85 ROLLSHOW10 ROLLDOUBLE	satin	190	✓	✓	✓		914	20
				1067					
POP200ECOS	ROLLFIRST ROLLSHOW85 ROLLSHOW10 ROLLDOUBLE	satin	195	✓	✓	✓	✓	914	30
				1067					
POP310ECOS	STANDC3X3	satin	315	✓	✓	✓		914	20
				1370					
POPNC400		gloss	420	✓	✓		✓	1270	20



WALL DECORATION

INDOOR APPLICATION

WALL COVERINGS		DIGIFORT® PAPER-BASED, NON-ADHESIVE WALLPAPERS						
PRODUCT CODE	PROPERTIES	GRAMMAGE G/M ²	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
P13003	Dust pattern satin finish	300	✓	✓	✓	✓	1300	50
P13004	Mellow pattern satin finish	300	✓	✓	✓	✓	1300	50

WALL COVERINGS		PRINTABLE PVC-FREE WALLPAPER - PRE-PASTED						
PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	COMPATIBILITY				WIDTHS MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
WALLPAPER2* 	permanent adhesive pre-pasted paper	330	✓	✓	✓	✓	1067 1372	51

* STANDARD EN 13501-1

WALL COVERINGS		'TEXTILE' EFFECT SELF-ADHESIVE FABRIC						
PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
TEXWALLV2	Removable adhesive PET textile	240	✓	✓	✓	✓	1370	20



1
TEXWALLV2
GRAFICA METELLIA-
NA ITALY



**REMOVABLE
COMMUNICATION**

**ULTRA EASY
INSTALLATION**

SHORT-TERM

REPOSITIONABLE FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	LINER	COMPATIBILITY				WIDTH MM	LENGTH LM
				SOLV	ÉCO-S	LATEX	UV		
LIGHTSTICK*	Transparent gloss	175	PET	✓	✓	✓	✓	1370	30
EASYSTIKWS	White satin	175	PET	✓	✓	✓	✓	1370	30
								1600	
EASYSTIKCG	Transparent gloss	175	PET	✓	✓	✓	✓	1370	30
								1600	

* Available while stocks last.



①
REPOSTICK
CREATEM | FRANCE

• MAGNETIC / FERROUS FILMS

CREATION OF REMOVABLE INDOOR MARKINGS

PRINTABLE FERROUS FILM FOR APPLICATION ON FM580

PRODUCT CODE	FINISH	THICKNESS MICRONS	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
				SOLV	ECO-S	LATEX	UV		
VF180WM	matt	180	outside	✓	✓	✓		1270	30

PRINTABLE MAGNETIC FILM FOR APPLICATION ON FF480 AND FERROUS SUBSTRATES

PRODUCT CODE	FINISH	THICKNESS MICRONS	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
				SOLV	ECO-S	LATEX	UV		
VM380WM	matt	300	outside	✓	✓	✓	✓	1270	15

• REFLECTIVE FILM

FOR PROMOTIONAL MESSAGES THAT CAN BE SEEN DAY AND NIGHT

MULTILAYERED WHITE FILM MADE OF AN ACRYLIC RESIN AND GLASS MICROBEADS

PRODUCT CODE	FINISH	THICKNESS MICRONS	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
				SOLV	ECO-S	LATEX	UV		
MLG48512*	gloss	117	reflective	✓		✓	✓	1220	10 50
R85120	gloss	140/160	reflective	✓	✓	✓	✓	1220	20

* Available while stocks last

RECOMMENDED FOR
INDOOR POSTERS
AND NOTICES

NON-ADHESIVE PAPERS									
PRODUCT CODE	APPLICATION	FINISH	GRAMMAGE G/M ²	COMPATIBILITY				WIDTH MM	LENGTH LM
				SOLV	ECO-S	LATEX	UV		
PM150V2  Certified for HP Latex Inks	for posters	matt	150	✓	✓	✓	1372	76	
							1600		
P130 	for posters	satin	130	✓	✓	✓	1372	61	
							1600		
P135  Certified for HP Latex Inks	for posters	satin	135	✓	✓	✓	1370	60	
							1620		
PAP120JF 	for posters	fluo yellow matt	120	✓	✓	✓	1370	60	
PAP132DB 	for paper notices	satin	130	✓	✓	✓	1372	61	
P210 	photo paper	gloss	210	✓	✓	✓	1372	45	



1
R85120
PHOTO
NIPPON CARBIDE

2
PAP1
INSTALLATION
HEXIS UK
UNITED KINGDOM


3
PM150V2 + PAP120JF
INSTALLATION
HEXIS
USA



**2D
LONG TERM KIT
DECO EXTREME
PERMANENT
DURABILITY
ADH EXTREME**

This film has been specially designed for use on vehicle deco kits intended for use in extreme sports.

DIGITAL PRINTING Easy to apply, 100µm polymeric film with an adhesive that is highly resistant to impact, friction and vibration, ensuring optimum adhesion to plastic surfaces (bodywork parts etc.).



1 2

XTPRINT
PHOTO
EKD FRANCE

WHITE PVC FILM - 100 MICRONS - PE LINER

PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
XTPRINT	gloss	permanent extreme adhesion	✓	✓	✓	✓	1370	45

LAMINATES

LAMINATES PREMIUM CAST	118
LAMINATES BANNER SPECIAL	118
LAMINATES POLYMERIC HIGH-PERFORMANCE	119
LAMINATES POLYMERIC WITH REINFORCED ADHESIVE	119
LAMINATES POLYMERIC HYBRID	120
LAMINATES POLYMERIC HYBRID WITH REINFORCED ADHESIVE	120
LAMINATES MONOMERIC INTERMEDIATE	120
LAMINATES MONOMERIC	121
LAMINATES PVC-FREE	122
LAMINATES ANTIMICROBIAL	123
SPECIAL FINISH LAMINATES	124 - 125
LAMINATES FOR MICROPERFORATED FILMS	126
LAMINATES ANTI-GRAFFITI	127
LAMINATES FOR DISPLAYS	128
ANTI-SLIP LAMINATES FOR FLOOR GRAPHICS	129
LAMINATES VERY HIGH DURABILITY	130
LAMINATES DRY ERASE	130
TOOLS FOR LAMINATION	131
SPECIAL LAMINATE DECORATION KITS	132
SPECIAL EXTREME SPORTS DECORATION LAMINATE KITS	133

LAMINATES PREMIUM CAST

3D

FULL WRAPS AND WALL WRAPS

LONG-TERM

These laminates are ideal to protect your digital prints applied on a vehicle.

Combined with **HX190WG2** or **THE190EVO** (see page 79 & 80), they offer a 80 to 100-micron composite, which is easier to apply and remove than a non-laminated printed film.

Laminates recommended for the **100 SERIES** (see page 80), or for reinforced products, see page 94).

TRANSPARENT CAST PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
PC30G2	gloss	30 (1.18 MILS)	solvent based acrylic	PE	1370 1520	25-50
PC30M3	matt	30 (1.18 MILS)	solvent based acrylic	PE	1370 1520	50
PC190G2	gloss	50 (1.9 MILS)	solvent based acrylic	PE	1370 1520	25-50
PC190M3	matt	50 (1.9 MILS)	solvent based acrylic	PE	1370 1520	50
PC190S	satin	50 (1.9 MILS)	solvent based acrylic	PE	1370 1520	50



Have you considered the PVC-free equivalent
PC30G2 = PC300
PC190G2/M3 = PC500G2/M

LAMINATION PREMIUM CAST WITH REINFORCED ADHESIVE

TRANSPARENT CAST PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
PCR190G2	gloss	30 (1.18 MILS)	solvent based acrylic	PE	1370 1520	50

LAMINATES BANNER SPECIAL

3D

BANNER SPECIAL

LONG-TERM

Combining **PTB900** with **VTB901WG1** laminates extends the composite's durability to up to 5 years.

TRANSPARENT CAST PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
PTB900G	gloss	50	solvent based acrylic	PE	1520	50
PTB900M	matt					
PTB900S	satin					

POLYMERIC HIGH-PERFORMANCE

2D

FLAT & SLIGHTLY CURVED SURFACES

LONG-TERM

Laminates recommended for the **200 & 280 SERIES** (see pages 82 & 85).



TRANSPARENT POLYMERIC PVC FILMS						
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
V750B	gloss	70	solvent based acrylic	siliconised paper	1050 1370 1600	50
V750M	matt	70	solvent based acrylic	siliconised paper	1050 1370 1600	50
V750S	gloss	70	solvent based acrylic	siliconised paper	1050 1370 1600	50
V850B*	gloss	50	solvent based acrylic	siliconised paper	1370 1600	50

* EN 13501-1 tested and valid for composite THE200EVO + V850B

POLYMERIC WITH REINFORCED ADHESIVE

UV PRINTS SPECIAL

The VCR750 SERIES is recommended to laminate UV prints. (200 and 280 SERIES with or without reinforced adhesive).



TRANSPARENT POLYMERIC PVC FILMS						
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
VCR750B	gloss	70	reinforced solvent based acrylic	siliconised paper	1370 1600	50
VCR750M	matt	70	reinforced solvent based acrylic	siliconised paper	1370 1600	50

INFORMATION



For lengths of 100 lm or more, please contact us.



2 V750B
INSTALLATION
CG PRINTER ITALY



LAMINATES POLYMERIC HYBRID

FLAT SURFACES

MEDIUM-TERM

Laminates recommended for the **240 SERIES** (see page 84).

TRANSPARENT HYBRID PVC FILM

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
V740B	gloss	70	solvent based acrylic	siliconised paper	1050 1370 1600	50
N V740M	matt	70	solvent based acrylic	siliconised paper	1050 1370 1600	50

LAMINATES POLYMERIC HYBRID WITH REINFORCED ADHESIVE

FLAT SURFACES

MEDIUM-TERM

Laminate recommended for the **240 SERIES** (see page 84).

TRANSPARENT HYBRID PVC FILM WITH REINFORCED ADHESIVE

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
VCR740B	gloss	70	reinforced solvent based acrylic	siliconised paper	1370 1600	50
N VCR740M	matt	70	reinforced solvent based acrylic	siliconised paper	1370 1600	50

LAMINATES MONOMERIC INTERMEDIATE

FLAT SURFACES

MEDIUM-TERM

Laminates recommended for the **300 & 3000 SERIES** (see pages 86-89).

TRANSPARENT MONOMERIC PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
V700B	gloss	80	solvent based acrylic	siliconised paper	1050 1310 1370 1600	50
V700M*	matt	80	solvent based acrylic	siliconised paper	1050 1370 1600	50
V700S	satin	80	solvent based acrylic	siliconised paper	1050 1370 1600	50

* **EN 13501-1** tested and valid as composite with films from the 300 Series

FLAT SURFACES

SHORT-TERM

Laminates recommended for the **3000 SERIES** (see pages 88 - 89); **PM150V2-P135** papers (see page 115).
The **VCR650** laminate is recommended to laminate UV prints.

TRANSPARENT MONOMERIC PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
V650B	gloss	70	solvent based acrylic	siliconised paper	1050	50
					1370	
					1600	
V650M	matt	70	solvent based acrylic	siliconised paper	1050	50
					1370	
					1600	
 VCR650B	gloss	70	reinforced solvent based acrylic	siliconised paper	1370	50
1600						
 VCR650M	matt	70	reinforced solvent based acrylic	siliconised paper	1370	50

INFORMATION



For lengths of 100 lm or more, please contact us.



 VCXR301 + V650M
PHOTO SOHO COMMUNICATIONS - FWI

PVC-FREE FILMS

LONG-TERM

PERMANENT



Laminates recommended for HX500WG2 films.

PVC-FREE PU FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
PC500G2	gloss	50 (1.9 mils)	solvent based acrylic	PE	1370 1520	50
PC500M**	matt	50 (1.9 mils)	solvent based acrylic	PE	1370 1520	50
PC300	gloss	30	solvent based acrylic	PE	1370 1520	50



M1 composite HX500WG2/PC500M.



1 PC500M2
SD-PRINT | GUADELOUPE

2 PURZON060B
COM-UNICK | FRANCE

MICROBIAL PROTECTION FOR SURFACES THAT DEMAND A HIGH LEVEL OF HYGIENE

STANDARD EN 13501-1

ANTIMICROBIAL TRANSPARENT PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
PURZON060B	gloss	60	solvent based acrylic	PE	1370	30
PURZON060M	matt	60	solvent based acrylic	PE	1370	30
PURZONORIB	gloss	60	solvent based acrylic	PE	1370	30
PURZONORIM	matt	60	solvent based acrylic	PE	1370	30

INFORMATION



Patent-protected technology tested for effectiveness after 1 hour of contact:

- ANTI-VIRAL (according to ISO 21702)
 - on Coronavirus SARS-CoV-2* strain* at 97%
 - on human coronavirus strain HCoV-229E à 99.87%
- ANTIBACTÉRIENNE (selon la norme ISO 22196)
 - on 6 strains, causing several diseases** at 99.99%

* Refer to technical documentation available on www.hexis-graphics.com

** Diarrhoea, gastrointestinal disorders, flu-like symptoms, neurological disorders, urinary tract/utaneous/pulmonary/ophthalmological infections.



SPECIAL FINISH LAMINATES

DECORATION

TRANSPARENT POLYMERIC PVC FILM

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
 VWOOD 	knotted wood effect	130	solvent based acrylic	siliconised paper	1370	30
 VWOOD02 	wood effect	130	solvent-based acrylic	siliconised paper	1370	30
 VBRUSHED	brushed effect	130	solvent-based acrylic	siliconised paper	1370	30

CLEAR PVC-FREE CAST FILM WITH SPECIAL EFFECT

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
  PCWOOD02 	alpine wood effect	80	solvent based acrylic	PE	1520	30

CLEAR CAST FILM WITH SPECIAL EFFECT

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
  PCAMPGB*	leather effect fine grain	120	solvent based acrylic	PE	1520	30
  PCLEATHER	leather effect fine grain	120	solvent based acrylic	PE	1520	30 

* Available while stocks last.



Have you considered the PVC-free equivalent
PCWOOD02



1
PCWOOD02
INSTALLATION
POINT COM - FWI

TRANSPARENT CAST PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
PCSTAR01G	pearl white sparkle effect, gloss	70	solvent based acrylic	PE	1520	25
PCSTAR01S	pearl white sparkle effect, satin	70	solvent based acrylic	PE	1520	25
PCWALL	mineral wall effect	110	solvent based acrylic	PE	1520	30
PCCARBON	carbon effect, gloss	125	solvent based acrylic	PE	1520	30
PCGATOR	alligator effect	150	solvent based acrylic	PE	1370	30
PCBRUSHED	brushed aluminium effect	110	solvent based acrylic	PE	1520	30
PCFORGED	forged carbon effect, gloss	110	solvent based acrylic	PE	1520	30



2
VWOOD
COLORDUEMILA

3
PCWALL
HEXIS SAS

LAMINATES FOR MICROPERFORATED FILMS

BUILDING WINDOWS

VEHICLE WINDOWS

The **PC50MIP2** laminate is designed for microperforated films on vehicle windows (both flat and curved). Its polyester liner prevents image distortion, giving the product excellent transparency.



ULTRA-TRANSPARENT CAST PVC FILM						
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
PC50MIP2	gloss	50	solvent based acrylic	PET	1370	30
					1520	

PG836 is also designed for flat windows on buildings.

PG3036UVB is designed for flat windows on buildings. Its special composition improves the UV resistance of composites compared to **PG836**.



HIGHLY TRANSPARENT POLYESTER FILMS						
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
PG836	gloss	36	solvent based acrylic	PET	1370	30-120
					1520	
PG3036UVB	gloss	36	solvent based acrylic	PET	1370	30
					1520	



Have you considered the PVC-free equivalent **PG836** ou **PG3036UVB**



- 1 **AG800**
PUBLIFLASH
FRANCE
- 2 **PC50MIP2**
BÜRKI MOSER GMBH
SWITZERLAND
- 3 **PG836**
INSTALLATION
ILLIMITED
FRANCE
- 4 **AG900**
PHOTO
ALSTOM
FRANCE



COLD LAMINATION

EASY CLEANING

TRANSPARENT ETFE* FILM

PRODUCT CODE	FINISH	USAGE	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
R1 R7 AG300 	gloss	conformable anti-graffiti	30.5	solvent based acrylic	PET	1370	30

* ethylene tetrafluoroethylene

TRANSPARENT POLYESTER FILMS

PRODUCT CODE	FINISH	USAGE	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
M1 R1 R7 AG436M 	matt	anti-graffiti anti-reflective	30	solvent based acrylic	siliconised paper	1370	50
AG700	gloss	anti-graffiti	36	solvent based acrylic	siliconised paper	1310 1370 1520	50
N AGCR436M 	matt	anti-graffiti anti-reflective	30	reinforced solvent based acrylic	PET	1370	50
UV AGCR700	gloss	anti-graffiti for laminating UV prints	36	reinforced solvent based acrylic	siliconised paper	1370 1520	50
M1 AG900 	gloss	anti-graffiti standard anti-scratch	100	solvent based acrylic	PET	1520	30.5
M1 F1 AG800 	gloss	anti-graffiti superior anti-scratch	100	solvent based acrylic	PET	1520	30
R1 R7 PG836 	gloss	ultra-transparent microperforated anti-graffiti special	36	solvent based acrylic	PET	1370 1520	30-120
R1 R7 PG3036UVB 	gloss	ultra-transparent microperforated anti-graffiti special, superior UV protection	36	solvent based acrylic	PET	1370 1520	30



4

**POP-UP SPECIAL
FOR
POP190, POP310
AND POPPRIMO**

MONOMERIC PVC FILMS			EMBOSSED SURFACE			
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
GFLI130** R11	satin	130	solvent based acrylic	PET	1370	30

* Available while stocks last.

** EN 13501-1 tested and valid as composite with films from the 200 SERIES

The **GFLI130** laminate is designed to reinforce printed graphics on **POP190ECOS** and **POP310ECOS**.

It increases the lifespan of printed indoor floor graphics, protecting them against mechanical stress, and is rated R10 according to the DIN51130 standard.



1
GFLI130
INSTALLATION
MOON CITY FRANCE
PHOTO
IMAGE CONCEPT

2
GFLX210
INSTALLATION
HEXIS SAS
FRANCE



1

ANTI-SLIP LAMINATES FOR FLOOR GRAPHICS

GRAINED EMBOSSED SURFACE

PROTECTION OF FLOOR GRAPHICS

This range, ideal for laminating digital prints, opens up a new communication opportunity: the floor. Also designed to reinforce digital prints and to provide protection from external stresses (abrasion, marks, humidity, etc.).

GFLX210 are rated **R11**, **GFLI130** is rated **R10** and **GFLI170** are rated **R9** according to the DIN51130 standard.

There are various applications: from floor graphics (trade fairs, public areas, supermarkets, etc.) to special protection for items such as reception desks and counters.



CALENDERED MONOMERIC PVC FILMS*				EMBOSSSED SURFACE			DIN 51130**
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM	
GFLX210	satin	210	solvent based acrylic	PET	1370	30	R11
GFLXR210	satin	210	reinforced solvent based acrylic for UV prints	PET	1370	30	R11
GFLI130	satin	130	solvent based acrylic	PET	1370	30	R10
GFLI170	satin	170	solvent based acrylic	PET	1370	30	R9
GFLIR170	satin	170	reinforced solvent based acrylic for UV prints	PET	1370	30	R9

UV

UV

* EN 13501-1 tested and valid as composite with films from the 200 SERIES

**DIN 51130



2

LAMINATES

VERY HIGH DURABILITY

EXTREME UV PROTECTION

LONG-TERM

Laminates offering very high durability (8 years), specially designed for tropical climates.

ETFE - TRANSPARENT POLYETHYLENE-CO-TETRAFLUOROETHYLENE

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
LHD30G	gloss	30.5	solvent based acrylic	PET	1500	30



LAMINATES

DRY ERASE

FLAT SURFACES

LONG-TERM

This long-term, transparent, dry-erasable laminate can be erased easily for up to 3 months after writing. HEXIS recommends using BIC VELLEDA®-type markers for writing and window cleaners for cleaning. This erasable laminate is for indoor use only.

DRY ERASABLE TRANSPARENT PVC

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
DWP002B	gloss	90	solvent based acrylic	PE	1370	30
						10



This silicone paper is used to laminate graphics with an overlap.

SILICONISED PAPER

PRODUCT CODE	GRAMMAGE G/M ²	WIDTH MM	LENGTH LM
PAPPERDU	82	1370 1600	50



1 LHD30G
PHOTO
HEXIS FWI
FRANCE

2 DWP002B
LONG TERM DRY
ERASE

3 DWP002B
LONG TERM DRY
ERASE

SPECIAL LAMINATE DECORATION KITS

COLD LAMINATION

SHORT & MEDIUM-TERM

These laminates are optimised for cold lamination of digital prints as part of short-term decoration kits for motorcycles, quads, jet skis and many other short-term applications.

These thick laminates are specially engineered to protect logos and graphics against friction and mechanical wear while maintaining perfect transparency.

TRANSPARENT MONOMERIC PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
VRK300B	gloss	300	solvent based acrylic	siliconised paper	1370	25
VRK300M	matt	300	solvent based acrylic	siliconised paper	1370	25



1



2

3



- 1 VRK300B MOTORBIKE KIT INSTALLATION OF COURSE MOTO
- 2 VRK480B INSTALLATION JT RACING
- 3 VRK300B JETSKI KIT INSTALLATION EKD ENRGY KIT DECO

SPORTS DECORATION LAMINATE KITS

COLD LAMINATION

SHORT & MEDIUM-TERM

A new range of decoration kits for extreme sports. Thick transparent films specially developed for the protection of graphics, logos applied to plastic surfaces of motorcycles, exposed to abrasion, vibration and friction. Intended for short term decoration of motorbikes, quad bikes, jet skis, bicycles...

TRANSPARENT MONOMERIC PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
XTWHOOPS	grained	350 - 460	solvent based acrylic	siliconised paper	1370	20
XT300	gloss	300	solvent based acrylic	siliconised paper	1370	25
XT300M	matt	300	solvent based acrylic	siliconised paper	1370	25
XT480	gloss	480	solvent based acrylic	siliconised paper	1370	20

SPECIAL DOUBLE-SIDED FILM

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
XTTWICE	gloss	100	solvent based acrylic extreme adhesive/ usual adhesive	paper liner/ PE liner	1370	25

AVAILABLE LATER IN 2022



- 1 XT300 MOTORBIKE KIT INSTALLATION JT RACING
- 2 XT300M GRAPHCOVER
- 3 XT480 EKD
- 4 XTWHOOPS INSTALLATION MOTOBLOUZ





MANDEEP GILL | USA



DUALIS FOLIUM | FRANCE



BÜRKI MOSER | SWITZERLAND



TRI STATE WINDOW TINTING | USA



COMUNICK | FRANCE




TMS38 | FRANCE



GRAPHCOVER | FRANCE



PUBLIFLASH | USA



NUMERIK | FRANCE



EDK | FRANCE



DUALIS FOLIUM | FRANCE

DECORATION SOLUTIONS

DECORATION **136 - 137**

HELP TO CHOOSE **THE TYPES OF ADHESIVE ACCORDING TO THE SUBSTRATE** **138**

HEX'PERIENCE SHOWROOM **139**

PRINTABLE DECORATION FILMS..... **140 - 142**

SPECIAL FINISH DECORATION LAMINATES..... **143**

ANTI-SLIP DECORATION LAMINATES..... **144**

PRINTABLE FILMS FOR **WINDOW GRAPHICS**..... **145**

DICHROIC FILMS **145**

ETCHED GLASS POLYMERIC FILM..... **146**

REMOVABLE **TRANSPARENT FILMS** **146**

WALLPAPERS & **PAPERS**..... **147**

PROTECTION FILMS **FOR FURNITURE & SURFACES**..... **148**



**DECORATION
SPECIAL**

HEXIS SAS is the first supplier of self-adhesive films to provide a library of large-format textures, infinitely adaptable and in high definition, as a free service.

HEX'PERIENCE IS:

- Graphics files
- in large format
L = 1300 mm
H = 3000 mm
- in a range of unique and infinitely adaptable designs
- in high resolution (200 dpi)

THE BENEFITS:

- Less stock
- More added value
- Ease of use
- Infinitely customisable
- Ability to mix the files with each other

HEX'PERIENCE

The material experience by HEXIS



1 APPLICATION EXAMPLE OF LOUHANS
PHOTO
HEXIS SAS

2 APPLICATION EXAMPLE OF TOKYO
PHOTO
HEXIS SAS



1



2



HOW TO BUILD YOUR HEX'PERIENCE IN 5 STEPS

NO. 1

Choose your printing film:

Durability, conformability, type of adhesive, indoor/
outdoor display

NO. 2

Download the texture of your choice:

Infinitely customise your work via our website
www.hexis-graphics.com/en/hexperience

NO. 3

Print

NO. 4

Laminate and/or protect your prints in an original and
realistic way.

NO. 5

Apply. All you have to do now is to apply

Explore our dedicated decoration area at:
www.hexis-graphics.com/en/hexperience

There you will find the texture library, pictures of
completed projects, tips & tricks, the latest trends
and lots more



HOW TO IMPORT PATTERNS INTO PHOTOSHOP



NO. 1

download the texture files

NO. 2


In Adobe Photoshop, open your chosen texture file

NO. 3

Select > **select all**


(Ctrl + A in Windows / Cmd + A on Mac)

Edit > **Define pattern** (if you like, you can name the
new pattern)



NO. 4

Create a new document in the **actual size** of the
substrate to be covered at **200 dpi**



NO. 5

Select > select all, then edit > fill > **fill with pattern**
Choose the pattern and validate

THE TYPES OF ADHESIVE ACCORDING TO THE SUBSTRATE

Which type of adhesive goes with which substrate?

This guide is designed to help you choose which type of printing film to use depending on the substrate to cover.

We recommend you do a preliminary test on a small surface.

	SMOOTH SHEETS PRINTING V200WG1 LAMINATION polymeric V700M or V750M		STONE PRINTING VCXR101WG1 LAMINATION cast PC190 or PCWOOD01		TEXTURED SHEETS PRINTING VCXR101WG1 LAMINATION cast PC190 or PCWOOD01		LAKE PAINTING PRINTING HX2000WG1 LAMINATION cast PC190 or textured
	GLASS PRINTING V200WG1 LAMINATION polymeric V700M or V750M		PMMA PRINTING VCLEARCG1 LAMINATION VCLEARCG1		ENDUIT PRINTING VCXR101WG1 LAMINATION PC500M or PC500G2		TILES PRINTING VCSR101WG1 LAMINATION cast PC190 or PCWOOD01
	UNTREATED WOOD PRINTING VCSR201WG1 LAMINATION V700M or V750M		MELAMINE PRINTING VCSR201WG1 LAMINATION polymeric		MEDIUM PRINTING VCSR201WG1 LAMINATION polymeric		ASPHALTE PRINTING VCXR101WG1 LAMINATION GFLX210
	BA13 PRINTING VCSR201WG1 LAMINATION polymeric		GLASS FAB- RIC PRINTING VCXR101WG1 LAMINATION cast		UNTREATED CONCRETE PRINTING VCXR101WG1 LAMINATION cast		CHIPBOARD PRINTING VCXR201WG1 LAMINATION polymeric
							MARBLE protection with BODYFENCE X SP - SPM

TYPE OF LAMINATE	MONOMERIC LAMINATE	INTERMEDIATE LAMINATE	POLYMERIC LAMINATE	CAST LAMINATE	REINFORCED LAMINATE	ANTIMICROBIAL LAMINATE	PVC-FREE LAMINATE
GLOSS FINISH	V650B	V700B	V750B V850B	PC30G2 PC190G2	VCR750B	PURZON060B	PC500G2
MATT FINISH	V650M	V700M	V750M V740M	PC30M3 PC190M3	VCR650M	PURZON060M	PC500M
SATIN FINISH	-	-	-	PC190S PCSTAR	-	-	-
DECORATIVE	-	-	VWOOD VWOOD02 VBRUSHED	PCWOOD01 PCWALL PCAMPGB PCCARBON PCGATOR PCBRUSHED PCSTAR	-	PCAMPGBG PCWOOD01*	-

* Available while stocks last.

FIND OUT MORE IN OUR DEMONSTRATION VIDEO ON OUR YOUTUBE CHANNEL:

<https://youtu.be/cBOL4QxGp38>



HEXISLAUNCHES HEX'PERIENCE SHOWROOMS


HEXIS is pleased to offer a HEX'PERIENCE SHOWROOM design kit.

PRINTING - CUSTOMISATION - PRESENTATION - SALES - CUSTOMER LOYALTY

HEX'PERIENCE is the only decoration concept to help promote print providers. HEXIS has developed a concept enabling you to work with your customers in developing the kinds of decoration films they want.

To help you showcase everything you have to offer in your showroom, as well as at trade shows, open days and other events, HEXIS has made a kit of printable files available to create your own showroom.

BRING THE HEXIS DECORATION HEX'PERIENCE TO LIFE FOR YOUR CUSTOMERS



If you have any questions, please contact: export@hexisgroup.com




THE HEX'PERIENCE SHOWROOM KIT CONTAINS:

- > 1 file of wall prints
- > 1 file of floor graphic prints
- > All patterns from the HEX'PERIENCE library in HD
- > All patterns in 16 x 16 cm format for samples
- > HEX'PERIENCE logos
- > A HEX'PERIENCE email signature banner
- > A tutorial video
- > HEXIS decoration videos
- > Mockups for your website

PRINTING FILMS FOR DECORATION

OUR PATTERNS FOR DOWNLOAD



ACAPULCO



ATLANTA



BANGKOK



BANGO



BERLIN



BOGOTA



BUDAPEST



CARACAS



COPENHAGUE



DAKAR



DOUALA



GENEVE



HABANA



LAGOS



MEGEVE



MONTMARTRE



MONTREAL



OSLO



RECIFE



SAINT MARTIN



SAN PEDRO



SAO TOME



STOCKHOLM



SYLVANIA



TOKYO



TORONTO



VERSAILLES



WASHINGTON

WALL WRAPS

LONG-TERM

LOW-ENERGY & COMPLEX SURFACES

These products are especially suited for **wall wraps**, complex surfaces (rivets, corrugated metal, etc.) and low-energy surfaces (e.g. containers, grained furnishings).

The combination of ultra-conformable cast vinyls and **Hex[®]PRESS** technology enables you to achieve the highest quality while reducing installation times.

High-performance, textured finish laminates will optimise your results.

WALL WRAPS

SHORT-TERM OR PROMOTIONAL

LOW-ENERGY & COMPLEX SURFACES

The reinforced adhesive ensures adhesion to irregular, grained and textured substrates or low-energy surfaces (grained surfaces, concrete, bricks).



Have you considered the PVC-free equivalent **HXR301EPS**



100 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE - 50 MICRONS							
PRODUCT CODE	FINISH	ADHESIVE	LINER	COMPATIBILITY				WIDTH MM	LENGTH LM
				SOLV	ECO-S	LATEX	UV		
HXR101WG2	gloss	permanent, reinforced, clear	HX	✓	✓	✓	✓	1370	45
VCSR101WG1	gloss	permanent, super-reinforced, clear	PE	✓	✓	✓	✓	1370	45
200 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE - 70 MICRONS - PE LINER							
PRODUCT CODE	FINISH	ADHESIVE	LINER	COMPATIBILITY				WIDTH MM	LENGTH LM
				SOLV	ECO-S	LATEX	UV		
VCSR200WG1	gloss	permanent super-reinforced grey		✓	✓	✓	✓	1050 1370	45
VCSR201WG1	gloss	permanent super-reinforced clear		✓	✓	✓	✓	1050 1370 1600	45
VCSR201WM1	matt	permanent super-reinforced clear		✓	✓	✓	✓	1370	45
VCXR201WG1	gloss	permanent extra-reinforced clear		✓	✓	✓	✓	1050 1370	40
VCSR201DP	gloss	permanent super-reinforced clear		✓	✓	✓	✓	1370	45
N VCSR202CG3	gloss	permanent super-reinforced clear		✓	✓	✓	✓	1370	45
300 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE - 100 MICRONS - PE LINER							
PRODUCT CODE	FINISH	ADHESIVE	LINER	COMPATIBILITY				WIDTH MM	LENGTH LM
				SOLV	ECO-S	LATEX	UV		
VCSR300WG1	gloss	permanent super-reinforced grey		✓	✓	✓	✓	1050 1370 1600	45
VCSR300WM1	matt	permanent super-reinforced grey		✓	✓	✓	✓	1050 1370 1600	45
VCSR301WG1	gloss	permanent super-reinforced clear		✓	✓	✓	✓	1050 1370 1600	45
VCSR301WM1	matt	permanent super-reinforced clear		✓	✓	✓	✓	1050 1370 1600	45
CE VCSR301WS1	gloss	permanent extra-reinforced clear		✓	✓	✓	✓	1370 1600	45
VCXR301WG1	gloss	permanent extra-reinforced clear		✓	✓	✓	✓	1370	30
VCXR301WS1	gloss	permanent extra-reinforced clear		✓	✓	✓	✓	1370	30
CSR25		SEMI-RIGID WHITE PVC FILM - 200 MICRONS - KRAFT LINER							
CSR25	matt	permanent reinforced clear		✓	✓			1370	30

EN 13501-1

EN 13501-1


DECORATION

• PRINTING FILMS
FOR DECORATION

OUR PATTERNS FOR DOWNLOAD



AMSTERDAM




BROOKLYN



BRUSSELS



EREGION




LOUHANS



MANHATTAN



MEXICO



MOSCOU



MYKONOS



NAPLES



NEW YORK



ROME



SANTORINI



TURIN



VENEZIA



BARCELONE




BASTILLE



BOMBAY



CAYENNE




CHARLESTON



CHIAPAS




COSTA-CAREYES



ELBA



FARO




FIRENZE



GARRIGA




GUADALAJARA



LA CEIBA



LONDON



LOUVRES



MADRID



PARIS



PISA




RIVOLI



TROCADERO



WARFARE



ZURICH

DECORATION

						
for outdoor use	for indoor use	cast film	laminate for UV printing	antimicrobial film	easy cleaning	
TRANSPARENT POLYMERIC PVC FILM						
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
VWOOD VWOOD02 	knotted wood effect	130	solvent-based acrylic	siliconised paper	1370	30
N VBRUSHED 	brushed effect	130	solvent-based acrylic	siliconised paper	1370	30
ANTIMICROBIAL PVC-FREE TRANSPARENT CAST FILM						
PCWOOD02 	alpine wood effect	80	solvent-based acrylic	PE	1520	30
ANTIMICROBIAL TRANSPARENT CAST PVC FILM						
PCAMPGB* 	leather effect fine grain	120	solvent-based acrylic	PE	1520	30
TRANSPARENT CAST PVC FILMS						
PCSTAR01G 	pearl white sparkle effect, gloss	70	solvent-based acrylic	PE	1520	25
PCSTAR01S 	pearl white sparkle effect, satin	70	solvent-based acrylic	PE	1520	25
PCFORGED 	forged carbon effect, gloss	110	solvent-based acrylic	PE	1520	30
PCWALL 	mineral wall effect	110	solvent-based acrylic	PE	1520	30
PCCARBON 	carbon effect, gloss	125	solvent-based acrylic	PE	1520	30
PCGATOR 	alligator effect	150	solvent-based acrylic	PE	1370	30
PCBRUSHED 	brushed aluminium effect	110	solvent-based acrylic	PE	1520	30
TRANSPARENT DRY ERASE PVC FILM						
DWPO02B 	gloss	90	solvent-based acrylic	PE	1370	30 10
TRANSPARENT PVC FILM GRAINED EFFECT						
GFLI170 	satin	170	solvent-based acrylic	siliconised paper	1370	30
GFLIR170 	satin	170	reinforced solvent-based acrylic for UV prints	siliconised paper	1370	30

* Available while stocks last.

GRAINED EMBOSSED SURFACE

PROTECTION OF FLOOR GRAPHICS

EN 13501-1

This range of films, ideal for laminating digital prints, opens up a new decoration opportunity: the floor.


GFLX210 are rated **R11** and **GFLI170** are rated **R9** according to the DIN 51130 standard.

There are various applications: from floor graphics (trade fairs, public areas, supermarkets, etc.) to special protection for items such as reception desks and counters.


Customise your **indoor/outdoor floors** and choose from our range of certified **anti-slip** laminates.

MONOMERIC PVC FILMS				EMBOSSED SURFACE		
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
GFLX210 R11	satin	210	solvent-based acrylic	siliconised paper	1370	30
GFLXR210 R11	satin	210	reinforced solvent-based acrylic for UV prints	siliconised paper	1370	30
GFLI130 R10	satin	130	solvent-based acrylic	siliconised paper	1370	30
GFLI170 R9	satin	170	solvent-based acrylic	siliconised paper	1370	30
GFLIR170 R9	satin	170	reinforced solvent-based acrylic for UV prints	siliconised paper	1370	30


GFLI170 & GFLIR170**



GFLI130



GFLX210 & GFLXR210*



Standard for shod feet
DIN 51 130

R9 standard **R10** medium **R11** medium-high **R12** high **R13** very high

The DIN 51 130 standard determines the anti-slip properties of floor coverings. It is understood by both professionals and private individuals.



WINDOW GRAPHICS

WINDOWS

LIGHT BOXES

SEMI-TRANSPARENT LINEN FINISH		WOVEN POLYESTER FABRIC - 245 MICRONS - PET-LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
N LINPRINT	Semi-transparent	Water-based acrylic	✓	✓	✓	✓	1370	30

EN 13501-1

TRANSPARENT EFFECT		PVC FILM - 70 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
V202CG1	gloss	permanent, clear	✓	✓	✓	✓	1370	45
N V202CG3	gloss	permanent, clear	✓	✓	✓	✓	1370	45

TRANSLUCENT EFFECT		PVC FILM - 80 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
V201TR1	translucent satin	permanent, clear	✓	✓	✓	✓	1370	45

EN 13501-1

DICHROIC FILMS



SPECIALITY FILMS

PRODUCT CODE	PROPERTIES	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
M1 MIAMI	dichroic, warm shade	indoor	39 %	72%	10 %	1360	15 - 30.5
DUBAI	dichroic, warm shade	outdoor	15 %	64%	N/A	1520	15 - 30.5
GLASGOW	dichroic, cool shade	outdoor	16 %	51%	N/A	1520	15 - 30.5

POLYMERIC FILM ETCHED GLASS



WINDOW DECORATION

ETCHED GLASS FINISH		PVC FILM - 80 MICRONS - KRAFT LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
V203EG	matt	permanent, clear	✓	✓	✓	✓	1230 1520	30
N HX203EG	matt	permanent, clear	✓	✓	✓	✓	1230 1520	30

REMOVABLE FILMS TRANSPARENT



WINDOW DECORATION

TRANSPARENT EFFECT		PVC FILM - 80 MICRONS - PET LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
RECYCLE VCLEARCG1	gloss	removable, clear	✓	✓	✓	✓	1220 1370 1520	50



Have you considered the PVC-free equivalent
PET75CG1 / PET50CG1

ULTRA-TRANSPARENT EFFECT		PET FILM - 75 MICRONS - PET LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
M1 PET75CG1*	gloss	removable, clear				✓	1520	30
N PET50CG1	gloss	removable, clear				✓	1520	30

* To be replaced by **PET50CG1** later in 2023



WALL DECORATION

INDOOR APPLICATION

WALL COVERINGS		DIGIFORT® PAPER-BASED, NON-ADHESIVE WALLPAPERS						
PRODUCT CODE	PROPERTIES	GRAMMAGE G/M ²	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ÉCO-S	LATEX	UV		
P13003	Dust pattern satin finish	300	✓	✓	✓	✓	1300	50
P13004	Mellow pattern satin finish	300	✓	✓	✓	✓	1300	50

WALL COVERINGS		PRINTABLE WALLPAPER - PRE-PASTED						
PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ÉCO-S	LATEX	UV		
WALLPAPER2 	Permanent adhesive pre-pasted paper	330	✓	✓	✓	✓	1067 1372	51

r EN 13501-1

WALL COVERINGS		'TEXTILE' EFFECT SELF-ADHESIVE FABRIC						
PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ÉCO-S	LATEX	UV		
TEXWALLV2	Removable adhesive PET textile	240	✓	✓	✓	✓	1370	20



PROTECTION FILMS
FOR FURNITURE & SURFACES

CLEAR SELF-ADHESIVE PVC FILM FOR THE PROTECTION DE SURFACES

PRODUCT CODE	FINISH	THICKNESS MICRONS	WIDTH MM	LENGTH LM
SP	gloss	150	615 1230 1520	10 - 15 - 20
SPM	matt	150	615 1230 1520	10 - 15 - 20

CLEAR SELF-ADHESIVE PVC FILM FOR THE PROTECTION OF HIGH-END SURFACES

PRODUCT CODE	FINISH	THICKNESS MICRONS	WIDTH MM	LENGTH LM
BODYFENCE  	gloss	180 (7 mils)	1520	
BODYFENCEM* 	matt	180 (7 mils)	1520	
BODYFENCEX 	gloss	180 (7 mils)	1520	20
BODYFENCEXM  	matt	180 (7 mils)	1520	
BODYFENCEXS  	satin	180 (7 mils)	1520	
BODYXFAST  	gloss	180 (7 mils)	1520	15
DFENCEXTRM  	brillant	210 (8.2 mils)	1520	20
DFENCEONEX  	brillant	130 (5.1 mils)	1520	
DFENCEONEXM  	matt	130 (5.1 mils)	1520	15

* To be replaced by BFXTREEM later in 2023

FILMS FOR TEXTILE DECORATION

TEXIS CUTFLEX

TEXTILE PLOTTER AND DECORATION FILMS.....	150 - 164
SPEEDCUT	150 - 151
COLORCUT	152 - 153
METALCUT	154 - 155
FLOCK 200	156 - 157
GLITFLEX	158 - 159
NYLCUT	160
BLOCKCUT	161
GLOWCUT	162
REFLEX	163
BRICKCUT	164

TEXIS PRINTFLEX

TEXTILE PRINTING AND DECORATION FILMS	166 - 171
SILKPRINT	165
UFLEX7PV2	166
UFLEX5S	167
NYLPRINT	168
BLOCKPRINT	169
UFLEXCLEAR	170
SLIMPRINT	171
FILM FOR DIRECT TO FILM PRINTING SYSTEMS - DTF	172
TOOLS FOR HOT PRESSING	173
TOOLS FOR HOT PRESSING	173
TOOLS FOR TEXTILE FILM WEEDING	174
TOOLS FOR TEXTILE FILM TRANSFER	174

CUTFLEX SPEEDCUT

ADHESIVE LINER

**ESPECIALLY FOR
 COTTON, ACRYLIC,
 POLYESTER**

**ULTRA-FAST
 APPLICATION AT LOW
 TEMPERATURE**

Especially designed for creating **charity logos and large-format graphics.**

Due to its rigidity, weeding the **SPEEDCUT** film is quick and easy.

The stretchable **SPEEDCUT** range can be applied very quickly on textile: 5 seconds of pressing at 130°C suffice.

Designed to peel off when hot, the **SPEEDCUT** film also ensures optimal shaping time, from single units to large-scale production.

DATA SHEET

- > **MATT POLYURETHANE FILM**
- > **100 MICRONS**
- > **ADHESIVE LINER**
- > **AVAILABLE IN 33 COLOURS**




SPEEDCUT	WIDTH MM	LENGTH LM
COLOURS	500	25
METALLICS	500	25
FLUOS	500	25



1
 SC01
 INSTALLATION
 HEXIS SAS
 FRANCE




COLOURS



METALLICS



FLUOS



APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	130 °C		5 sec.		medium		While hot		5 sec. with protective sheet

MAINTENANCE INSTRUCTIONS

MACHINE WASH			MACHINE DRY			IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	60 °C max.						



SWATCHBOOKS / COLOUR CARDS
Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.



CUTFLEX COLORCUT

**VERY SLIGHTLY
 ADHESIVE LINER**

**ESPECIALLY
 FOR COTTON &
 POLYESTER**

Especially designed for creating **charity logos and large-format graphics**.

The **COLORCUT** range is available in 40 colours, enabling the creation of an infinite number of designs.

This stretchable film can be applied on all types of textile (cotton and polyester).

DATA SHEET

- > **MATT POLYURETHANE FILM**
- > **75 MICRONS**
- > **VERY SLIGHTLY ADHESIVE LINER**
- > **AVAILABLE IN 40 COLOURS**

COLORCUT	WIDTH MM	LENGTH LM
COLOURS	500	25
METALLICS AND FLUO	500	25



INFORMATION



Extremely fine, **COLORCUT** film can be weeded easily; its liner is peeled off when hot, optimising shaping time.

Its liner enables unlimited stacking of logos during production.



1
 CC03
 INSTALLATION
 HEXIS SAS
 FRANCE

COLOURS

CC01 WHITE	CC02 BLACK	CC03 SKY BLUE	CC04 PACIFIQUE BLUE	CC05 ROY BLUE	CC06 NAVY BLUE	CC07 GREEN	CC08 RED	CC09 YELLOW	CC10 ORANGE YELLOW
CC12 GREY	CC13 LIGHT GREEN	CC14 VIOLET	CC15 ORANGE	CC17 RED ORANGE	CC18 DARK GREY	CC19 LEMON YELLOW	CC28 WATER BLUE	CC29 TURQUOISE	CC31 PASTEL JADE
CC34 WINE RED	CC54 LAVANDE	CC61 BABY PINK	CC62 FUCHSIA	CC67 APPLE GREEN	CC68 MINT GREEN	CC73 VOLCANO RED	CC76 BROWN	CC81 BEIGE	CC84 SALMON
CC92 KHAKI									

METALLICS

CC20 GOLD	CC30 SILVER	CC60 ROSE GOLD	CC110 VEGAS GOLD

FLUOS

CC40 FLUO YELLOW	CC42 FLUO ORANGE	CC41 FLUO GREEN	CC43 FLUO PINK	CC44 FLUO BLUE

APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	150 °C		10 sec.		medium		While hot		5 sec. with protective sheet

MAINTENANCE INSTRUCTIONS

MACHINE WASH			MACHINE DRY			IRONING		
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side	
	80 °C max.							



SWATCHBOOKS / COLOUR CARDS
Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.



CUTFLEX METALCUT

NON-ADHESIVE LINER

ESPECIALLY FOR COTTON & POLYESTER

METALCUT is especially designed for creating **charity logos and large-format graphics**.

A gloss chrome effect in silver or gold achieves a trendy urban style on all textiles* (cotton and polyester).

DATA SHEET

- > FILM WITH **METAL EFFECT, GLOSS, POLYURETHANE**
- > **50 MICRONS**
- > **NON-ADHESIVE LINER**
- > **AVAILABLE IN 5 COLOURS**

METALCUT	WIDTH MM	LENGTH LM
METALLICS	500	25



1

INFORMATION



Extremely fine, **METALCUT** film can be weeded quickly and easily.

Its non-adhesive liner enables unlimited stacking of logos during production.



2



1
MC20
 INSTALLATION
 HEXIS SAS
 FRANCE

2
MC20, MC30
 INSTALLATION
 HEXIS SAS
 FRANCE

METALLICS



APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING	
	150 °C		8 sec.		medium		while cold

MAINTENANCE INSTRUCTIONS

MACHINE WASH		MACHINE DRY		IRONING			
	wait for at least 24h before washing 30 °C max.		do not use bleach		do not tumble dry		do not iron



SWATCHBOOKS / COLOUR CARDS
Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.



CUTFLEX FLOCK 200

ADHESIVE LINER

**ESPECIALLY
 FOR COTTON &
 POLYESTER
 (NON-SUBLIMATED)**

Want to add a velvet effect to your textile decorations? Our flock range makes it easy!

Created with the requirements of embroidery, screen printing and flocking in mind, **FLOCK 200** lends itself to the customisation of sportswear, T-shirts, sweatshirts, polo shirts and more.

Its soft and slightly structured velvet effect makes it ideal for logos, numbers or vintage-style graphics.


They are all the rage in sports. Or go and conquer the fashion industry!

DATA SHEET

- > VELVET LOOK AND FEEL PVC-FREE FILM
- > **500 MICRONS**
- > **6 SATIN COLOURS**
- > **ADHESIVE LINER**




FLOCK 200	WIDTH MM	LENGTH LM
VELVET	500	5 - 25



1
FLOCK200
 INSTALLATION
 HEXIS SAS
 FRANCE

2
FLOCK200
 INSTALLATION
 ENERGY PUB
 LA RÉUNION

COLOURS



APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	150 °C		15 sec.		high		While hot		not applicable

MAINTENANCE INSTRUCTIONS

MACHINE WASH			MACHINE DRY			IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	40 °C max.						



SWATCHBOOKS / COLOUR CARDS
Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.



TEXTILE PLOTTER AND DECORATION FLEX FILMS

GLITFLEX

CUTFLEX GLITFLEX

ADHESIVE LINER

ESPECIALLY FOR COTTON & POLYESTER (NON-SUBLIMATED)

GLITFLEX film is designed especially for urban-style decoration and large-scale graphics.

Its textured **sparkle finish** gives textiles a raised relief structure.

GLITFLEX remains flexible despite its thickness. It can be applied on all cotton and polyester textiles.

DATA SHEET

- > FILM WITH 3D SPARKLE EFFECT, PVC-FREE
- > 330 MICRONS
- > 8 COLOURS
- > ADHESIVE LINER



GLITFLEX	WIDTH MM	LENGTH LM
WITH SPARKLES	500	5 - 25

INFORMATION



The material must be cut in mirror mode. With a plotter, remember to use a 45° blade.



HEXIS ADVICE

It is recommended to weed the film slowly after cutting. We recommend washing your clothing items inside out.



1



- 1 GLITFLEX02
INSTALLATION
HEXIS SAS
FRANCE
- 2 GLITFLEX61
INSTALLATION
HEXIS SAS
FRANCE
- 3 GLITFLEX04
INSTALLATION
HEXIS SAS
FRANCE



2

WITH SPARKLES



APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	160 °C		10 sec.		high		While hot		not applicable

MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	40 °C max.						



SWATCHBOOKS / COLOUR CARDS
Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.



TEXTILE PLOTTER AND DECORATION FLEX FILMS

NYLCUT

CUTFLEX NYLCUT

ADHESIVE LINER

ADHERES WELL TO NYLON

For application on nylon fabrics that have had any kind of treatment, test the **NYLCUT** flex with the fabric to assess its adhesiveness.

Carry out a resistance test on the textile at press temperature prior to any production.

DATA SHEET

- > MATT POLYURETHANE FILM
- > **100 MICRONS**
- > **6 COLOURS**
- > ADHESIVE LINER



NYLCUT	WIDTH MM	LENGTH LM
COLOURS	500	25

COLOURS



APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	150 °C		5 sec.		low		White hot		10 sec.

MAINTENANCE INSTRUCTIONS

MACHINE WASH			MACHINE DRY			IRONING	
	wait for at least 24h before washing 30 °C max.		do not use bleach		do not tumble dry		iron on reverse side



1
NC08
INSTALLATION
HEXIS SAS
FRANCE

SPECIAL FOR DYE-SUBLIMATED FABRICS
BLOCKCUT

 **CUTFLEX BLOCKCUT**

ADHESIVE LINER

**SPECIAL
SUBLIMATED
FABRICS**

Plotter flex preventing migration of dye-sublimated fabrics. Decoration retains its original colour thanks to the blockout 'barrier'.

DATA SHEET

- > WHITE MATT **POLYURETHANE** FILM
- > **110** MICRONS
- > ADHESIVE LINER

PRODUCT CODE	WIDTH MM	LENGTH LM
 BLOCKCUT	500	25

APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	160 °C		20 sec.		medium		While hot		10 sec.

MAINTENANCE INSTRUCTIONS

MACHINE WASH			MACHINE DRY			IRONING	
	wait for at least 24h before washing 60 °C max.		do not use bleach		do not tumble dry		iron on reverse side

BLOCKCUT



COLOURS



BLOCKCUT
WHITE

 **CUTFLEX GLOWCUT**

ADHESIVE LINER

**ESPECIALLY FOR
COTTON, POLYESTER
& BLENDS**

Looking for a phosphorescent cutting flex for outstanding markings?

The **GLOWCUT** film is specially intended for the production of chest pocket logos.

This phosphorescent flex has the particularity of glowing in the dark after exposure to light.

In daylight it stores the light to release it in the darkness during the night.

Unusual and stylish, this film brings a touch of originality to any garment (costumes, sportswear, evening dresses...).

DATA SHEET

- > **POLYURETHANE** FILM
- > **110 MICRONS**
- > **3 COLOURS**
- > **ADHESIVE LINER**



GLOWCUT	WIDTH MM	LENGTH LM
COLOURS	500	25

COLOURS



GC01
WHITE

GC02
PINK

GC03
GREEN



- 1 **GLOWCUT**
INSTALLATION
HEXIS SAS
FRANCE
- 2 **REFLEX**
INSTALLATION
HEXIS SAS
FRANCE



APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING	
	150 °C		8 sec.		low		While hot

MAINTENANCE INSTRUCTIONS

MACHINE WASH			MACHINE DRY			IRONING	
	wait for at least 24h before washing 60 °C max.		do not use bleach		Can be tumble dried		iron on reverse side

TEXTILE PLOTTER AND DECORATION FLEX FILMS
REFLEX

CUTFLEX REFLEX

ADHESIVE LINER

ESPECIALLY FOR COTTON & POLYESTER

REFLEX film has been specifically designed for accurate **high visibility** decoration.

Perfect for **Personal Protective Equipment** (PPE), this film is compliant with EN 471 and EN ISO 20471 class 2 standards for high visibility clothing.

Improving security and visibility day and night, it can also be used to personalise clothing for sporting events or promotional campaigns.

DATA SHEET

- > **RETRO-REFLECTIVE PVC-FREE FILM**
- > **175 MICRONS**
- > COLOUR **SILVER** (REFLECTIVE), CHANGING INTO **WHITE** (LIGHTS UP IN THE DARK)
- > **ADHESIVE LINER**
- > **NORME EN ISO 20471**



REFLEX	WIDTH MM	LENGTH LM
RETRO-REFLECTIVE	500	25



2

APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	150 °C		12 sec.		high		While hot		not applicable

MAINTENANCE INSTRUCTIONS

MACHINE WASH			MACHINE DRY			IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	60 °C max.						

CUTFLEX BRICKCUT

NON-ADHESIVE LINER

**ESPECIALLY FOR
 COTTON, ACRYLIC,
 POLYESTER**

Looking for a very heavy cutting flex for relief markings?
 Our new **BRICKCUT** series makes it easy!
 6 striking colours now available!

The **BRICKCUT** film is ideal to give a 3D relief effect to all your markings. A must for creating a casual total look, just like the «streetwear» that is nowadays a major trend in the luxury and fashion industry.

DATA SHEET

- > MATT POLYURETHANE FILM
- > **630 MICRONS**
- > **6 COLOURS**
- > **NON-ADHESIVE LINER**



BRICKCUT	WIDTH MM	LENGTH LM
COLOURS	500	10

COULEURS



APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	160 °C		25 sec.		high		while cold		10 sec.

MAINTENANCE INSTRUCTIONS

MACHINE WASH			MACHINE DRY			IRONING	
	wait for at least 24h before washing			do not use bleach	do not tumble dry		iron on reverse side
	60 °C max. on reverse side						

INFORMATION



HEXIS ADVICE

The material must be cut in mirror mode.



TEXTILE PRINTING AND DECORATION FILMS
SILKPRINT*

PRINTFLEX SILKPRINT



ADHESIVE LINER

ESPECIALLY FOR COTTON, POLYESTER & MIXED ACRYLICS

Especially designed for large-format graphics. Recommended for large scale production due to its fast application on the textile: 5 seconds of pressing at 130° C suffice.

DATA SHEET

- > MATT POLYURETHANE FILM
- > 100 MICRONS
- > WHITE OPAQUE
- > ADHESIVE LINER



WIDTH MM	LENGTH LM
500	25
750	25
1000	25
1500	25

* Available while stocks last

APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	130 °C		5 sec.		low		While hot		5 sec.

MAINTENANCE INSTRUCTIONS

MACHINE WASH		MACHINE DRY		IRONING			
	wait for at least 24h before washing 60 °C max.		do not use bleach		Can be tumble dried		iron on reverse side

INFORMATION



HEXIS ADVICE

Transfer graphics using **HEX860** or **HEX960** transfer films.

For better ink adhesion, wait one week before the first wash.



TEXTILE PRINTING AND DECORATION FILMS

UFLEX7PV2

PRINTFLEX UFLEX7PV2



NON-ADHESIVE PET LINER

ESPECIALLY FOR COTTON AND POLYESTER*

The **UFLEX7PV2** is designed for printed & cut graphics!

UFLEX7PV2 is the ultimate 100% printable flex that can be easily used and transferred to give your prints a touch of class.

Especially suitable for lettering, logos or images. Its composition allows for detailed cuts in solid colours.

Its flexibility on small size markings will make it a real asset for a silk-screen rendering.

Being **OEKOTEX CLASS 1**, markings on children's clothing will be a plus.

The **UFLEX7PV2** can be applied without tape for full colour logos.

DATA SHEET

- > STRETCHABLE **POLYURETHANE FILM**
- > **THICKNESS 85 MICRONS**
- > CLEAR PERMANENT **HEAT-ACTIVATED ADHESIVE**
- > **NON-ADHESIVE PET LINER**
- > **AVAILABLE WITH MATT FINISH**
- > PRINTABLE WITH ECO-SOLVENT, SOLVENT AND LATEX INKS
- > RECOMMENDED FOR COTTON, POLYESTER AND LYCRA®
- > AVAILABLE IN WIDTHS OF **500, 750, 1000 AND 1500 MM BY 25M** (RETAIL SIZES DEPENDING ON STOCK)
- > FOR USE WITH **HEX860 AND/OR HEX960 TAPES**



WIDTH MM	LENGTH LM
500	25
750	25
1000	25
1500	25



APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	140 °C		15 sec.		high		While hot		5 sec. with protective sheet

MAINTENANCE INSTRUCTIONS

MACHINE WASH			MACHINE DRY			IRONING	
	wait for at least 24h before washing			do not use bleach	do not tumble dry		iron on reverse side
	60 °C max.						

TEXTILE PRINTING AND DECORATION FILMS
UFLEX5S

PRINTFLEX UFLEX5S



NON-ADHESIVE LINER

ESPECIALLY FOR COTTON & POLYESTER

UFLEX5S is especially designed for small letters and charity or sponsorship logos. UFLEX5S is recommended for large production runs when customising textiles: our highest performing printable flex film in finishing.

It is very resistant to washing

DATA SHEET



- > POLYURETHANE FILM
- > 80 MICRONS
- > WHITE OPAQUE
- > NON-ADHESIVE LINER



WIDTH MM	LENGTH LM
500	25
750	25
1000	25
1500	25

APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	130 °C		5 sec.		medium		While hot		5 sec. with protective sheet

MAINTENANCE INSTRUCTIONS

MACHINE WASH		MACHINE DRY		IRONING			
	wait for at least 24h before washing 60 °C max.		do not use bleach		do not tumble dry		iron on reverse side



SWATCHBOOKS / COLOUR CARDS
Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.



TEXTILE PRINTING AND DECORATION FILMS

NYLPRINT

PRINTFLEX NYLPRINT



ADHESIVE LINER

ADHERES WELL TO NYLON

For application on nylon fabrics that have had any kind of treatment, test the **NYLPRINT** film with the fabric to assess its adhesiveness.

Carry out a resistance test on the textile at press temperature prior to any production.

DATA SHEET



- > MATT POLYURETHANE FILM
- > 100 MICRONS
- > WHITE OPAQUE
- > ADHESIVE LINER



WIDTH MM	LENGTH LM
500	25
750	25
1000	25
1500	25

APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	150 °C		5 sec.		low		While hot		10 sec.

MAINTENANCE INSTRUCTIONS

MACHINE WASH			MACHINE DRY			IRONING	
	wait for at least 24h before washing			do not use bleach	do not tumble dry		iron on reverse side
	30 °C max.						

INFORMATION



HEXIS ADVICE

Transfer graphics using **HEX860** or **HEX960** transfer films.

For better ink adhesion, wait one week before the first wash.



PRINTFLEX BLOCKPRINT

DATA SHEET



ADHESIVE LINER

**SPECIAL FOR
 DYE-SUBLIMATED
 FABRICS**

BLOCKPRINT is specially treated for graphics intended to be transferred onto sublimated fabrics (polyester). Its composition prevents the ink from bleeding into the transferred graphics. It is the ideal product for customising sports shirts (football and cycling).

- > STRETCHABLE **POLYURETHANE** FILM
- > **125 MICRONS**
- > **WHITE MATT**
- > **ADHESIVE LINER**

WIDTH MM	LENGTH LM
500	25
750	25

APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	150 °C		20 sec.		high		while lukewarm		10 sec. with protective sheet

MAINTENANCE INSTRUCTIONS

MACHINE WASH			MACHINE DRY			IRONING	
	wait for at least 24h before washing 40 °C max.		do not use bleach		do not tumble dry		iron on reverse side



TEXTILE PRINTING AND DECORATION FILMS

UFLEXCLEAR

PRINTFLEX UFLEXCLEAR



ULTRA-TRANSPARENT

NON-ADHESIVE LINER

**ESPECIALLY
FOR COTTON &
POLYESTER**

UFLEXCLEAR, THE **ULTRA FLEXIBLE** printable flex for making **YOUR MARKINGS** on light-coloured fabrics!

Its printability, thinness and cutting qualities make it a flagship product for your prints on light-coloured fabrics!

It can be applied to white or light-coloured cotton or polyester fabrics without leaving any visible contours.

As **UFLEXCLEAR** is a transparent flex, it is crucial to print in mirror mode.

DATA SHEET



- > STRETCHABLE POLYURETHANE FILM
- > **CLEAR MATT FILM**
- > THICKNESS **35 MICRONS**
- > CLEAR PERMANENT **HEAT-ACTIVATED** ADHESIVE
- > **NON-ADHESIVE LINER**
- > PRINTABLE WITH ECO-SOLVENT, SOLVENT INKS
- > RECOMMENDED FOR COTTON, POLYESTER
- > AVAILABLE IN WIDTHS OF **500, 750 AND 1250** MM BY **25M** (RETAIL SIZES DEPENDING ON STOCK)

WIDTH MM	LENGTH LM
500	25
750	25
1250	25



APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	140 °C		15 sec.		high		while cold		5 sec. with protective sheet

MAINTENANCE INSTRUCTIONS

MACHINE WASH			MACHINE DRY			IRONING	
	wait for at least 24h before washing			do not use bleach	do not tumble dry		iron on reverse side
	40 °C max.						

TEXTILE PRINTING AND DECORATION FILMS
SLIMPRINT

PRINTFLEX SLIMPRINT

DATA SHEET



NON-ADHESIVE LINER

ESPECIALLY FOR COTTON & POLYESTER

SLIMPRINT is a matt opaque printable film with a great fineness that gives it a silky touch and makes it very flexible on the textile. Its opacity allows it to be applied on dark fabrics. Ideal for large format designs, **SLIMPRINT** offers optimal flexibility and resistance to washing.

- > MATT POLYURETHANE FILM
- > **80 MICRONS**
- > **OPAQUE WHITE**
- > **NON-ADHESIVE LINER**

WIDTH MM	LENGTH LM
500	25
750	25
1000	25
1500	25

APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	160 °C		15 sec.		medium		While hot		-

MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing 60 °C max.		do not use bleach		do not tumble dry		iron on reverse side



SWATCHBOOKS / COLOUR CARDS
Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.



FILM FOR
DIRECT TO FILM PRINTING SYSTEMS - DTF

PRINTFLEX DTF-C-PEEL

ULTRA-TRANSPARENT

NON-ADHESIVE LINER

**ESPECIALLY
FOR COTTON &
POLYESTER**

Looking for a DTF printable cold peel film?

Experience Direct to Film, the new process that is set to revolutionise the world of textile marking!

The printable DTF-C-PEEL film is recommended for easy processing of small to large format designs. Thin and extremely soft, it delivers high quality four-colour printing, with bold colour effects, subtle gradients and a fully adjustable white backing. Because of its versatile application and good laundry resistance, it can be used on almost all garments requiring quick and cost-effective customisation: streetwear, sports, promotional and Personal Protective Equipment (PPE).

DATA SHEET

- > PET FILM
- > 80 MICRONS
- > PEEL WHILE COLD

PRODUCT CODE	WIDTH MM	LENGTH LM
DTF-C-PEEL	300	100
	600	

DATA SHEET

- > PET FILM
- > 100 MICRONS
- > PEEL WHILE COLD

PRODUCT CODE	WIDTH MM	LENGTH LM
DTF-H-PEEL	300	100
	600	



• TOOLS FOR
TEXTILE DECORATION

HOT PRESS & PLATES



PRODUCT CODE	DESCRIPTION
TEX'PRESS	Modular electromagnetic press. Manual closing Automatic release of the main plate: 40cm x 50cm

LIQUID TO REMOVE THE FLEX



PRODUCT CODE	DESCRIPTION
REMOVFLEX	Liquid to remove the flex / 600ml bottle

• TOOLS FOR
HOT PRESSING

PROTECTION OF PRINTS DURING HOT PRESSING



PRODUCT CODE	DESCRIPTION
FILFLEX	protective sheet, fabric Dimensions: 600 x 400 mm
TEFLEX	Teflon® protective sheet Thickness: 130 microns Dimensions: 438 x 500 mm

TOOLS FOR WEEDING TEXTILE FILM

TWEEZERS AND HOOK TO WEED FLEX



PRODUCT CODE	DESCRIPTION
WEEDER3	Weeding hook
TWEEZ	For use with the vinyls DAO or IMN, FLEX and other products that need to be weeded. The product is unbranded, without Hexis logo.

TOOLS FOR TEXTILE FILM TRANSFER

SQUEEGEES & TRANSFER FILMS



PRODUCT CODE	DESCRIPTION
MARBLEU	Soft squeegee

PRODUCT CODE	THICKNESS MICRONS	TYPE OF TAPE	TYPE OF ADHESION	RECOMMENDED FOR	WIDTHS MM	LENGTH LM
HEX750	100	smooth	LOW	FLUO F610, SUPTAC CARBONE S5CANB, FLEX BLOCKPRINT	500	25
HEX860	50	smooth	HIGH	FLEX UFLEX5S FLEX NYLPRINT FLEX SILKPRINT FLEX UFLEX7PV2 Transfer of UV prints	500 750 1000 1500	25
HEX960	100	smooth	HIGH	FLEX UFLEX5S FLEX NYLPRINT FLEX SILKPRINT FLEX UFLEX7PV2	500 750 1000 1500	25

PROTECTION & SECURITY FILMS

BODYFENCE AUTOMOTIVE PROTECTION FILMS	176
CARPROTECT AUTOMOTIVE PROTECTION FILMS	177
HXR15OBGR AUTOMOTIVE PROTECTION FILMS	177
AUTOMOTIVE PRECUT PROTECTION KITS	178 - 179
PROTECTIVE FILMS FOR HEADLIGHTS	180
HIGH-PERFORMANCE FILMS FOR WINDSCREEN PROTECTION	181
AUTOMOTIVE SOLAR FILMS SKYSTAR	182 - 183
AUTOMOTIVE SOLAR FILMS MAJESTIK	184 - 185
BUILDING PROTECTION FILMS	186 - 188
CHOOSING THE RIGHT BUILDING SOLAR FILM	189 - 190
PROTECTING PROPERTY AND PEOPLE	191 - 192

BODYFENCE AUTOMOTIVE PROTECTION FILM

VEHICLE PROTECTION AND CUSTOMISATION



Step into the world of HEXIS Paint Protection solutions. These protective films have been designed to provide long-lasting protection for your vehicle's paintwork.

PICK THE MOST SUITABLE PPF SOLUTION!

- Get a second skin for your vehicle paintwork with the new generation of BODYFENCE protective films.

REINFORCED PROTECTION AGAINST EXTERNAL AGGRESSIONS

- > SCRATCHES
- > STONE CHIPS
- > ABRASION
- > UV RAYS
- > POLLUTION

THE ADVANTAGES OF THE FILMS OF THE BODYFENCE RANGE

- > SELF-HEALING
- > ULTRA-TRANSPARENT
- > CHIP-RESISTANT
- > EASY TO APPLY
- > DURABLE
- > SELF-CLEANING
- > LIFETIME GUARANTEE
- > ANTI-SHOCK

* Exclusively for BODYFENCEX, please refer to the Bodyfence warranties on: www.bodyfence.net/solutions/warranty



PHENOMENAL AND GROUND BREAKING



PRODUCT CODE	FINISH	THICKNESS MICRONS	WIDTH MM	LENGTH LM
BODYFENCE M1	gloss	180 (7 mils)	1520	20
BODYFENCEM*	matt	180 (7 mils)	1520	20
BODYFENCEX	gloss	180 (7 mils)	1520	20
BODYFENCEXM ^N	matt	180 (7 mils)	1520	20
BODYFENCEXS ^N	satin	180 (7 mils)	1520	20
BODYXFAST ^N	gloss	180 (7 mils)	1520	15
BFBLACK	opaque black gloss	180 (7 mils)	1520	20
BFBLACKM ^N	opaque black matt	180 (7 mils)	1520	20
BFWIDE ^N	gloss	210 (8.2 mils)	1800	20
DFENCEXTRM ^N	gloss	210 (8.2 mils)	1520	20
DFENCEONEX ^N	gloss	130 (5.1 mils)	1520	15
DFENCEONEXM ^N	matt	130 (5.1 mils)	1520	15
RSSEAL	protective sealing strips, gloss	150 (5.9 mils)	15 25 50	20

* Will be replaced in 2023 by the BODYFENCEXM



CARPROTECT AUTOMOTIVE PROTECTION FILMS

VEHICLE PROTECTION AND CUSTOMISATION

CARPROTECT is a self-adhesive transparent gloss film specially developed to provide durable protection of car bodywork (including headlights) against daily aggressions. Two versions are available: **CAR100B** (PVC film for short-term protection) and **CARPRO300** (PU film for extreme protection, such as off-road).



PRODUCT CODE	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM
CAR100B	100 (3.9 mils)	PE	1520	30
PRODUCT CODE	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM
CARPRO300	300 (11.8 mils)	PE	760 1520	5 - 20

HXR150BGR AUTOMOTIVE PROTECTION FILMS

PROTECTION AND DECORATION OF DOOR PILLARS AND SILLS

HXR150BGR is a calendared polymeric PVC film with reinforced adhesive and a grained, matt black finish.




PRODUCT CODE	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM
HXR150BGR	150 (5.9 mils)	HEX'Press liner	1230	30



1
CARPRO300
HEXIS SAS
FRANCE

2 3
HXR150BGR
HEXIS UK
UNITED KING-
DOM



BODYFENCE

PAINT PROTECTION FILM

APPLY AND PROTECT

The simple solution to protect your vehicle.

BODYKIT

Available for all types of vehicle



Bodyfence precut kits perfectly fit the outline of your vehicle.

- 1 kit per vehicle ■
- Easy to apply ■
- Controlled material consumption ■
- No cutting on bodywork ■



- 1 ■ Choose required protection level
- 2 ■ Select your vehicle
- 3 ■ Place your order
- 4 ■ Apply!

www.bodyfence.net

 +33 (0) 4 48 17 50 76

• **BODYFENCE AUTOMOTIVE**
PRECUT PROTECTION KITS

CAR PAINT PROTECTION



HEXIS has created the most simple solution to protect your vehicle against external aggressions. BODYKIT precut kits perfectly fit the outline of your vehicle.



BODYKIT

PRODUCT CODE	PROPERTIE
PRSTAGE 1/PRSTAGEM	Precut kit front bumper
PRSTAGE 2/ PRSTAGEM	Precut kit front
STAGE FULL/ STAGE FULLM	Precut kit entire car
EXTRA CUT/ EXTRA CUTM	Additional element

THE BENEFITS

- > available for all vehicles
- > BODYFENCE technology
- > 1 kit per vehicle
- > easy to apply
- > controlled material consumption
- > no cutting on bodywork
- > time saving



BODYKIT X

PRODUCT CODE	PROPERTIE
PRSTAGE 1X	Precut kit front bumper
PRSTAGE 2X	Precut kit front
STAGE FULL X	Precut kit entire car
EXTRA CUTX	Additional element



APPLY AND PROTECT ON www.bodyfence.net

PROTECTIVE FILMS FOR HEADLIGHTS

PROTECTION AND CUSTOMISATION OF HEADLIGHTS

The **BLACKLIGHT** is an anti-impact film protection to keep car headlights spotless.

The **HEXLIGHT** film is a customisation film for tinting headlight glass



PRODUCT CODE	FINISH	THICKNESS MICRONS	WIDTH MM	LENGTH LM
 BLACKLIGHT	light grey gloss	100 (3.9 mils)	760 1520	25
HEXLIGHTS1	dark black gloss	70 (2.7 mils)	615 1230	25
HEXLIGHTS2	light black gloss	70 (2.7 mils)	615 1230	25

TINTING OF HEADLIGHT GLASS

Tinted transparent PVC film for the customisation and tinting of headlight glass.



- HEXLIGHTS**
INSTALLATION
ILLEST INNOVATIONS
USA
- HEXLIGHTS2**
HEXIS SAS
FRANCE



PRODUCT CODE	COLOUR	FINISH	THICKNESS MICRONS	WIDTH MM	LENGTH LM
 HEXFLARE01	yellow	gloss	80	1230	10
 HEXFLARE02	red				
 HEXFLARE03	blue				
 HEXFLARE04	grey				

WINDSCREEN PROTECTION FOR PASSENGER VEHICLES

Specially designed for windscreens of passenger vehicles, **3333SHIELD** offers a premium solution combining protection and visual comfort.

Designed in the USA, **3333SHIELD** is made up of three removable layers of optically clear, 75-micron polyester.

This film protects against UV rays whilst also preventing scratches, cracks and shocks.

Peeling off the upper layer reveals a new protective layer, regaining clear, unobstructed vision.



PRODUCT CODE	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM	PRECUT	
3333SHIELD	230 (9 mils)	PET	1524	30.5	-	
	PRECUT 1524MM X 500MM				-	AVAILABLE LATER IN 2023
	PRECUT 1520MM X 1000MM				-	

WINDSCREEN PROTECTION FOR RACING CARS

During car races and other competitions, windscreens have to withstand projectiles, scratches and mud splashes.

Specially developed for racing cars, **4444RACING** offers extreme protection and is made up of four removable layers of optically clear polyester.

Applying **4444RACING** to the windscreen helps regain unobstructed vision of the road and other competitors by removing the upper layer.



PRODUCT CODE	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM	PRECUT	
4444RACING	430 (9.4 mils)	PET	1524	30.5	-	
	PRECUT 1524MM X 500MM				-	AVAILABLE LATER IN 2023
	PRECUT 1520MM X 1000MM				-	



1
3333SHIELD
HEXIS SAS
FRANCE

2
4444RACING
HEXIS SAS
FRANCE



Tint your life!

**PROTECTION AND
CUSTOMISATION FOR
WINDOWS**

SKYSTAR :

Developed in the HEXIS R&D laboratory, the SKYSTAR range is the perfect alliance between efficiency and performance.

SKYTINT, comprises two ranges of solar films: **SKYSTAR & MAJESTIK**. They constitute a true protective barrier against the harmful effects of the sun.

Innovative technologies offering the perfect combination of style, safety and personal health.

- 100% compliant with legislation in force



Metal-free film equals no interference with mobile phones, GPS or radio reception signals



Protection against UV rays



Anti-scratch coating



Heat protection, up to 43% of solar energy rejected



Durability of 10 years



A range of 6 shades, from the lightest to the darkest



1 2

SKYSTAR05
INSTALLATION TRI STATE
WINDOW TINTING
USA



1



2

INFORMATION




In France, tinted windows are not prohibited, but the tint is now regulated for the front windows of vehicles.

Article 27 of French decree No. 2016-448 of 13 April 2016, which came into force in 2017, prohibits tinted side windows at the front of a vehicle **if their transparency is less than 70%**. This new regulation does not affect the rear windows. Please refer to the regulation in your country.



Without film



SER: Solar energy rejected
LT: Light transmission
VLR: Visible light reflection

STANDARD

PRODUCT CODE	LT	SER	VLR	WIDTH MM	LENGTH LM
SKYSTAR05	5 %	43 %	6%	500	2 -6 - 15 - 30,5
				760	
				1520	
SKYSTAR15	12%	40%	5%	500	2 -6 - 15 - 30,5
				760	
				1520	
SKYSTAR20	19%	40%	5%	500	2 -6 - 15 - 30,5
				760	
				1520	
SKYSTAR35	33%	34%	5%	500	2 -6 - 15 - 30,5
				760	
				1520	
SKYSTAR50	47%	28%	6%	500	2 -6 - 15 - 30,5
				760	
				1520	
SKYSTAR70	67%	32%	6%	500	2 -6 - 15 - 30,5
				760	
				1520	



**PROTECTION AND
CUSTOMISATION FOR
WINDOWS**

SKYTINT, comprises two ranges of solar films: **SKYSTAR & MAJESTIK.**

They constitute a true protective barrier against the harmful effects of the sun.

Innovative technologies offering the perfect combination of style, safety and personal health.

- 100% compliant with regulations in force

INFORMATION



In France, tinted windows are not prohibited, but the tint is now regulated for the front windows of vehicles.

Article 27 of French decree No. 2016-448 of 13 April 2016, which came into force in 2017, prohibits tinted side windows at the front of a vehicle **if their transparency is less than 70%**. This new regulation does not affect the rear windows. Please refer to the regulation in your country.

MAJESTIK :

Proven in space and automotive industries, nano-ceramic technology has been chosen by HEXIS to design MAJESTIK - a range of intelligent solar films that will revolutionise your driving experience.

The nanoscopic powder encapsulated in the MAJESTIK film provides unique properties.



WELL-BEING

Unrivalled thermal comfort
Visual comfort: excellent glare reduction
Perfectly balanced light transmission, clear field of vision



PROTECTION

Shield against UV and infrared solar radiation
Constant temperature in the passenger compartment
Anti-scratch coating
Preservation of the shine of leather and fabrics



SECURITY

Privacy and confidentiality: passengers and personal belongings protected from prying eyes
Reducing the risk of burglary and intrusion



AESTHETIC APPEAL

A palette of 7 colours to personalise your style



PERFORMANCE

Exceptional durability of 15 years
Energy savings: moderate use of air conditioning




1

MAJESTIK05



1






SER: Solar energy rejected
LT: Light transmission
VLR: Visible light reflection

PREMIUM

PRODUCT CODE	LT	SER	VLR	WIDTH MM	LENGTH LM
MAJESTIK05	5%	67%	6%	500	2 - 6 - 15 - 30.5
				760	
				1520	
MAJESTIK15	16%	63%	6%	500	2 - 6 - 15 - 30.5
				760	
				1520	
MAJESTIK25	24%	60%	7%	500	2 - 6 - 15 - 30.5
				760	
				1520	
MAJESTIK35	40%	54%	7%	500	2 - 6 - 15 - 30.5
				760	
				1520	
MAJESTIK50	54%	50%	7%	500	2 - 6 - 15 - 30.5
				760	
				1520	
MAJESTIK70	70%*	43%*	8%*	500	2 - 6 - 15 - 30.5
				760	
				1520	
MAJESTIK85	85%	30%	6%	500	2 - 6 - 15 - 30.5
				760	
				1520	

SILVER FILMS

Reflective finish - reflective, silver, mirror finish from the outside, perfect view from the inside.




SER: Solar energy rejected
LT: Light transmission
VLR: Visible light reflection

M1

PRODUCT CODE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
BSOR20I2	indoor	79%	24%	60%	1523	15 - 30.5
BSOR15X2	outdoor	80%	24%	60%	1523	15 - 30.5
BSOR35I2	indoor	67%	43%	41%	1523	15 - 30.5
BSOR35X2	outdoor	65%	43%	40%	1523	15 - 30.5
BSOR50I2	indoor	58%	59%	26%	1523	15 - 30.5
BSOR50X2	outdoor	52%	59%	22%	1523	15 - 30.5

BRONZE FILMS

Mirror finish - reflective, bronze, mirror finish from the outside, perfect view from the inside.



SER: Solar energy rejected
LT: Light transmission
VLR: Visible light reflection


M1

PRODUCT CODE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
BSOB20I2	indoor	77%	20%	36%	1523	15 - 30.5
BSOB20X2	outdoor	80%	11%	18%	1523	15 - 30.5




1
BSE100iV2
ILLIMITED
FRANCE

2
BSOR15X2I
FOLIENWERK7
GERMANY



SILVER FILMS

Mirror finish - low-reflection, tinted finish from the outside, perfect view from the inside.




SER: Solar energy rejected
LT: Light transmission
VLR: Visible light reflection

M1

PRODUCT CODE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
BSON20X2	outdoor	74%	20%	37%	1523	15 - 30.5
BSON50I2	indoor	42%	49%	14%	1523	15 - 30.5

SILVER FILMS

Mirror finish - (combats heat loss) reflective finish. Lowers solar energy while being very clear once installed.




SER: Solar energy rejected
LT: Light transmission
VLR: Visible light reflection

M1

PRODUCT CODE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
BSOT45I2	indoor	66%	45%	45%	1523	15 - 30.5

ANTI-INTRUSION AND ANTI-SCRATCH SOLAR FILMS

These films increase the intrusion time in the event of an attempted break-in. If the glass is broken, they retain the glass fragments and help prevent injury.




SER: Solar energy rejected
LT: Light transmission
VLR: Visible light reflection

M1

PRODUCT CODE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
BSE50I	indoor	19%	88%	10%	1523	15 - 30.5
BSE100IV2	indoor	16%	90%	7%	1523	15 - 30.5
BSE100XV2	outdoor	16%	90%	7%	1523	15 - 30.5

SILVER FILMS

Reflective finish - reflective, silver, mirror finish from the outside, perfect view from the inside.



SER: Solar energy rejected
LT: Light transmission
VLR: Visible light reflection

	PRODUCT CODE	PROPERTIE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
M1	BSOM15I2	one-way mirror	indoor	82%	10%	63%	1523	15 - 30.5
M1	BSORD60I2	discoloration retardant	indoor	57%	62%	14%	1523	15 - 30.5
M1	BSOAT40I2	anti-thermal shock	indoor	66%	47%	29%	1523	15 - 30.5
M1	BSOI80X2	ultra-transparent	outdoor	45%	78%	9%	1523	15 - 30.5
M1	MIAMI	dichroic, warm shade	indoor	39%	72%	10%	1360	15 - 30.5
	DUBAI	dichroic, warm shade	outdoor	15%	64%	N/A	1520	15 - 30.5
	GLASGOW	dichroic, cool shade	outdoor	16%	51%	N/A	1520	15 - 30.5

INFORMATION



For further information regarding installation and removal of these products, see the Application guides available on our website:
www.hexis-graphics.com



1
GLASGOW
HEXIS SAS
FRANCE



1

INFORMATION



CHOOSE YOUR BUILDING SOLAR FILM BASED ON THESE CRITERIA:

film tint

whether you want to install the film on inner or outer window pane

the type of window (single/double glazing, tinted or not)

durability

To avoid thermal shock, HEXIS recommend to use a film for outdoor installation



INFORMATION



For further information regarding installation and removal of these products, see the Application guides available on our website: www.hexis-graphics.com



1
BSOR15X2
LAURENT GRENIER

2
BSOR15X2
HEXIS ESPAÑA

PRODUCT CODE	APPLICATION		TINT	COMPATIBILITY DEPENDING ON GLAZING										
	INDOOR	OUTDOOR		SINGLE GLAZING			DOUBLE GLAZING					TRIPLE GLAZING		
				CLEAR	TINTED	REFLECTIVE TINT	CLEAR	TINTED	REFLECTIVE TINT	LOW EMISSION (INERT GAS FILLING)	LAMINATED (LAMINATED GLASS FACING OUTWARDS)		LAMINATED (LAMINATED GLASS FACING INWARDS)	
BSOR20I2	✓		reflective, silver	✓	✓	✓								
BSOR15X2		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BSOR35I2	✓			✓	✓	✓	✓		✓					
BSOR35X2		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BSOR50I2	✓			✓	✓	✓	✓	✓	✓		✓			
BSOR50X2		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BSOB20I2	✓		bronze	✓		✓			✓					
BSOB20X2		✓		✓		✓	✓		✓					
BSON20X2		✓	grey, low-reflection	✓	✓	✓	✓	✓	✓			✓		
BSON50I2	✓			✓		✓			✓					
BSOT45I2	✓		reflective (heat reflection)	✓	✓	✓	✓		✓		✓			
BSOM15I2	✓		one-way mirror	✓		✓			✓					
BSORD60I2	✓		discolouration retardant	✓	✓	✓	✓	✓	✓		✓			
BSOI80X2		✓	ultra-transparent	✓		✓	✓		✓			✓		
BSOAT40I2	✓		low absorption	✓	✓	✓	✓	✓	✓	✓	✓			
DUBAI		✓	dichroic	✓										
GLASGOW		✓	dichroic	✓										
MIAMI	✓		dichroic	✓		✓			✓					



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexisgroup.com or contact your local distributor.





TRANSPARENT ANTIMICROBIAL PVC FILMS FOR SURFACES AND OBJECTS PROTECTION

PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	WIDTH MM	LENGTH LM
PURECOVER	Flexible and transparent, adhesive-free antimicrobial protection film	60	1520	40

TRANSPARENT FILM FOR SURFACES AND OBJECTS PROTECTION

PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	WIDTH MM	LENGTH LM
PETSAFE 	Transparent, non-adhesive anti-projection film	60	1250	50

TRANSPARENT ANTIMICROBIAL PVC FILMS FOR SURFACES PROTECTION

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
PURZON060B	gloss	60	solvent-based acrylic	PE	1370	30
PURZON060M	matt	60	solvent-based acrylic	PE	1370	30
PURZONORIB	gloss	60	solvent-based acrylic	PE	1370	30
PURZONORIM	matt	60	solvent-based acrylic	PE	1370	30

TRANSPARENT SELF-ADHESIVE PVC FILMS FOR SURFACES PROTECTION

PRODUCT CODE	FINISH	WIDTH MM	LENGTH LM
SP 	gloss 150 microns	615	10 - 15 - 20
		1230	
		1520	
SPM 	matt 150 microns	615	10 - 15 - 20
		1230	
		1520	

HYDROALCOHOLIC GEL

PRODUCT CODE	PROPERTIES		CAPACITY
GEL05	Canister containing 5 litres (5000 ml) of hydroalcoholic gel. GEL05 is a clear liquid that has been specially developed for disinfecting hands.		5 L
GELBOTTLE*	Bottle containing 0.5 litres (500 ml) of hydroalcoholic gel. GEL05 is a clear liquid that has been specially developed for disinfecting hands.		4 X 500 ML <hr/> 24 X 500 ML

* Please note: the bottles are delivered empty and the labels must be glued by you.

HYDROALCOHOLIC SOLUTION

PRODUCT CODE	PROPERTIES		CAPACITY
SHA05	Canister containing 5 litres (5000 ml) of hydroalcoholic solution		5 L
SHABOTTLE*	150 ml-spray bottle. The bottles come with a sticky label kit.		4 X 150 ML <hr/> 24 X 150 ML

* Please note: the bottles are delivered empty and the labels must be glued by you.

TOOLS & DISPLAYS

SHAG APPLICATION TOOLS	194 - 197
APPLICATION TOOLS	198 - 201
STORAGE TOOLS	202
REMOVAL TOOLS	203 - 204
SWATCHBOOKS & COLOUR GUIDANCE	205
TOOLS FOR ROLLS	205
TOOLS FOR CUTTING	206 - 210
TOOLS FOR FULL WRAPS	210 - 212
TOOLS FOR SOLAR FILMS	213 - 214
TOOLS FOR BANNER FINISHING	215 - 216
CLEANING FLUID	217 - 218
CAR MAINTENANCE PRODUCTS	219 - 220
ROLL-UP DISPLAYS	221
SELF- SUPPORTING DISPLAYS	222
FOLDING STANDS & ACCESSORIES	223
SWATCHBOOKS	224 - 225
RING BINDER	226
SAMPLE KIT	226
BROCHURES	226 - 231
DOCUMENTATION	232
PROMOTIONAL ITEMS	232 - 235
MENSWEAR / WOMENSWEAR	236 - 237
UNISEX CLOTHING	238 - 239
HEXIS ENERGY	240 - 241

HIGH-PERFORMANCE SQUEEGEES

	PRODUCT CODE	DESCRIPTION
	LIBERTE	Blue squeegee - soft
	EGALITE	White squeegee - hard
	FRATERNITE	Red squeegee - medium
	FRENCHBOX	Box of 3 squeegees + 3 squeegee protectors
	MAGSQUEEG	Magnetic squeegee
	SHAGSPOON	Squeegee for installation in small recesses and hard-to-reach parts of the vehicle bodywork
	SHAGCHIZ	Finishing squeegee for automotive solar film
	NINJATOOL	Tool to help insert films into window seals
	SUMOTOOL	XXL tool for laying tinted solar film
	SHAGFENCEM	Squeegee for applying BODYFENCE and solar protection films - 15 cm



HIGH-PERFORMANCE SQUEEGEES

	PRODUCT CODE	DESCRIPTION
	SHAGFENCES*	Squeegee for applying BODYFENCE and solar protection films - 9.5 cm To be replaced later in 2023 by SHAGPAM
	MAXBLUE*	Soft squeegee for applying solar films For use with MAXHANDLE and POIGNVITR. To be replaced later in 2023 by SHAGMITCH
	SHAGMITCH	Soft squeegee for applying solar films For use with MAXHANDLE and POIGNVITR.
	SHAGBODY*	Standard squeegee for applying BODYFENCE and solar protection films. To be replaced later in 2023 by SHAGPAM
	SHAGPINK	Pink squeegee for laying BODYFENCE
	SHAGPAM	Kit of 5 pink squeegees of different sizes for use with BODYFENCE
	SHAGFELT	Pre-cut felt edges (pack of 5)
	SQUEEBAND	Magnetic band for squeegee

* Available while stocks last

OTHER TOOLS

	PRODUCT CODE	DESCRIPTION
	HEXSTRAP	Magnetic strap
	HEXMAGNET	Magnet with fabric protector
	POIGNVITR	Handle for cleaning blade, compatible with LAMEVITR15, LAMEVITR30, LAMEVITRE and MAXBLUE
	TWEEZ	Standard weeding tweezers For use with DAO or IMN vinyls, FLEX and other products that need to be weeded Unbranded product, no Hexis logo
	SHAGDRILL	Bubble popper For releasing air after the film has been applied
	SHAGCUT	Liner shaping tool (slits liner)
	SHAGKNIFE	Cutter Compatible blades: LAMOLFA30, LAMOLFAS10, LAMOLFAS50, LAMOLFAXBL
	SHAGSLICE	Cutter tranche vinyl
	SHAGTRASH	Used recovery box and breakers
	SHAGWHEEL	Wheel cover (set of 2)
	SHAGSUN	Infrared heating lamp on tripod with wheels

N

N



OTHER TOOLS

	PRODUCT CODE	DESCRIPTION
	HOODHOLDER	hood wedge to aid in laying film
	SHAGCASE	Empty case for fitter
	SHAGBOX	Installation accessories case for installer
	SHAGLINE	Knifeless cutting wire for use with SKINTAC
	BODYLINE	Knifeless cutting wire for use with BODYFENCE and solar films
	SHAGGLOVE	Wrapping gloves with improved sliding properties. Available in 2 sizes S and M. Pack of 2 gloves
	SHAGWIRE	Wire for removing logos, letterings and markings from vehicles
	WRAPBELT	SHAG tool belt
	SPRAYBOX	SHAG 1.5-litre spray bottle
	SHAGSPRAY	19-litre metal sprayer for dispersing large quantities of liquid (soapy water) onto glass surfaces
	STEARMERSC3	High capacity high pressure steam cleaner

* Available while stocks last

**HIGH-PERFORMANCE
SQUEEGEES**



**PRODUCT
CODE**

MARVITRE

DESCRIPTION

Standard squeegee for windows



MARBLEU

Soft squeegee



MARBLEUF

Soft squeegee with red felt



MAROR

Medium squeegee



MARNOR

Hard squeegee



FEUTRE

Felt squeegee



TOBLUEMAX

Squeegee for application of tear-off films 3333SHIELD and 4444RACING

**STANDARD
SQUEEGES & TOOLS**

**PRODUCT
CODE**

DESCRIPTION



PLASSOUPLE

Plastic squeegee
Soft finish



PLASMOYEN

Plastic squeegee
Medium finish



SHARPTOOL

Squeegee sharpener

FELTS



PRODUCT CODE	DESCRIPTION
FEUTROUGE1	Red self-adhesive felt Can be cut and attached to A5 squeegees Sold individually
FEUTROUGE2	Red self-adhesive A5 felt Sold in packs of 10
HEXFELT	Self-adhesive microfibre felt Size 25 mm x 5 lm

SPECIALITIES



PRODUCT CODE	DESCRIPTION
EASYSEAL	Set of 2 seal lifters
SQUEEGEEXL	Large squeegee with felt for large areas

SEALING



PRODUCT CODE	DESCRIPTION
SEALIT	Varnish pen for sealing the edges of graphics Sold individually
VR7077	Sealing varnish to consolidate overlaps and/or extend the durability of edges Used mainly with microperforated or solar films Sold in a 250 ml bottle with a paintbrush in the cap



PRODUCT CODE.	FINISH	THICKNESS MICRONS	WIDTH MM	LENGTH LM
RSSEAL	Protective strips and gloss sealant	150	15	20
			25	
			50	

POSITIONING TAPES



PRODUCT CODE	DESCRIPTION
TIRO19X50	Masking tape Used for positioning vinyl before application Size: 19 mm x 50 lm or 25 mm x 50 lm
TIRO25X50	Sold individually or in boxes of 24 or 48 rolls.

SPRAY BOTTLES



PRODUCT CODE	DESCRIPTION
PULVERISAT	Spray bottle for liquids such as Easypose capacity 750 ml

DRY ERASE MARKERS / WAX PENCILS



PRODUCT CODE	DESCRIPTION
ERASMARKER	4 BIC VELLEDA dry erase markers



BLACK	ALL STABILO™ wax pencils For use on a variety of substrates such as glass, metal, plastic, etc. Sold in packs of 12
--------------	---



WHITE

ROLL-OUT TAPE MEASURE



PRODUCT CODE	DESCRIPTION
DMTRUBFR	Measuring tape, 5 m Box customised with the HEXIS logo



APPLICATION ROLLER



PRODUCT CODE	DESCRIPTION
GANTSCOV	Thin gloves specially designed for applying full wraps Sold in pairs, one size
SHAGGLOVE	Wrapping gloves with improved sliding properties. Available in 2 sizes S and M. Pack of 2 gloves

DOUBLE-SIDED



PRODUCT CODE	DESCRIPTION
DOUBLEF25	Standard double-sided tape for indoor use Size 25 mm x 50 lm
DOUBLEF50	Standard double-sided tape for indoor use Size 50 mm x 50 lm

MEDIA UNWINDER



PRODUCT CODE	DESCRIPTION
UNWINDER	Tabletop roll holder Makes unwinding, cutting and laminating graphics easier Dimensions: 1040 x 200 x 100 mm

APPLICATION ROLLER



PRODUCT CODE	DESCRIPTION
APPLIC15	Rubber roller (15 cm wide) with wooden handle Perfect for applying graphics and letters

ROLL HOLDER



PRODUCT CODE	DESCRIPTION
STOCKNROLL	Storage and transportation of up to 6 rolls



1

COMPACT
60 cm diameter base



4

MADE IN FRANCE
100% made in France



2

SECURE
Patented roll storage/transportation system



5

POWERFUL
increased productivity



3

CLEAN
Slightly elevated platform



6

PRACTICAL
Identification space on the trolley

SCRAPERS



CARSCRAPER

Set including a scraper and 25 blades



SCRUBFLOOR

Floor and window scraper



SCRUBBLADE

Replacement blades for SCRUBFLOOR



GRATLAM100

Retractable metal scraper for LAME100



LAME100

Replacement blades for GRATLAM100
Sold in packs of 100



GRATTOIR

Soft scraper



GRATTOIR10

10 soft scrapers

CLEANING BLADES

	PRODUCT CODE	DESCRIPTION
	POIGNVTR	Handle for cleaning blade, compatible with LAMEVITR15, LAMEVITR30, LAMEVITRE and MAXBLUE / SHAGMITCH
	MAXHANDLE	Handle for MAXBLUE / SHAGMITCH
	HANDLE	Handle for SHAGPAM / SHAGPINK / SHAGMITCH
	LAMEVITR15	15-cm cleaning blade blade for POIGNVTR
	LAMEVITR30	30-cm cleaning blade blade for POIGNVTR
	LAMEVITRE	20-cm cleaning blade blade for POIGNVTR
	TOCLEAN	Squeegee for cleaning of tear-off film 3333 SHIELD and 4444 RACING

VINYL ZAPPER

	PRODUCT CODE	DESCRIPTION
	MBX	Electric sander with rubber wheel This tool makes it quick and easy to remove old vinyls and adhesive
	WHEEL	Wheel for Vinyl Zapper Sold individually

SWATCHBOOKS



PRODUCT CODE	DESCRIPTION
PANTONE20	Swatchbook PANTONE COLOR BRIDGE COATED
RAL	Swatchbook RAL K7

TOOLS FOR ROLLS

ROLL COLLARS AND HEX'NOTE



PRODUCT CODE	DESCRIPTION
DSEBORG	Roll collar, large, red For clipping onto open digital printing or plotter film rolls Sold in packs of 50
DSEBORM	Roll collar, small, red For clipping onto open digital printing or plotter film rolls Sold in packs of 50
HEX'NOTE	Roll identification tabs For inserting into roll cores when stored vertically in order to identify them. Sold in packs of 10

**CUTTING PLOTTER
BLADES**



PRODUCT CODE	DESCRIPTION
ROLAND CAMM1	Blade angle 45°
GRAPHTEC	Blade angle 30°
MIMAKI / SUMMAGRAPHIC (REF 3D)	Blade angle 45°

CUTTERS



PRODUCT CODE	DESCRIPTION
CUTSOFT	Cutter with adjustable pressure on the blade
BLADESOFT	Blades for CUTSOFT
CUTOLFA25	OLFA® cutter with 25-mm blade
LAMOLFA25	Refill: 5 x 25 mm steel blades for CUTOLFA25
CUTVITRE	OLFA® cutter with retractable blade Sold with 1 blade

CUTTERS



PRODUCT CODE

DESCRIPTION

CUTOLFA30

OLFA® 30° cutter



CUTLAME

Refill: 25-mm steel blades for CUTVITRE, pack of 50



LAMOLFA30

Refill: OLFA® blades for SHAGNIFE, pack of 10



LAMOLFAS10

Refill: Silver OLFA® blades for SHAGNIFE, pack of 10



LAMOLFAS50

Refill: Silver OLFA® blades for SHAGNIFE, pack of 50



LAMOLFAXBL

Refill: Excel Black OLFA® blades for SHAGNIFE, pack of 50



BLADECAN*

Blade breaker and box for used cutter blades
To be replaced later in 2023 by SHAGTRASH



GUIDEDCUT

Cutter with cutting guide



GCBLADE

Blades for GUIDEDCUT

* Available while stocks last

CUTTERS



**PRODUCT
CODE**

DESCRIPTION

CUTVINYLXL

Tool for slitting the liner
Long handle



CUTSHOES

Blade guard for CUTVINYLXL



CUTBLADE

10 replacement blades for CUTVINYLXL



STRONGCUT

Electric cutter for cutting 3333SHIELD and 4444RACING films

* Available while stocks last

MISCELLANEOUS



**PRODUCT
CODE**

DESCRIPTION

CURVCUTTER

Cutting pliers for rounding angles



CURVPADS

Protective pads for CURVCUTTER
Sold in packs of 5



CURVBLADE

Replacement blade for CURVCUTTER



MAT

Anti-slip cutting mat, resistant to tools like cutters and scalpels
Mat sold without cutter
Dimensions 90 x 62 cm



RULERS



PRODUCT CODE	DESCRIPTION
REGLET30	Metal ruler 30 cm
REGLET50	Metal ruler 50 cm
REGLET100	Metal ruler 100 cm

SAFETY RULERS



PRODUCT CODE	DESCRIPTION
SAFERUL050	Safety ruler with ergonomic rail, 50 cm
SAFERUL100	Safety ruler with ergonomic rail, 100 cm
SAFERUL150	Safety ruler with ergonomic rail, 150 cm

**TWEEZERS &
WEEDING HOOKS**



**PRODUCT
CODE**

DESCRIPTION

HEXCROCH

Application finishing hook
Ideal for getting into hard-to-reach areas



TWEEZ

Standard weeding tweezers
For use with DAO or IMN vinyls, FLEX and other products that need to
be weeded
Unbranded product, no Hexis logo



FLATTWEEZ

Round-tipped tweezers
Used for applying or removing full wraps
The round tips make it possible to handle the film without any risk of
scratching it
Unbranded product, no HEXIS logo



WEEDER3

Weeding hook
Makes weeding vinyl easy

* Available while stocks last

MISCELLANEOUS



PRODUCT CODE	DESCRIPTION
MANCHETTE3	Leather wristband Tool holder
PISTHERMIQ*	Heat gun
PISTLASER3	Laser thermometer
AIMANT2	Magnet for easily positioning graphics on car bodies Sold individually
AIMANTXL	XL magnet for positioning graphics on car bodies Sold individually
COVSEAT4	Castor stool with wheels
STRIKERSET	Staple remover kit for standard vehicles
RIVETBRUSH	Application tool for riveted surfaces
ROLLCOV	Application roller
ROLLRIV	Application roller for application over rivets

* Available while stocks last

MISCELLANEOUS

	PRODUCT CODE	DESCRIPTION
	TIRODECO	Thin positioning tape for cutting Size 6 mm x 33 lm
 	SHAGLINE	Knifeless cutting wire for use with SKINTAC
 	BODYLINE	Knifeless cutting wire for use with BODYFENCE and solar films
	GANTSCOV	Thin gloves specially designed for applying full wraps Sold in pairs. One size
 	SHAGGLOVE	Wrapping gloves with improved sliding properties. Available in 2 sizes S and M. Pack of 2 gloves
 	STEAMERSC3	High capacity high pressure steam cleaner

* Available while stocks last

MISCELLANEOUS

	PRODUCT CODE	DESCRIPTION
	BERLAP	White squeegee for applying solar films on rear windows of vehicles
	DASHTOWEL	Dashboard cover for installing windows of vehicles
	SHAGMAMBA	Absorbent cord for installing windows of vehicles
	GRATLAM100	Retractable metal scraper for LAME100
	LAME100	Replacement blades for GRATLAM100 Sold in packs of 100
	GRATTOIR	Soft scraper
	GRATTOIR10	10 soft scrapers
	BODYLINE	Knifeless cutting wire for use with BODYFENCE and solar films
	PIADZGREY	Application squeegee Hard finish
	PIADZROUGE	Application squeegee Medium finish
	PORTECOV	Protection for vehicle interiors while applying solar films

* Available while stocks last

MISCELLANEOUS

	PRODUCT CODE	DESCRIPTION
	POIGNVITR	Handle for cleaning blade, compatible with LAMEVITR15, LAMEVITR30, LAMEVITR and MAXBLUE
	LAMEVITR15	15-cm cleaning blade for POIGNVITR
	MAXHANDLE	Handle for MAXBLUE
	MAXBLUE*	Very soft Teflon® squeegee for applying solar films. For use with MAXHANDLE and POIGNVITR.
	SHAGMITCH	Soft squeegee for applying solar films For use with MAXHANDLE and POIGNVITR. AVAILABLE LATER IN 2023
	MARBLEU	Soft squeegee
	MARBLEUF	Soft squeegee with red felt
	MAROR	Medium squeegee
	MARNOIR	Hard squeegee
	MARVITRE	Standard squeegee for windows

* Available while stocks last

FASTENING & HANGING SYSTEM	PRODUCT CODE	DESCRIPTION
	KITPRESSE	Manual eyelet press Kit contains: - 1 manual press - 1 crimping set, 10 mm - 1 lot of 1000 eyelets, 10 mm - 1 elastic cord - 1 carrying case
	HARDEYELET	Alternative to metal eyelets and/or plastic reinforcement for eyelet contours Sold in boxes of 100
	OEILLET10L	Pack of 1000 brass eyelets Ø 10 mm
	OEILLET10N	Pack of 1000 nickel eyelets Ø 10 mm
	JEUSERT10	Crimping set, 10 mm Sold individually
	OEILLET12L	Pack of 500 brass eyelets Ø 12 mm
	OEILLET12N	Pack of 500 nickel eyelets Ø 12 mm

• TOOLS FOR
BANNER FINISHING

**FASTENING &
HANGING SYSTEM**

**PRODUCT
CODE**

DESCRIPTION



JEUSERT12

Crimping set, 12 mm
Sold individually



OEILLET15L

Pack of 250 brass eyelets
Ø 15 mm



OEILLET15N

Pack of 250 nickel eyelets
Ø 15 mm



JEUSERT15

Crimping set, 15 mm
Sold individually



STRONGBAN3

Strong double-sided adhesive tape for banner hems
Size 25 mm x 50 lm



DRISSE

Rope, diameter 6 mm
Sold by linear meter, length upon request



SANDOW

Sandow stretch rope, diameter 8 mm
Sold by linear meter, length upon request

BEFORE APPLICATION	PRODUCT CODE	DESCRIPTION
	<p>SHAGREMOV</p>	<p>SHAGREMOV is an active, high-performance foam for eliminating traces of adhesive, insects and other residue.</p> <p>1 l</p> <hr/> <p>5 l</p> <hr/> <p>20 l</p>
	<p>SHAGCLEAN</p>	<p>SHAGCLEAN is designed for final cleaning before a full wrap application. Its formulation ensures fast drying and reduces the number of times the microfibre cloth needs to be wiped across the surface.</p> <p>1 l</p> <hr/> <p>5 l</p> <hr/> <p>20 l</p>
	<p>MFKIT</p>	<p>This pack of microfibre cloths helps remove contaminants from wrapped surfaces without leaving any traces and without any risk of scratching; also avoids mixing products during the cleaning process. Dimensions 40 x 40 cm</p>
	<p>PAINTRUB</p>	<p>For decontamination of substrates Always use with an aqueous solution</p>

DURING APPLICATION



PRODUCT CODE

DESCRIPTION

CANTAP

Tap-cap for 5-litre can.
Not compatible with SHAGCLEA5L and SHAGREMOV5L



EASYPOSE2L

Fluid facilitating the application of adhesive products by reducing their tack
Ideal for applying CRISTAL and etched glass films
Do not use with HX products or solar films



EASYPOSE5L

Fluid facilitating the application of adhesive products by reducing their tack
Ideal for applying CRISTAL and etched glass films
Do not use with HX products or solar films



HEXISO2L

Mild degreaser



HEXISO5L

Mild degreaser



MAGICSPRAY

For easier application of vinyl without scratching
Capacity 500 ml



HEXISGEL1L

For easier application of adhesive products
(BODYFENCE, V202CG1, CRISTAL, PURE ZONE®, etc.)



HEXISGEL5L

For easier application of adhesive products (such as BODYFENCE, V202CG1, CRISTAL, PURE ZONE®, etc.)

CLEANING FLUIDS

N



PRODUCT CODE	DESCRIPTION
SHAMPCARV2	ProTech® concentrated car shampoo is specially formulated to remove static charges and restore lustre to the paintwork. It can be applied on any paintwork and does not leave any traces. Capacity 500 ml
MATCLEAN	ProTech® MATCLEAN cleaner is specially formulated for vehicles wrapped with matt films. It cleans, protects and mattifies the wrapped surface. Capacity 500 ml

FOR BODYFENCE FILMS (GLOSS)



BODYFINISH

Kit for preserving and optimising the properties of BODYFENCE
Kit contains:

- Kit 1 BODYRELOAD (cleaning fluid)
- 1 BODYSHINE (polishing cream)



BODYRELOAD

CLEANING FLUID FOR BODYFENCE FILMS



BODYSHINE

polishing cream for BODYFENCE films

CLEANING FLUIDS



FOR SKINTAC FILMS (GLOSS)



SHAGFINISH

Complete maintenance kit for SKINTAC films consisting of:

- Kit 1 SHAGRELOAD (cleaning fluid)
- 1 SHAGSHINE (polishing cream)



SHAGRELOAD

CLEANING FLUID FOR SKINTAC FILMS



SHAGSHINE

polishing cream for SKINTAC films

SPECIAL FLUIDS



PRODUCT CODE	DESCRIPTION
HEXAG	Product for removing graffiti from anti-graffiti films. Can also be used to soften the majority of HEXIS films (except PET films) for easier removal. 5-litre canister

MULTIPURPOSE FLUIDS



PRODUCT CODE	DESCRIPTION
SHAGREMOV	SHAGREMOV is an active, high-performance foam for eliminating traces of adhesive, insects and other residue.
	1 l
	5 l
	20 l

N



PRODUCT CODE	DESCRIPTION
ANTISTATIC	Antistatic copper braid

**PROMOTIONAL
ROLL-UPS**

ROLLDOUBLE

ROLLDOUBLE has a double mast allowing front and back display.

PRODUCT CODE	DIMENSIONS		WEIGHT
	DISPLAY	GRAPHICS	
ROLLDOUBLE	85 x 200 cm	850 x 2200 mm	5.4 kg

RECOMMENDED PRINTABLE MEDIA

JT300M1	SEE PAGE 107
FRONT5M1	SEE PAGE 106
POP190ECOS	SEE PAGE 111
POP200ECOS	SEE PAGE 111
POPPRIMO	SEE PAGE 106

**PROMOTIONAL
ROLL-UPS**

**ROLLFIRST,
ROLLSHOW85 &
ROLLSHOW10**


ROLLFIRST offers numerous benefits: reliability, simplicity, lightness, quick and easy assembly.

ROLLFIRST, ROLLSHOW85 and ROLLSHOW10 are sold with a carry bag.

PRODUCT CODE	DIMENSIONS		WEIGHT
	DISPLAY	GRAPHICS	
ROLLFIRST	85 x 200 cm	850 x 2200 mm	2 kg
ROLLSHOW85	85 x 200 cm	850 x 2200 mm	2 kg
ROLLSHOW10	100 x 200cm	1000 x 2200 mm	2.5 kg

RECOMMENDED PRINTABLE MEDIA

JT300M1	SEE PAGE 107
FRONT5M1	SEE PAGE 106
POP190ECOS	SEE PAGE 111
POP200ECOS	SEE PAGE 111
POPPRIMO	SEE PAGE 106



SELF-SUPPORTING DISPLAYS

PROMOTIONAL DISPLAYS

PREMIO & PREMIO XL

PREMIO is a self-supporting display with a lightweight structure. The graphics are attached by 4 eyelets (minimum diameter 10 mm). Two sizes are available: 60 x 160 (PREMIO) and 80 x 200 cm (PREMIO XL). PREMIO and PREMIO XL are sold with a carry bag.

PRODUCT CODE	DIMENSIONS		WEIGHT
	DISPLAY	GRAPHICS	
PREMIO	60 x 160 cm	600 x 1600 mm	0.980 kg
PREMIOXL	80 x 200 cm	800 x 2000 mm	0.980 kg



RECOMMENDED PRINTABLE MEDIA

JT300M1	SEE PAGE 107
FRONTM1EV2	SEE PAGE 106
FRONT5M1	SEE PAGE 106
FRONT2	SEE PAGE 106
FRONT2V2B	SEE PAGE 106
FRONT2V2M	SEE PAGE 106
FRONT3V2	SEE PAGE 106



1
ROLLECO100
HEXIS SAS
FRANCE

2
ROLLPRIMO
AVIS COMMUNICATION

CURVED STAND S3X3

SC3X3C* & SC3X3H*

This curved magnetic folding stand can be deployed quickly and easily.

Supplied with hangers and kickers that are attached by hooks. The stand comes with 18 vertical bars, 5 hangers (673 mm), 3 kickers (673 mm) and a 30-m roll of magnetic tape.

Spotlights are available as an optional accessory.

> CONTAINER version: the stand is stored in a wheeled container allowing you to organise and protect your graphics.

> BAG version: the stand is stored in a carry bag.


RECOMMENDED PRINTABLE MEDIA

POPNC400

SEE PAGE 111

POP310ECOS

SEE PAGE 111



PRODUCT CODE	ACCESSORY	DESCRIPTION
SC3X3SPMAR*	New version	Kit comprising hangers and kickers for the back + magnetic tape
TOPDESK*		Wooden top that fixes onto the container to transform it into a desk
SPOT*		150 W halogen spotlights for folding stands (sold in pairs in a bag)
STDC3X3SPM*	Old Version	Kit comprising hangers and kickers for the front
STDC3X3AR*		Kit comprising hangers and kickers for the back

* Available while stocks last

FAN DECKS



PRODUCT CODE	DESCRIPTION
HX20HX30 N2NUANCIEREVE	SKINTAC HX30000 & HX20000 High-performance cast PVC film with Hex'Press technology (Includes a transparent page – the best way to visualise a film applied on a car or a piece of furniture)
HX45V1 N2NUANCIEREVE*	SKINTAC HX45000 High-performance cast PVC film with Hex'Press technology (Includes a transparent page – the best way to visualise a film applied on a car or a piece of furniture)
KG8V1 N2NUANCIEREVE	SMARTAC KG8000 High-performance cast PVC film
A5000EVO N2NUANCIEREVE	SMARTAC EVOLUTION A5000 High-performance PVC-free cast film
POLY5000 N2NUANCIEREVE	SUPTAC S5000/SUPTAC HXS5000/TRANSLUCIDE T5000 High-performance polymeric film
E3000M2000 N2NUANCIEREVE	ECOTAC PLUS E3000+ /MICROTAC Intermediate monomeric film
TEXIS N2NUANCIEREVE	Plotter and printing films for textile decoration
FPSBATV3 N2NUANCIEREVE	Building films
DECO N2NUANCIEREVE	Hex'perience decoration and pattern films

* Available while stocks last

A4 SWATCHBOOKS



PRODUCT CODE	DESCRIPTION
HX20HX30 N2NUANCIERA4	SKINTAC HX30000 & HX20000 High-performance cast PVC film with Hex'Press technology
HX45V1 N2NUANCIERA4*	SKINTAC HX45000 High-performance cast PVC film with Hex'Press technology
KG8 N2NUANCIERA4	SMARTAC KG8000 High-performance cast PVC film
A5000EVO N2NUANCIERA4	SMARTAC EVOLUTION A5000 High-performance cast PVC film
POLY5000 N2NUANCIERA4	SUPTAC S5000/SUPTAC HXS5000/ TRANSLUCIDE T5000 High-performance polymeric film
E3000M2000 N2NUANCIERA4	ECOTAC PLUS E3000+/MICROTAC M2000 Intermediate monomeric film
SPVITRES N2NUANCIERA4	LUXTAC Films for windows
FPSBAT N2NUANCIERA4	Building films
FPSAUTO N2NUANCIERA4	Automotive films
SPRETRO N2NUANCIERA4	SPECIALITIES (including reflective) Fluo - polyester - reflective - masking film Whiteboard - blackboard
SPECIAL N2NUANCIERA4	SPECIALITIES (excluding reflective) Fluo - polyester - masking film Whiteboard - blackboard

* Available while stocks last

• RING BINDER

A5 RING BINDER HX20000/ HX30000



PRODUCT CODE	DESCRIPTION
DAOCASTHX N2NUANCIERCLAS	A5 Ring Binder HX20000/ HX30000

* Available while stocks last

• SAMPLE KIT

A5 SAMPLE KIT NEW PRODUCTS



PRODUCT CODE	DESCRIPTION
ECHANTILLON ECHA4A5P2*	A5 sample kit new products

* Available while stocks last

• BROCHURES

HX45000 CATALOGUE



PRODUCT CODE	DESCRIPTION
HX45FR N2CATALOGUE*	Catalogue FR HX45000
HX45EN N2CATALOGUE*	Catalogue EN HX45000

* Available while stocks last

2023 CATALOGUE



PRODUCT CODE	DESCRIPTION
CATAFR2023 N2CATALOGUE	2023 Catalogue France
CATAEFR2023 N2CATALOGUE	2023 International Catalogue French
CATAEX2023 N2CATALOGUE	2023 International Catalogue English
CATADE2023 N2CATALOGUE	2023 Catalogue Germany
CATAIT2023 N2CATALOGUE	2023 Catalogue Italy
CATAES2023 N2CATALOGUE	2023 Catalogue Spain
CATASW2023 N2CATALOGUE	2023 Catalogue Sweden
CATADA2023 N2CATALOGUE	2023 Catalogue Denmark

A4 SWATCHBOOKS



PRODUCT CODE	DESCRIPTION
PUREZONEFR DOCUMENT	Pure Zone Brochure FR
PUREZONEEN DOCUMENT	Pure Zone Brochure EN
PUREZONEDE DOCUMENT	Pure Zone Brochure DE *
PUREZONEIT DOCUMENT	Pure Zone Brochure IT *
PUREZONEES DOCUMENT	Pure Zone Brochure ES *
PUREZONESE DOCUMENT	Pure Zone Brochure SE *

* On special request

**SHAG TOOLS
CATALOGUE**



PRODUCT CODE	DESCRIPTION
SHAGFR2019 N2CATALOGUE*	SHAG CATALOGUE FR
SHAGEN2019 N2CATALOGUE*	SHAG CATALOGUE EN

* Available while stocks last

**BOAT WRAPS
CATALOGUE**



PRODUCT CODE	DESCRIPTION
BOATFR N2CATALOGUE	Boat wraps catalogue FR
BOATEN N2CATALOGUE	Boat wraps catalogue EN
BOATDE N2CATALOGUE	Boat wraps catalogue DE*
BOATIT N2CATALOGUE	Boat wraps catalogue IT*
BOATES N2CATALOGUE	Boat wraps catalogue ES*

* On special request

**INTERIOR
DECORATION
CATALOGUE**



PRODUCT CODE	DESCRIPTION
DECOFR02 N2CATALOGUE	Decoration catalogue FR
DECOEN02 N2CATALOGUE	Decoration catalogue EN
DECODE02 N2CATALOGUE	Decoration catalogue DE*
DECOIT02 N2CATALOGUE	Decoration catalogue IT*
DECOES02 N2CATALOGUE	Decoration catalogue ES*

* On special request

REARVIEW MIRROR HANGER WRAPS



PRODUCT CODE	DESCRIPTION
DRETROWFR GOODIES	Rearview mirror hanger wraps FR
DRETROWREN GOODIES	Rearview mirror hanger wraps EN

REARVIEW MIRROR HANGER SOLAR FILMS



PRODUCT CODE	DESCRIPTION
DACRETRO GOODIES*	Rearview mirror hanger Solar films

* On special request

BODYFENCEX PRESENTATION KIT



PRODUCT CODE	DESCRIPTION
BODYKITXFR DOC-KIT BODYFENCE	Presentation kit FR
BODYKITXEN DOC-KIT BODYFENCE	Presentation kit EN
BODYKITXDE DOC-KIT BODYFENCE	Presentation kit DE*
BODYKITXES DOC-KIT BODYFENCE	Presentation kit ES*
BODYKITXIT DOC-KIT BODYFENCE	Presentation kit IT*
BODYKITXSE DOC-KIT BODYFENCE	Presentation kit SE*

* On special request

**BODYFENCEX
SAMPLE HOLDER**



PRODUCT CODE	DESCRIPTION
BODYFPORTX DOCUMENT	Sample holder + samples A4 BODYFENCEX , BODYFENCEP
BODYFPORTE DOCUMENT	Sample holder + samples A4 BODYFENCE , BODYFENCEM

**BODYFENCEX FLAP
POCKET**



PRODUCT CODE	DESCRIPTION
BODYFPOCHX DOCUMENT	Flap pocket

**BODYFENCEX
BROCHURE**



PRODUCT CODE	DESCRIPTION
BODYFBRXFR DOCUMENT BODYFENCEX	BODYFENCEX brochure FR
BODYFBRXOEN DOCUMENT BODYFENCEX	BODYFENCEX brochure EN
BODYFBRXDE DOCUMENT BODYFENCEX	BODYFENCEX brochure DE*
BODYFBRXES DOCUMENT BODYFENCEX	BODYFENCEX brochure ES*
BODYFBRXIT DOCUMENT BODYFENCEX	BODYFENCEX Brochure IT*
BODYFBRXSE DOCUMENT BODYFENCEX	BODYFENCEX brochure SE*

* On special request

**BODYFENCE
REARVIEW MIRROR
HANGER**



PRODUCT CODE	DESCRIPTION
ACRETBODEN GOODIES	Rearview mirror hanger Bodyfence EN

KIT THE190EVO



PRODUCT CODE	DESCRIPTION
THE190AUS DOC-KIT	THE190 presentation kit AUS*
THE190DE DOC-KIT	THE190 presentation kit DE*
THE190EN DOC-KIT	THE190 presentation kit EN
THE190ES DOC-KIT	THE190 presentation kit ES*
THE190FR DOC-KIT	THE190 presentation kit FR
THE190FWI DOC-KIT	THE190 presentation kit FWI*
THE190IT DOC-KIT	THE190 presentation kit IT*
THE190SE DOC-KIT	THE190 presentation kit SE*
THE190US DOC-KIT	THE190 presentation kit US*

* On special request

KIT THE200EVO



PRODUCT CODE	DESCRIPTION
THE200AUS DOC-KIT	THE200 presentation kit AUS*
THE200DE DOC-KIT	THE200 presentation kit DE*
THE200EN DOC-KIT	THE200 presentation kit EN
THE200ES DOC-KIT	THE200 presentation kit ES*
THE200FR DOC-KIT	THE200 presentation kit FR
THE200FWI DOC-KIT	THE200 presentation kit FWI*
THE200IT DOC-KIT	THE200 presentation kit IT*
THE200SE DOC-KIT	THE200 presentation kit SE*

* On special request

DOCUMENTATION

TUBE THE190EVO



PRODUCT CODE	DESCRIPTION
TUBETHE190 DOC-KIT	THE190EVO sample in a printed tube

A1 POSTER DIGITAL PRINTING RANGE



PRODUCT CODE	DESCRIPTION
PIMNA1FR DOCUMENT	Poster FR
PIMNA1EN DOCUMENT	Poster EN
PIMNA1DE DOCUMENT	Poster DE*
PIMNA1IT DOCUMENT	Poster IT*
PIMNA1ES DOCUMENT	Poster ES*
PIMNA1SE DOCUMENT	Poster SE*

* On special request

KIT SKYTINT



RÉFÉRENCE	DESCRIPTION
DOC-KIT / SKYTTKITFR	Presentation kit FR
DOC-KIT / SKYTTKITEN	Presentation kit FR
DOC-KIT / SKYTTKITDE*	Presentation kit DE
DOC-KIT / SKYTTKITIT*	Presentation kit IT
DOC-KIT / SKYTTKITES*	Presentation kit ES
DOC-KIT / SKYTTKITSE*	Presentation kit SE

PROMOTIONAL ITEMS

TRANSLUCENT PEN



PRODUCT CODE	DESCRIPTION
BSTYLO GOODIES	Senator pen red

CRITERIUM PENCIL



PRODUCT CODE	DESCRIPTION
BCRITERIUM GOODIES	CRITERIUM Pencil

CUTTER



PRODUCT CODE	DESCRIPTION
BCUTTERABS GOODIES	ABS cutter

LANYARD



PRODUCT CODE	DESCRIPTION
VTOURDECOU GOODIES	HEXIS lanyard

HEXIS GRAPHICS
NOTEPAD



PRODUCT CODE	DESCRIPTION
BBLOCA4HG GOODIES	HEXIS Graphics A4 notepad
BBLOCA5HG GOODIES	HEXIS Graphics A5 notepad

**PROMOTIONAL
ITEMS**

**HEXIS GRAPHICS
NOTEBOOK WITH
PEN**



PRODUCT CODE	DESCRIPTION
CARNETFR GOODIES	Notepad 10 x 15 cm

**REPOSITIONABLE
NOTEPAD**



PRODUCT CODE	DESCRIPTION
BSTICKY GOODIES	Notepad 101 x 75 mm

HEXIS FOLDER



PRODUCT CODE	DESCRIPTION
DPOCHETTE2 GOODIES	HEXIS folder with extra space
POCHA5 GOODIES	Empty A5 HEXIS folder
DPOCHETTE GOODIES	Standard HEXIS folder

HEXIS BAG



PRODUCT CODE	DESCRIPTION
CSACSALON2 GOODIES	Polypropylene bag



RING BINDER



PRODUCT CODE	DESCRIPTION
CCLASSEUR2 GOODIES	A4 RING BINDER

MINI T-SHIRT FOR FLEX DEMOS



PRODUCT CODE	DESCRIPTION
MTSHFLEXBL N2ECHANT	Mini T-shirt white
MTSHFLEXJA N2ECHANT	Mini T-shirt yellow
MTSHFLEXNO N2ECHANT	Mini T-shirt black
MTSHFLEXRO N2ECHANT	Mini T-shirt red
MTSHFLEXBE N2ECHANT	Mini T-shirt blue
MTSHFLEXVE N2ECHANT	Mini T-shirt green

ILLUMINATED SIGN



PRODUCT CODE	DESCRIPTION
BODYSIGN GOODIES	BODYFENCE illuminated sign

PRESENTATION HOOD



PRODUCT CODE	DESCRIPTION
BODYHOODX GOODIES	BODYFENCE presentation hood

MAT



PRODUCT CODE	DESCRIPTION
BODYCARPET GOODIES	Tapis BODYFENCE
SKYCARPET GOODIES	Tapis SKYTINT

**LONG-SLEEVE SHIRT
WHITE MEN**



PRODUCT CODE	DESCRIPTION
VCHHSUPS GOODIES	Men's shirt white S
VCHHSUPM GOODIES	Men's shirt white M
VCHHSUPL GOODIES	Men's shirt white L
VCHHSUPXL GOODIES	Men's shirt white XL
VCHHSUP2XL GOODIES	Men's shirt white XXL

**WHITE POLO SHIRT
MEN**



PRODUCT CODE	DESCRIPTION
VPOHSUPS GOODIES	Men's polo shirt white S
VPOHSUPM GOODIES	Men's polo shirt white M
VPOHSUPL GOODIES	Men's polo shirt white L
VPOHSUPXL GOODIES	Men's polo shirt white XL
VPOHSUP2XL GOODIES	Men's polo shirt white XXL
VPOHSUP3XL GOODIES	Men's polo shirt white XXXL





**LONG-SLEEVE
BLOUSE WHITE
WOMEN**



PRODUCT CODE	DESCRIPTION
VCHFSUPS GOODIES	Women's blouse white S
VCHFSUPM GOODIES	Women's blouse white M
VCHFSUPL GOODIES	Women's blouse white L
VCHFSUPXL GOODIES	Women's blouse white XL
VCHFSUP2XL GOODIES	Women's blouse white 2XL

**WHITE POLO SHIRT
WOMEN**



PRODUCT CODE	DESCRIPTION
VPOFSUPXS GOODIES	Women's polo shirt white XS
VPOFSUPS GOODIES	Women's polo shirt white S
VPOFSUPL GOODIES	Women's polo shirt white L
VPOFSUPM GOODIES	Women's polo shirt white M
VPOFSUPL GOODIES	Women's polo shirt white XL
VPOFSUPXL GOODIES	Women's polo shirt white 2XL

CORPORATE DOWN JACKET




PRODUCT CODE	DESCRIPTION
VKHCOTXS GOODIES	Down jacket XS
VKHCOTS GOODIES	Down jacket S
VKHCOTM GOODIES	Down jacket M
VKHCOTL GOODIES	Down Jacket L
VKHCOTS GOODIES	Down jacket XL
VKHCOT2XL GOODIES	Down jacket 2XL
VKHCOT3XL GOODIES	Down jacket 3XL



SOFTSHELL JACKET



PRODUCT CODE	DESCRIPTION
VKHSOFTXS GOODIES	Softshell jacket XS
VKHSOFTS GOODIES	Softshell jacket S
VKHSOFTM GOODIES	Softshell jacket M
VKHSOFTL GOODIES	Softshell jacket L
VKHSOFTXL GOODIES	Softshell jacket XL
VKHSOFT2XL GOODIES	Softshell jacket 2XL
VKHSOFT3XL GOODIES	Softshell jacket 3XL



HOODIE



PRODUCT CODE	DESCRIPTION
VKHSWTCXS GOODIES	Sweater XS
VKHSWTCS GOODIES	Sweater S
VKHSWTM GOODIES	Sweater M
VKHSWTCL GOODIES	Sweater L
VKHSWTCXL GOODIES	Sweater XL
VKHSWTC2XL GOODIES	Sweater 2XL
VKHSWTC3XL GOODIES	Sweater 3XL



HEXIS GRAPHICS SWEATER



PRODUCT CODE	DESCRIPTION
VKHSWTXS GOODIES	HEXIS Sweater XS
VKHSWTS GOODIES	HEXIS Sweater S
VKHSWTM GOODIES	HEXIS Sweater M
VKHSWTL GOODIES	HEXIS Sweater L
VKHSWTXL GOODIES	HEXIS Sweater XL
VKHSWT2XL GOODIES	HEXIS Sweater 2XL
VKHSWT3XL GOODIES	HEXIS Sweater 3XL



HEXIS ENERGY



HEXIS ENERGY DRINK

PRODUCT CODE		DESCRIPTION
	HGY1X24	HEXIS Star Energy x 24 Cans 
	HGYFE1X24	HEXIS The Classic x 24 Cans 
	6PET1L	PET HEXIS Full Energy 6 x 1 litre 

SPECIAL PRICES FOR HEXIS CUSTOMERS

GOODIES

PRODUCT CODE	DESCRIPTION
	FRIGO20L Fridge 20L - 2 shelves
	FRIGO70L Fridge 70L - 3 shelves
	HGYSIGN Neon HEXIS ENERGY
	STYLO Ball-point pen (50 units)
	TAPISBAR Bar mat
	BONNETBLANC* White tassel hat
	BONNETNOIR Black hat
	CASQROUGE HEXIS Energy cap - red
	CASQROSE HEXIS Energy cap - pink
	CASQVERTE HEXIS Energy cap - green
	CASQNOIRE HEXIS Energy cap - black
	CASQBLANCHE HEXIS Energy cap - white
	TOURDECOU HEXIS Energy lanyard (25 units)
	PORTECLE HEXIS Energy keyring (100 units)

* Coming soon

WWW.HEXIS-ENERGY.COM




@hexisenergydrink



WHO BETTER THAN **HEXIS**
TO TRAIN YOU
TO APPLY ADHESIVE FILMS?





TRAINING CENTRE

CHOOSING **THE RIGHT COURSE** 244

10 **GOOD REASONS TO CHOOSE HEXIS** 245

SIGNS 247

FULL WRAPS 248 - 250

BODYFENCE **PAINT PROTECTION FILM** 251 - 252

INTERIOR DECORATION 253

AUTOMOTIVE PROTECTION FILM 254 - 255

FILM FOR **WINDOW GRAPHICS** 256

RACING OPTICS 257

PURE ZONE 258

FLEX 259

DIGITAL PRINTING 260 - 261

HEX'PERT HEXIS PROGRAMME 262

HEXIS OFFERS **3 CERTIFICATIONS** 263

BODYFENCE **CORNER** 264 - 265

COURSES CAN BE BOOKED INDEPENDENTLY

COURSE NAME	COURSE TYPE	COURSE DURATION
SIGNS	Basic	2 days
FULL WRAPS	Discovery	5 days
	Basic	3 days
	Advanced	2 days
BODYFENCE	Basic	4 days
	Advanced	2 days
HEX'PERIENCE	The world of HEXIS decoration	2 days
AUTOMOTIVE SOLAR PROTECTION FILMS	Basic	3 days
	Advanced	2 days
WINDOW GRAPHICS	Basic	2 days
RACING OPTICS	Basic	2 days
PURE ZONE	Basic	1 day
FLEX	Basic	1 day
DIGITAL PRINTING	Basic	1 day
	Advanced	2 days
PROGRAMMES HEXPERT	BODYFENCE HEX'PERT	1 day
	SIGN HEX'PERT	1 day
	Full Wrap HEX'PERT	1 day

2 COURSES BOOKED = -20% DISCOUNT*

* Offer available for all courses except FULL WRAPS DISCOVERY and HEX'PERT courses



10 GOOD REASONS TO CHOOSE



1

For the **quality of the courses**: the training provided in **HEXIS** Training Centres



2

For optimal learning conditions: small groups of maximum 4 people for a personalised follow-up



3

For the **tour of the production facility** at the end of the course, a unique immersive experience much appreciated by our trainees



4

For its satisfaction score: 3.80/4 is the average of the quality criteria* evaluated by the trainees who came since 1 January 2022**.



5

For the quality of his teaching: trainers rooted in a professional reality and educational tools adapted to facilitate learning



6

For the quality of the training sites and the reception: more than 250 m² allocated to training



7

For the scope of its services: Two training centres in France, in the south in Frontignan and in the north in Lille



8

For its commercial offer: for 2 training courses ordered, a 20% discount is applied



9

For its annual reach: over 430 days*** of training every year!



10

For its know-how: Who better than Hexis to train you to apply self-adhesive film?

* Rated criteria: Working environment >> 3.81/4 | Training programme >> 3.80/4

| Training material >> 3.74/4 | Tools made available >> 3.79/4 | Welcome and Support >> 3.88/4

**Survey carried out on trainees' on-the-spot evaluations between 01/01/2022 and 31/10/2022

***Study conducted in 2022



Qualiopi 
processus certifié

 **RÉPUBLIQUE FRANÇAISE**

La certification Qualité a été délivrée au titre de la catégorie : **Actions de Formation**



BASIC

PUBLIC:

This course is recommended for any professional planning to work in the fields of sign-making and visual communications. It aims to teach the basic principles of self-adhesive films, how they should be handled and applied.

PREREQUISITES:

None

OBJECTIVES:

- Knowing the different types of self-adhesive films for signage
- Skill in the technique of applying self-adhesive films for signage

TEACHING METHOD:

The teaching method will be active and participatory

TEACHING MATERIAL:

Partition, board, window, vehicle

MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

INSTRUCTORS:

HEXIS training staff

DURATION	NUMBER OF PARTICIPANTS
2 days i. e. 16 hours	4

PROGRAMME
<ul style="list-style-type: none"> ➤ PRESENTATION OF PARTICIPANTS AND THEIR EXPECTATIONS ➤ KNOWLEDGE AND EVALUATION OF DIFFERENT TYPES OF SELF-ADHESIVE FILMS ➤ INTRODUCTION TO INSTALLATION TOOLS AND ACCESSORIES ➤ PREPARATION OF THE SUBSTRAT ➤ WEEDING AND TRANSFER OF CUT LETTERS WITH TAPE ➤ POSITIONING THE SQUEEGEE ➤ WET AND DRY APPLICATION METHODS ➤ APPLICATION TECHNIQUES DEPENDING ON THE TYPE OF FILM ➤ CUTTING TECHNIQUES ON DIFFERENT SUBSTRATES (BOARDS, WINDOWS, VEHICLES) ➤ FINISHING ➤ VISITE OF THE PRODUCTION SITE ➤ END-OF-COURSE ASSESSMENT



DISCOVERY

PUBLIC:

Recommended for people who are new to or retraining in the adhesive film installation business and/or who are planning to set up a wrapping business



DURATION

5 days
i. e. 40 hours

NUMBER OF PARTICIPANTS

4

PREREQUISITES:

None

OBJECTIVES:

- Knowledge of the different types of self-adhesive films for full wraps
- Acquire the technique of applying self-adhesive films for full wraps

TEACHING METHOD:

- The teaching method will be active and participatory.
- Use of tools suitable for the application of films for full wraps

TEACHING MATERIAL:

Vehicles, commercial vehicle doors

MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

INSTRUCTORS:

HEXIS training staff

PROGRAMME

- PRESENTATION OF PARTICIPANTS AND THEIR EXPECTATIONS
- **KNOWLEDGE AND EVALUATION OF DIFFERENT TYPES OF SELF-ADHESIVE FILMS** AND THEIR TECHNICAL FEATURES
- **RECOMMENDATIONS FOR PREPARING A FULL WRAP**
- **PRESENTATION OF INSTALLATION TOOLS AND ACCESSORIES**
- **LEARNING** HOW TO USE THE SQUEEGEE / THE HEAT GUN
- **APPLICATION TECHNIQUES** ON CONCAVE AND CONVEX AREAS
- APPLICATION TECHNIQUES OF MICRO-PERFORATED FILM
- **CUTTING TECHNIQUES**
- **FINISHING**
- **VISIT OF THE PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**



BASIC

PUBLIC:

Professionals wishing to learn wrapping techniques

PREREQUISITES:

People with experience in the installation of self-adhesive film on flat surfaces

OBJECTIVES:

- Knowledge of the different types of self-adhesive films for full wraps
- Acquire the techniques for the installation of self-adhesive films for full wraps

TEACHING METHOD:

- The teaching method will be active and participatory.
- Use of tools suitable for the installation of wrapping films

TEACHING MATERIAL:

Vehicles, commercial vehicle doors

MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

INSTRUCTORS:

HEXIS training staff



DURATION

3 days
i. e. 24 hours

NUMBER OF PARTICIPANTS

4

PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **KNOWLEDGE AND EVALUATION** OF DIFFERENT TYPES OF SELF-ADHESIVE FILMS AND THEIR TECHNICAL FEATURES
- **RECOMMENDATIONS** FOR PREPARING A FULL WRAP
- **PRESENTATION** OF INSTALLATION TOOLS AND ACCESSORIES
- ASSESSMENT OF THE PREREQUISITES
- **APPLICATION TECHNIQUES** ON CONCAVE AND CONVEX AREAS
- **APPLICATION TECHNIQUES** FOR MICROPERFORATED FILM
- **CUTTING TECHNIQUES**
- FINISHING
- VISIT OF THE **PRODUCTION SITE**
- END-OF-COURSE **ASSESSMENT**



INFORMATION



The training sessions are not intended for the purpose of carrying out a wrap.

The instructor will remove all films from the substrates at the end of the session. At the end of the course, each participant will receive a certificate of attendance.

ADVANCED

PUBLIC:

Professionals wishing to learn wrapping techniques

PREREQUISITES:

People who have completed the WRAPPING BASIC or DISCOVERY course

OBJECTIVES:

- Knowledge of the different types of self-adhesive films for full wraps
- Detailed expertise in the technique of applying self-adhesive wrapping films

TEACHING METHOD:

- The teaching method will be active and participatory.
- Use of tools suitable for the installation of wrapping films

TEACHING MATERIAL:

Vehicles, commercial vehicle doors

MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

INSTRUCTORS:


HEXIS training staff



DURATION	NUMBER OF PARTICIPANTS
2 days i. e. 16 hours	4

PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **REVIEW AND EVALUATION** OF THE DIFFERENT TYPES OF SELF-ADHESIVE FILMS AND THEIR TECHNICAL FEATURES
- **PRESENTATION** OF INSTALLATION TOOLS AND ACCESSORIES
- ASSESSMENT OF THE PREREQUISITES
- **APPLICATION TECHNIQUES** ON COMPLEX CONCAVE AND CONVEX AREAS
- **TECHNIQUES** FOR THE HANDLING OF DEFORMATIONS
- **CUTTING TECHNIQUES**
- FINISHING
- VISIT OF THE **PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**





BASIC

PUBLIC:

People wishing to learn the installation techniques of Bodyfence films

PREREQUISITES:

None

OBJECTIVES:

- Knowledge of the films in the Bodyfence range and their features
- Acquire the installation techniques for Bodyfence films

TEACHING METHOD:

- The teaching method will be active and participatory
- Use of tools suitable for the installation of Bodyfence films

TEACHING MATERIAL:

Alpine car, Porsche front..

MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed


INSTRUCTORS:

HEXIS training staff

DURATION	NUMBER OF PARTICIPANTS
4 days i. e. 32 hours	4

PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **PRESENTATION AND ASSESSMENT** DE LA GAMME DES PRODUITS BODYFENCE
- **RECOMMANDATIONS ET CONSEILS** SUR LA PRÉPARATION DU VÉHICULE
- **PRESENTATION OF INSTALLATION** TOOLS AND ACCESSORIES
- **APPLICATIONS TECHNIQUES** OF THE PRECUT BODYFENCE
- **APPLICATIONS TECHNIQUES** OF THE STRETCHED BODYFENCE
- **CUTTING TECHNIQUES**
- FINISHING
- VISIT OF THE **PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**



BODYFENCE PAINT PROTECTION FILM

ADVANCED

PUBLIC:

Professionals wishing to improve their Bodyfence installation techniques to gain in speed

PREREQUISITES:

People having attended the BODYFENCE BASIC training course

OBJECTIVES:

- Knowledge of the Bodyfence range of films and their features
- Expertise in the installation techniques de pose of Bodyfence films

TEACHING METHOD:

- The teaching method will be active and participatory.
- Use of tools suitable for the installation of Bodyfence films

TEACHING MATERIAL:

Alpine car, Porsche front..

MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

INSTRUCTORS:

HEXIS training staff

DURATION

2 days
i. e. 24 hours

NUMBER OF PARTICIPANTS

4

PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **REVIEW AND ASSESSMENT** OF THE BODYFENCE PRODUCT RANGE
- **PRESENTATION** OF INSTALLATION TOOLS AND ACCESSORIES
- ASSESSMENT OF THE PREREQUISITES
- **APPLICATIONS TECHNIQUES** OF THE PRECUT BODYFENCE
- **APPLICATIONS TECHNIQUES** OF THE STRETCHED BODYFENCE
- CUTTING TECHNIQUES
- FINISHING
- **VISIT OF THE PRODUCTION SITE**
- END-OF-COURSE **ASSESSMENT**



THE WORLD OF DECORATION AND INTERIOR DESIGN

PUBLIC:

People who plan to develop their application techniques for interior decoration

PREREQUISITES:

People with an experience in the installation of self-adhesive films on flat surfaces

OBJECTIVES:

- Knowledge of the range of self-adhesive films for interior decoration
- Skills in the installation techniques of films for interior decoration

TEACHING METHOD:

- The teaching method will be active and participatory.
- Use of the tools suitable for the installation of films for interior decoration

TEACHING MATERIAL:

Furniture, windows, concrete surfaces...

MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

INSTRUCTORS:

HEXIS training staff

HEX'PERIENCE

The material experience by HEXIS

DURATION

2 days
i. e. 16 hours

NUMBER OF PARTICIPANTS

4

PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **PRESENTATION AND ASSESSMENT** OF THE VINYL FILMS AND INSTALLATION ACCESSORIES
- **KNOWLEDGE OF THE DIFFERENT SUBSTRATES** (PLASTIC, GLASS, WOOD, PLASTER, CONCRETE...)
- **APPEARANCE AND NATURE** OF THE SUBSTRATES (FLAT, ROUNDED AND ANGULAR)
- **IDENTIFY WHICH PRODUCT** TO USE FOR WHICH SUBSTRATE
- **ASSESSMENT** OF THE PREREQUISITES
- **PREPARATION AND CLEANING** OF THE SUBSTRATES
- **APPLICATION TECHNIQUES** ON CONCRETE CASES (FURNITURE, DISPLAY CASES...)
- **KNOW HOW** TO IDENTIFY RISKS AND POTENTIAL PROBLEMS WITH THE FILM PEELING OFF
- CUTTING TECHNIQUES
- FINISHING
- **VISIT OF THE PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**



BASIC

PUBLIC:

Persons wishing to move into the installation of automotive solar protection films

PREREQUISITES:

None

OBJECTIVES:

- Know the range, tools and accessories of automotive solar film.
- Acquire the techniques for the application of automotive solar film

TEACHING METHOD:

- The teaching method will be active and participatory
- Utilisation Use of the right tools for the application of automotive solar film

TEACHING MATERIAL:

Vehicles

MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

INSTRUCTORS:

HEXIS training staff

DURATION

3 days
i. e. 24 hours

NUMBER OF PARTICIPANTS

4

PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **PRESENTATION AND ASSESSMENT** DE OF THE RANGE OF AUTOMOTIVE SOLAR FILMS AND THE INSTALLATION ACCESSORIES
- **RECOMMENDATIONS FOR THE PREPARATION** OF THE VEHICLE AND THE CONDITIONS FOR THE INSTALLATION
- **INSTALLATION PROCESS:** IMPORTANCE OF THE DIFFERENT STEPS
- CLEANING TECHNIQUES
- **INSTALLATION TECHNIQUES** FOR AUTOMOTIVE SOLAR FILM
- THERMOFORMING TECHNIQUES
- CUTTING TECHNIQUES
- FINISHING
- **VISIT OF THE PRODUCTION SITE**
- END-OF-COURSE **ASSESSMENT**



ADVANCED

PUBLIC:

Persons wishing to move into the installation of automotive solar protection

PREREQUISITES:

People having attended the automotive solar protection Basic course

OBJECTIVES:

- Know the range, the tools and the accessories du film for automotive solar protection films
- Skills in the installation techniques for automotive solar protection films

TEACHING METHOD:

- The teaching method will be active and participatory.
- Use of the tools suitable for the installation of automotive solar protection films

TEACHING MATERIAL:

Vehicles

MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

INSTRUCTORS:

HEXIS training staff

DURATION

2 days
i. e. 16 hours

NUMBER OF PARTICIPANTS

4

PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **PRESENTATION AND ASSESSMENT** OF THE RANGE OF AUTOMOTIVE SOLAR FILM AND THE INSTALLATION ACCESSORIES
- **ASSESSMENT** OF THE PREREQUISITES
- **RECOMMENDATIONS** FOR THE PREPARATION OF THE VEHICLE AND THE INSTALLATION CONDITIONS
- REVIEW OF THE INSTALLATION PROCESS
- **ANALYSIS OF CURVED SURFACES**
- THERMOFORMING TECHNIQUES
- **CUTTING TECHNIQUES**
- FINISHING
- **VISIT OF THE PRODUCTION SITE**
- END-OF-COURSE **ASSESSMENT**



WINDOW GRAPHICS

PUBLIC:

Professionals with a business development project in the field of building films and shop windows

PREREQUISITES:

People with experience in the installation of adhesive film on flat surfaces

OBJECTIVES:

- Know the range, tools and accessories for films for buildings and glass surfaces
- Skill in the installation techniques of film for buildings and glass surfaces

TEACHING METHOD:

- The teaching method will be active and participatory
- Use of the tools suitable for the installation of solar film on buildings and glass surfaces

TEACHING MATERIAL:

Framed glass, building windows

MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

INSTRUCTORS:

HEXIS training staff

DURATION

2 days
i. e. 16 hours

NUMBER OF PARTICIPANTS

4

PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **PRESENTATION AND ASSESSMENT** OF THE RANGE OF SOLAR FILMS FOR BUILDINGS AND GLASS SURFACES AND THE INSTALLATION ACCESSORIES
- **ASSESSMENT** OF THE PREREQUISITES
- **RECOMMENDATIONS FOR THE PREPARATION** OF THE SUBSTRATE AND THE INSTALLATION CONDITIONS
- **IDENTIFICATION AND ANALYSIS** OF TYPES OF GLASS
- APPLICATION TECHNIQUES OF SOLAR FILM FOR BUILDINGS
- APPLICATION TECHNIQUES OF ETCHED GLASS FILMS, TRANSPARENT AND MICRO-PERFORATED FILMS
- CUTTING TECHNIQUES
- FINISHING
- **VISIT OF THE PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**



TRAINING

PUBLIC:

Professionals with a business development project in the windscreen protection sector

PREREQUISITES:

People with an experience in the installation of self-adhesive film

OBJECTIVES:

- Knowledge of the range, the tools and the accessories for the film Racing Optics film
- Installation technique for the Racing Optics film

TEACHING METHOD:

- The teaching method will be active and participatory
- Use of the tools suitable for the installation of Racing Optics films

TEACHING MATERIAL:

Différents pare-brises

MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

INSTRUCTORS:


HEXIS training staff



DURATION	NUMBER OF PARTICIPANTS
2 days i. e. 16 hours	4

PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **PRESENTATION AND ASSESSMENT** OF RACING OPTICS FILMS AND THE INSTALLATION ACCESSORIES
- ASSESSMENT OF THE PREREQUISITES
- **RECOMMENDATIONS** FOR THE PREPARATION OF THE SUBSTRATE AND THE INSTALLATION CONDITIONS
- **APPLICATION TECHNIQUES** OF THE FILM **3333SHIELD**
- (3 REMOVABLE LAYERS)
- **APPLICATION TECHNIQUES** OF THE FILM **4444RACING**
- (4 REMOVABLE LAYERS)
- **THERMOFORMING TECHNIQUES**
- CUTTING TECHNIQUES
- FINISHING
- **VISIT OF THE PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**





BASIC

PUBLIC:

Professionals with a project in the medical world and/or all places where hygiene is paramount

PREREQUISITES:

People with experience in the installation of adhesive film on flat surfaces

OBJECTIVES:

- Knowledge of the range, the tools and the accessories for the PURE ZONE antimicrobial film
- Skill in the installation techniques of the PURE ZONE antimicrobial film

TEACHING METHOD:

- The teaching method will be active and participatory
- Use of the tools suitable for the installation of PURE ZONE films

TEACHING MATERIAL:

Door handle, furniture, touch screen

MONITORING AND ASSESSMENT:


The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

INSTRUCTORS:

HEXIS training staff



DURATION	NUMBER OF PARTICIPANTS
1 day i. e. 8 hours	6

PROGRAMME

- **PRESENTATION OF THE PARTICIPANTS AND THEIR EXPECTATIONS**
- **PRESENTATION AND ASSESSMENT OF THE RANGE OF PURE ZONE FILMS AND THE INSTALLATION ACCESSORIES**
- **ASSESSMENT OF THE PREREQUISITES**
- **RECOMMENDATIONS FOR THE PREPARATION OF THE SUBSTRATE AND THE INSTALLATION CONDITIONS**
- **KNOW HOW TO POSITION THE SQUEEGEE**
- **APPLICATION TECHNIQUES FOR THE PURE ZONE FILM IN SUITABLE AREAS**
- **WORKING OVER A RIGHT ANGLE SUCH AS A TABLE CORNER**
- **CUTTING TECHNIQUES**
- **FINISHING**
- **VISIT OF THE PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**





BASIQUE

PUBLIC:

Recommended for those who are new to or retraining for the textile marking trade

PREREQUISITES:

None

OBJECTIVES:

- Know the different thermo-adhesive films for textile marking (TEXIS range)
- Master the techniques for laying iron-on films for textile marking

TEACHING METHOD:

- The teaching method will be active and participatory
- Use of tools adapted to the installation of the TEXIS range

TEACHING MATERIAL:

Eco-solvent / solvent / latex printer, cutting plotter, heat press, textiles of various materials

MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

INSTRUCTORS:

HEXIS training staff

DURATION

1 day
i. e. 8 hours

NUMBER OF PARTICIPANTS

1 à 4

PROGRAMME

- **PRESENTATION OF THE PARTICIPANTS AND THEIR EXPECTATIONS**
- **DKNOWLEDGE AND ASSESSMENT OF THE TEXIS RANGE AND THEIR TECHNICAL SPECIFICITIES**
- **PRESENTATION OF INSTALLATION TOOLS AND ACCESSORIES**
- **OPTIMISATION DU MARQUAGE :**
 - PLOTTER SETTINGS
 - INTEGRATION OF ICC PROFILES
 - PRESS ADJUSTMENT
- **WHICH FLEX TO CHOOSE FOR ITS PERSONALIZATION?**
- **APPLICATION TECHNIQUES AND MARKING TESTS ON TEXIS CUTTING FLEX**
- **APPLICATION TECHNIQUES AND MARKING TESTS ON TEXIS PRINTABLE FLEX**
- **END-OF-COURSE ASSESSMENT**



BASIC

PUBLIC:

Intended for digital printing professionals wishing to optimise the quality of their work through a better control of the various peripherals and software of the chain integrated in a production flow by aiming at optimal colorimetric precision.

PREREQUISITES:

None

OBJECTIVES:

- Understand digital imaging and acquire general principles of colour
- Achieving quality digital prints

TEACHING METHOD:

- Theory and practical application to understand and engage with the processes of large format digital printing
- Various teaching aids such as a visual presentation and printed material will support the training

TEACHING MATERIAL:

Printer, Illustrator, Photoshop software

MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

INSTRUCTORS:

HEXIS training staff

DURATION

1 day
i. e. 8 hours

NUMBER OF PARTICIPANTS

1 or 2

PROGRAMME

- **PRESENTATION OF THE PARTICIPANTS AND THEIR EXPECTATIONS**
- **THE BASICS OF COLORIMETRY: PRINCIPLE, SPACES**
- **COLORIMETRY AND CLOUR MANAGEMENT**
- **PREPARATION OF PRINT FILES (ILLUSTRATOR)**
- **MASTERING DIGITAL PRINTING: PRINTER, RIP, USE AND MANAGEMENT OF ICC PROFILES**
- **CREATION OF 1 TO 2 MEDIA PROFILES**
- **CASE STUDY BASED ON CLIENTS' EXPERIENCE**
- **END-OF-COURSE ASSESSMENT**



OPTIMISATION

PUBLIC:

Intended for digital printing professionals wishing to optimise the quality of their work through better control of the different devices and software in the chain integrated into a production flow and aiming for optimum colour accuracy.

PREREQUISITES:

None

OBJECTIVES:

- Know the basics of the digital graphic chain and of colour management
- Skills in digital inkjet printing
- Be able to analyse and retouch the colour of digital images

TEACHING METHOD:

- Theory and practical application to understand and assimilate the processes of large format digital printing.
- Various teaching aids such as a visual presentation and printed material will support the training course

TEACHING MATERIAL:

Printer, Illustrator, Photoshop software

MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- A certificate of work completed

INSTRUCTORS:

HEXIS training staff

DURATION


2 days
i.e. 16 hours

NUMBER OF PARTICIPANTS

1 or 2

PROGRAMME

- PRESENTATION OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- INTRODUCTION TO DIGITAL PRINTING: DEFINITION
- BASIC PRINCIPLES AND HOW IT WORKS
- A DIGITAL IMAGE: PRINCIPLE, COLOUR SPACES AND GENERAL CONCEPTS OF COLOUR
- PREPARATION, OPTIMISATION AND ANALYSIS OF PRINT FILES (ILLUSTRATOR PHOTOSHOP ACROBAT PRO)
- MASTERING DIGITAL PRINTING: PRINTER, RIP, USE AND MANAGEMENT OF ICC PROFILES
- CREATION OF 3 TO 4 MEDIA PROFILES
- CASE STUDY BASED ON CLIENTS' EXPERIENCE
- END-OF-COURSE ASSESSMENT



PROGRAMMES OF THE HEX'PERT NETWORK

Our objective is to provide a formal framework allowing professionals in our profession to promote their skills as specialists in the installation and/or full wrap of vehicles. To this end, the mediapplicator must demonstrate his or her skills on several levels. These include technical knowledge, practical skills and the know-how to deal with all known situations and to overcome any new difficulties.

This set of skills is specific. It is rooted in experience (including learning from mistakes), practice, training, a passion for our trade, an eye for detail, a willingness to constantly improve and a natural talent for manual work. It also requires discipline and a logical mind capable of finding solutions.

HOW TO BECOME A CERTIFIED INSTALLER ?

To have completed a training course in a HEXIS Training Centre

(1) Apply online:

<https://www.hexis-formations.com/demande-certification.html>

(2) Complete the theoretical test online

(3) Validate the practical test in a HEXIS Training Centre

WHAT ARE THE ADVANTAGE OF BEING A CERTIFIED INSTALLER ?

- Listing on HEXIS communication platforms
- Promotion by Hexis on social networks
- Free ongoing training for life
- Specific discount on the HEXIS catalogue
- Integration into the HEX'PERTS community
- Participation in international conventions
- A line of dedicated fashion wear

WARRANTIES

You will be offer your customers the assurance of quality work. Your skills in this field will have been refined, tested, qualified and certified. For each new contract you can offer better guarantees, with complete confidence.

INFORMATION



HEXIS certified installers are listed in the worldwide network of the HEXIS APPLICATION DIVISION:

www.hexis-training.com

Should you have any questions, please contact us on

export@hexisgroup.com



Ready to join the HEXIS adventure?

HEX'PERT SIGN



PUBLIC:

Designed for professional installers wishing to be certified for all types of flat and simple curved substrates such as signs, windows, walls, trucks and trains as well as special films.

DURATION

1 day
(PRACTICAL TEST)

NUMBER OF PARTICIPANTS

4 Hex'Perts

Mandatory online test, evaluated before the practical test.
<http://www.hexis-formations.com/demande-certification.html>

HEX'PERT WRAP



PUBLIC:

For professionals wishing to be certified for applying selfadhesive films on 3D surfaces.

DURATION

1 day
(PRACTICAL TEST)

NUMBER OF PARTICIPANTS

4 Hex'Perts

Mandatory online test, evaluated before the practical test.
<http://www.hexis-formations.com/demande-certification.html>

HEX'PERT BODYFENCE



PUBLIC:

Aimed at experienced installers of paint protection films. HEX'Perts will be evaluated on their "traditional" application techniques as well as their precut film expertise.

DURATION

1 DAY
(PRACTICAL TEST)

NUMBER OF PARTICIPANTS

4 HEX'PERTS

Mandatory online test, evaluated before the practical test.
<https://www.hexis-training.com/certification-request.html>

BODYFENCE CORNER

BODYFENCE CORNER is a workshop designed specifically for the application of paint protection film.

WHAT ARE THE BENEFITS OF A BODYFENCE CORNER?

BODYFENCE CORNER is not just a name, it's an entire work philosophy, supported by professionals who will provide you with the necessary tools for your shop.

- Discounts on materials and accessories
 - Listing on our website
- Communication tools reserved for the network
 - Access to a special catalogue
 - Free further training
 - Featured on social networks
- Support for trade fairs and events



HOW DO I OPEN A BODYFENCE CORNER?



.01 FOLLOW THE TRAINING PROGRAMME

You must have attended at least one **BODYFENCE** training session.



.02 GET CERTIFIED

Once training is over, apply for certification online. The purpose of the certification is to validate your technical knowledge and skills.

.03 COMPLY WITH THE CRITERIA FOR OPENING

Finally, to open a **BODYFENCE CORNER**, you must:
il est nécessaire de :

- Comply with the graphics charter
- Apply the specifications
- Master the application techniques



**CERTIFIED
INSTALLER.**



**HEXIS
ARE HIRING !**

**“YOU HAVE TALENT,
JOIN THE TEAM
OF *CERTIFIED INSTALLERS!*”**

www.hexis-training.com/certification-request

• THE **HEXIS** PLUS

THE HEXIS PLUS **268 - 271**

INDEX **272 - 274**

GENERAL TERMS & CONDITIONS OF SALE **275**

HEXIS KNOW-HOW

Since 1989, HEXIS® has been providing professionals in signage and advertising graphics with expertise in the production of visual communication media.

The only French manufacturer specialised in PVC adhesive coatings, HEXIS® also produces its own cast films, whose conformability and durability are globally acclaimed.

HEXIS® products are exported to some 50 countries across all continents.

Our in-house chemists are constantly improving our product formulations, innovating to fine-tune the products of tomorrow. In 2010, their research enabled us to launch "green" cast films, free of PVC and plasticisers, and a film with antimicrobial properties, boosting the fight against nosocomial diseases. The latest innovation from HEXIS® R&D is BODYFENCE, a self-healing furniture and paint protection film (PPF) available in ultra-transparent and matt finishes.

In 2020, HEXIS has been able to obtain three ISO certifications. The joint efforts of all teams have enabled the company to renew its ISO 9001:2015 certification for its quality management system. In addition, two new certifications have been obtained: ISO 14001:2015 for the environment management system and ISO 13485:2016 for medical devices, opening up new perspectives in terms of product development and specification in certain specialist markets.

WHAT HAS MADE OUR FILMS SO SUCCESSFUL?

For 30 years, HEXIS® films have proven their quality, in particular thanks to:

- > Their performance and our stringent selection of raw materials
- > Total traceability of all production batches
- > Easy weeding and cutting
- > Premium-quality adhesives
- > Outstanding durability

CALENDERED OR CAST FILMS?

At HEXIS®, each film has its purpose and its market.

We have perfected the manufacture of cast films offering high deformation potential, extreme conformability and long durability. Our calendered films are perfect for applications on flat and slightly curved substrates.

Smooth or rough surfaces; applications on floors, walls, windows, boards, cars, trains or boats; for lifespans ranging from 2 months to 10 years. HEXIS® has the solution!

Our decorative effects (chrome, sparkle and leather) are ideal for enhancing everyday objects (electronics, household appliances), for furniture restoration and wall decoration.

TAKE HEAT EASY AND HEX'PRESS LINERS

Our innovative TAKE HEAT EASY® (THE) and HEX'Press liners® are specifically designed for our high-performance full wrap films.

TAKE HEAT EASY® (THE) combines a new textured liner with a novel solvent-based adhesive to reduce the film's initial tack, making it easier to apply. All installers, including beginners, will love it.

The HEX'Press liner, a polyethylene-coated silicone kraft paper with an embossed surface structure, offers unrivalled adhesive properties: thanks to its air egress system, the film can be repositioned during application, and bubbles and creases can be eliminated much more easily. This results in significant time savings.

HEX'Press and THE products are readily identifiable: product codes starting with "HX" indicate the structured HEX'Press liner, and product codes starting with "THE" indicate the TAKE HEAT EASY® liner.

THE HEXIS NETWORK, A TEAM OF EXPERTS AT YOUR SERVICE

Our partners are ready to assist you with your projects. A HEXIS team® of application, colorimetry and digital printing professionals is also at your disposal. They offer the essential training you will need to master new applications like full wraps and large-format digital printing – jobs that demand greater expertise to take full advantage of our innovative media.

To support our experts, the "Professionals" section of our website, www.hexis-graphics.com, provides all the technical information you could ever need: data sheets, application guides, ICC profiles, application photos, etc.

MADE IN
FRANCE



MADE IN FRANCE

HEXIS products are manufactured in France at our production sites in Frontignan (Hérault) and Hagetmau (Landes). All our packaging bears a "Made in France" label.

By doing our bit to promote French know-how, we are able to both save jobs and protect the environment.

PRODUCT SAMPLES AND SWATCHBOOKS

To receive sample sheets of our products in A4 or A5, swatchbooks or colour charts, please contact us at export@hexisgroup.com, or your local distributor.

TECHNICAL DATA SHEETS AND PRACTICAL APPLICATION GUIDES

Technical data sheets for our products can be downloaded free of charge from our website:

<http://www.hexis-graphics.com> under the "Professionals" section

They provide precise technical descriptions of our products. Since specifications may change over time, we recommend you check this section regularly.

ICC PROFILES

Get optimum results from our digital imaging media by downloading the ICC profiles corresponding to your RIP/printer configuration. Regularly check the list of new profiles available:

www.hexis-graphics.com ("Professionals" section)

For any queries regarding ICC profiles, please contact: profil@hexisgroup.com

CUSTOM COLOURS

A custom colour service is available for our colour plotter and wrap vinyls.

For more information, including pricing and lead times, please contact your local distributor.

TRAINING COURSES

Interested in digital printing, solar films, full wraps, Bodyfence or application methods for self-adhesive films? HEXIS® has a training solution to meet your needs.

Please send training-related enquiries to formations@hexisgroup.com or call +33 467 184 278.

IMPORTANT INFORMATION

- Thicknesses and dimensions of products:

Thicknesses are provided for information and for comparison with similar product ranges available on the market. The dimensional tolerances of the rolls conform to the processing and cutting data sheet used by HEXIS®, which can be downloaded from our website: www.hexis-graphics.com 'Professionals' section

- Life spans:

The life spans indicated are for information only and relate to specific colours under specific climate conditions. For further information, please refer to the specifications available on our website.

- Colours:

Colours presented in our catalogue are for guidance only and are not contractual. Please contact your local HEXIS® distributor for swatchbooks and colour cards. Free swatchbooks are also available from swatches@hexisgroup.com

- Media for cutting plotters:

Cutting plotter vinyls may have splices. If so, this will be indicated on the packaging.

- Media for digital printing:

Our media are developed and tested for machines using the manufacturer's original inks.

- Photos and illustrations:

All illustrations, especially photos of accessories, are non-contractual. Actual appearance of accessories may vary.

THE REACH REGULATION (REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF CHEMICALS)



This regulation was adopted by the European Parliament and the Council of the European Union on 18 December 2006. It updates the European legislation with regard to chemical substances and sets up a unique integrated system for registering, evaluating and authorising chemical substances within the European Union. Its aim is to improve the protection of both human health and the environment while maintaining competitiveness and enhancing the spirit of innovation within the European chemicals industry.

ANNUAL CONTRACTS

PREMIUM ANNUAL CONTRACT.....

Travel and on-site intervention of a digital imaging technician 2 days per year and which includes:

- Creation and/or optimisation of ICC profiles (up to 8 custom profiles)
- Advice on machine operation and settings, media settings
- Speed/quality ratio settings and optimisation of ink consumption
- Setting up profiles in the RIP
- Colour management configuration (pre-press and RIP software)

Plus points:

- Priority handling of hotline calls by a digital imaging technician with remote assistance
- Testing new printing products in preview
- 40% discount on digital imaging training courses

BASIC ANNUAL CONTRACT.....

Travel and on-site intervention of a digital imaging technician 1 day per year and which includes:

- Creation and/or optimisation of ICC profiles (up to 4 profiles)
- Advice on machine operation and settings, media settings
- Speed/quality ratio settings and optimisation of ink consumption
- Setting up profiles in the RIP
- Colour management configuration (pre-press and RIP software)

Plus points:

- Priority handling of hotline calls by a digital imaging technician with remote assistance
- 20% discount on digital imaging training courses

DIGITAL IMAGING SERVICES

ON SITE

INTERVENTION BY DIGITAL IMAGING TECHNICIAN 1 DAY.....

- Creation and/or optimisation of ICC profiles (up to 4 customised profiles)
- Advice on machine operation and settings, media settings
- Speed/quality ratio settings and optimisation of ink consumption
- Setting up profiles in the RIP
- Configuration of colour management (pre-press and RIP applications)

INTERVENTION BY DIGITAL IMAGING TECHNICIAN.....

- Creation and/or optimisation of ICC profiles (up to 2 customised profiles)
- Advice on machine operation and settings, media settings
- Speed/quality ratio settings and optimisation of ink consumption
- Setting up profiles in the RIP

OPTIONAL CONFIGURATION OF THE COLOUR MANAGEMENT (PRE-PRESSE AND RIP SOFTWARE)

- Only available in addition to the intervention day

OPTIONAL SCREEN PROFILE CREATION (i1PRO3 WITH i1PROFILER SOFTWARE)

- Only available in addition to the intervention of the digital imaging technicians

REMOTE

REMOTE CREATION OF MEDIA AND ICC PROFILES.....

- Remote support for test pattern printing
- Linearisation, ink rate limitation, profiling, before/after control
- Installation and setting of the profile in the RIP

TEAMVIEWER REMOTE ASSISTANCE 30MIN.....

- Checking calibrations and help with machine/software settings
- Download and installation of a profile in the RIP or printer
- Setting up the profile in the RIP

#

3333SHIELD 181
 4444RACING 181
 6PETIL 240

A

A5000 26
 A5000EVO N2NUANCIERA4 225
 A5000EVO N2NUANCIEREVE 224
 ACRETBODEN GOODIES 230
 AG300 127
 AG436M 127
 AG700 127
 AG800 127
 AG900 127
 AGCR436M 127
 AGCR700 127
 AIMANT2 211
 AIMANTXL 211
 ANTISTATIC 220
 APPLIC15 201

B

BACS1 57
 BACS4 57
 BACS44 57
 BBLOCA4HG GOODIES 233
 BBLOCA5HG GOODIES 233
 BBNOIR 53
 BCRITERIUM GOODIES 232
 BCUTTERABS GOODIES 233
 BERLAP 213
 BFBLACK 176
 BFBLACKM 176
 BFWIDE 176
 BLACKLIGHT 180
 BLADECAN 207
 BLADESOFT 206
 BLANC 200
 BLOCKCUT 161
 BOATDE N2CATALOGUE 228
 BOATEN N2CATALOGUE 228
 BOATES N2CATALOGUE 228
 BOATFR N2CATALOGUE 228
 BOATIT N2CATALOGUE 228
 BOBLANC 50
 BODYCARPET GOODIES 235
 BODYFBRXDE DOCUMENT 230
 BODYFBRXES DOCUMENT 230
 BODYFBRXFR DOCUMENT 230
 BODYFBRXIT DOCUMENT 230
 BODYFBRXOEN DOCUMENT 230
 BODYFBRXSE DOCUMENT 230
 BODYFENCE 148, 176
 BODYFENCEM 148, 176
 BODYFENCEX 148, 176
 BODYFENCEXM 148, 176
 BODYFENCEXS 148, 176
 BODYFINISH 219
 BODYFPOCHX DOCUMENT 230
 BODYFFORTE DOCUMENT 230
 BODYFFORTX DOCUMENT 230
 BODYHOODX GOODIES 235
 BODYKITXDE DOC-KIT 229
 BODYKITXEN DOC-KIT 229
 BODYKITXES DOC-KIT 229
 BODYKITXFR DOC-KIT 229
 BODYKITXIT DOC-KIT 229

B

BODYKITXSE DOC-KIT 229
 BODYLINE 197, 212, 213
 BODYRELOAD 219
 BODYSHINE 219
 BODYSIGN GOODIES 235
 BODYXFAST 148, 176
 BONNETBLANC 241
 BONNETNOIR 241
 BONOIR 50
 BRICKCUT 164
 BSOAT40I2 190
 BSQB20I2 186, 190
 BSQB20X2 186, 190
 BSOI80X2 190
 BSOM15I2 190
 BSON20X2 187, 190
 BSON50I2 187, 190
 BSOR15X2 187, 190
 BSOR20I2 187, 190
 BSOR35I2 186, 190
 BSOR35X2 186, 190
 BSOR50I2 186, 190
 BSOR50X2 186, 190
 BSORD60I2 190
 BSOT45I2 187, 190
 BSTICKY GOODIES 234
 BSTYLO GOODIES 232

C

CANTAP 218
 CANVAS3 110
 CAR100B 177
 CARNETFR GOODIES 234
 CARPRO300 177
 CARSCRAPER 203
 CASQBLANCHE 241
 CASQNOIRE 241
 CASQROSE 241
 CASQROUGE 241
 CASQVERTE 241
 CATADA2023 N2CATALOGUE 227
 CATADE2023 N2CATALOGUE 227
 CATAES2023 N2CATALOGUE 227
 CATAEX2023 N2CATALOGUE 227
 CATAEXFR20 N2CATALOGUE 227
 CATAFR2023 N2CATALOGUE 227
 CATAIT2023 227
 CATASW2023 N2CATALOGUE 227
 CCLASSEUR2 GOODIES 235
 CHEVS7 57
 CHEVS77 57
 CHROME 77
 CLEARWRAP 76
 COLORCUT 152
 COVSEAT4 211
 CSACALON2 GOODIES 234
 CSR25 96, 141
 CURVBLADE 208
 CURVCUTTER 208
 CURVPADS 208
 CUTBLADE 208
 CUTLAME 207
 CUTOLFA25 206
 CUTOLFA30 207
 CUTSHOES 208
 CUTSOFT 206
 CUTVINYLXL 208

C

CUTVITRE 206

D

DACRETRO GOODIES 229
 DAOCASTHX N2NUANCIERCLAS 226
 DASHTOWEL 213
 DECO N2NUANCIEREVE 224
 DECODE02 N2CATALOGUE 228
 DECOES02 228
 DECOFR02 N2CATALOGUE 228
 DECOIT02 228
 DFENCEONEX 148, 176
 DFENCEONEXM 148, 176
 DFENCEXTRM 148, 176
 DICHROIQUE 145
 DIF450 107
 DISPLAYS 111
 DMTRUBFR 200
 DOC-KIT / SKYTTKITDE 232
 DOC-KIT / SKYTTKITEN 232
 DOC-KIT / SKYTTKITES 232
 DOC-KIT / SKYTTKITFR 232
 DOC-KIT / SKYTTKITIT 232
 DOC-KIT / SKYTTKITSE 232
 DOUBLE FACE 66, 68
 DOUBLEF25 201
 DOUBLEF50 201
 DPOCHETTE GOODIES 234
 DPOCHETTE2 GOODIES 234
 DRETROWREN GOODIES 229
 DRETROWRFR GOODIES 229
 DRISSE 216
 DSERBORGM 205
 DSERBORPM 205
 DSVG180 48
 DTF-C-PEEL 172
 DTF-H-PEEL 172
 DUBAI 145, 190
 DWP002B 130, 143

E

E3000+ 32
 E3000M2000 N2NUANCIERA4 225
 E3000M2000 N2NUANCIEREVE 224
 E3GIVMV2 47
 EASYPOSE2L 218
 EASYPOSE5L 218
 EASYSEAL 199
 EASYSTIKCG 113
 EASYSTIKWS 113
 ECHANTILLON ECHA4A5P2 226
 ECOLOGICAL CUT ECE3000 35
 ECOTAC PLUS E3000+ 32
 ECOTAC SUPER + VCRE3000 34
 EFRONTOPAC 107
 EGALITE 194
 EPBANIN 106
 EPBANOUT 106
 EPS135AD 91
 EPS150ADE 91
 ERASMARKER 200

F

FEUTRE 198

F

FEUTROUGE1 199
 FEUTROUGE2 199
 FF480 65
 FILFLEX 173
 FLATTWEEZ 210
 FLOCK 200 156
 FLUO F610 41
 FM580 64
 FPC50MICP2 100
 FPG836 100
 FPSAUTO N2NUANCIERA4 225
 FPSBAT N2NUANCIERA4 225
 FPSBATV3 N2NUANCIEREVE 224
 FRATERNITE 194
 FRENCHBOX 194
 FRIGO20L 241
 FRONT2 106, 222
 FRONT2V2B 106, 222
 FRONT2V2M 106, 222
 FRONT2V3S 106
 FRONT3V2 106, 222
 FRONT4V4 106
 FRONT5M1 106, 221, 222
 FRONTM1EV2 222
 FRONTOPAC 107

G

GANTSCOV 201, 212
 GGBLADE 207
 GEL05 192
 GELBOTTLE 192
 GFLI130 128, 129, 144
 GFLI170 129, 143, 144
 GFLIR170 129, 143, 144
 GFLX210 129, 144
 GFLXR210 129, 144
 GLASGOW 145, 190
 GLITFLEX 158
 GLOWCUT 162
 GRAPHTEC 206
 GRATLAM100 213
 GRATLAM100 203
 GRATTOIR 203, 213
 GRATTOIR10 203, 213
 GUIDEDCUT 207

H

HANDLE 204
 HARDEYELET 215
 HEX*NOTE 205
 HEX100 71
 HEX100I 71
 HEX750 72, 174
 HEX860 72, 174
 HEX900 71
 HEX900I 71
 HEX901 71
 HEX902 71
 HEX902I 71
 HEX904 70
 HEX905 70
 HEX909 71
 HEX910 70
 HEX915 70
 HEX930 70
 HEX960 72, 174

H

HEXAG.....	220
HEXCROCH.....	210
HEXFELT.....	199
HEXFLARE01.....	180
HEXFLARE02.....	180
HEXFLARE03.....	180
HEXFLARE04.....	180
HEXGLOW01.....	42
HEXISGEL1L.....	218
HEXISGEL5L.....	218
HEXISO2L.....	218
HEXISO5L.....	218
HEXLIGHTS1.....	180
HEXLIGHTS2.....	180
HEXMAGNET.....	196
HEXSTRAP.....	196
HGYSIGN.....	241
HGYX24.....	240
HGYXFEX24.....	240
HOODHOLDER.....	197
HW301WM1.....	87
HX190WG2.....	80
HX20000.....	20
HX200NTWG2.....	82
HX200WG2.....	82
HX201WG2.....	82
HX203EG.....	102, 146
HX20HX30 N2NUANCIERA4.....	225
HX20HX30 N2NUANCIEREVE.....	224
HX240WG2.....	84
HX240WM2.....	84
HX30000.....	18
HX3000WG2.....	88
HX3001WG2.....	88
HX3001WM2.....	88
HX301EPS.....	91
HX45000.....	16
HX45EN N2CATALOGUE.....	226
HX45FR N2CATALOGUE.....	226
HX45V1 N2NUANCIERA4.....	225
HX45V1 N2NUANCIEREVE.....	224
HX500WG2.....	91
HX5DEPM.....	45
HX5DP03.....	46
HXE3GIVMV2.....	47
HXR101WG2.....	93, 141
HXR150BGR.....	177
HXR301EPS.....	91
HXS5000.....	30

J

JEUSERT10.....	215
JEUSERT12.....	216
JEUSERT15.....	216
JT300M1.....	107, 221, 222

K

KG8 N2NUANCIERA4.....	225
KG8000.....	24
KG8V1 N2NUANCIEREVE.....	224
KITPRESSE.....	215
KROMPRINT.....	77

L

LAMBREQUIN.....	54
LAME100.....	203, 213
LAMEVITR15.....	204, 214
LAMEVITR30.....	204
LAMEVITRE.....	204
LAMOLFA25.....	206
LAMOLFA30.....	207
LAMOLFAS10.....	207
LAMOLFAS50.....	207
LAMOLFAXBL.....	207
LHD30G.....	130
LIBERTE.....	194
LIGHTSTICK.....	113
LINPRINT.....	108, 145

M

M1000.....	54
MAGICSPRAY.....	218
MAGSQUEEG.....	194
MAJESTIK05.....	185
MAJESTIK15.....	185
MAJESTIK25.....	185
MAJESTIK35.....	185
MAJESTIK50.....	185
MAJESTIK70.....	185
MAJESTIK85.....	185
MANCHETTE3.....	211
MARBLEU.....	198, 214
MARBLEU.....	174
MARBLEUF.....	198
MARBLEUF.....	214
MARNOIR.....	198, 214
MAROR.....	214
MARVITRE.....	198, 214
MASQUAGE.....	54
MATCLEAN.....	219
MAXBLUE.....	195, 214
MAXHANDLE.....	204, 214
MB800.....	63
MBX.....	204
ME2000.....	36
METALCUT.....	154
MFKIT.....	217
MG2000.....	36
MIAMI.....	145, 190
MICRO1.....	97
MICRO170UV.....	98
MICRO2.....	97
MICRO6.....	98
MICROCGUV.....	99
MICROINSID.....	99
MICROTAC M2000.....	36
MIMAKI / SUMMAGRAPHIC.....	
MLG48512.....	114
MM2000.....	36
MTSHFLEXBE N2ECHANT.....	235
MTSHFLEXBL N2ECHANT.....	235
MTSHFLEXJA N2ECHANT.....	235
MTSHFLEXNO N2ECHANT.....	235
MTSHFLEXRO N2ECHANT.....	235
MTSHFLEXVE N2ECHANT.....	235

N

N2CATALOGUE.....	227, 228
------------------	----------

N

N2PAPSILI.....	62
NINJATOOL.....	194
NOIR.....	200
NYLCUT.....	160

O

OEILLET10L.....	215
OEILLET10N.....	215
OEILLET12L.....	215
OEILLET12N.....	215
OEILLET15L.....	216
OEILLET15N.....	216

P

P130.....	115
P13003.....	112, 147
P13004.....	112, 147
P135.....	115
P210.....	115
P6000.....	40
P8100.....	56
PAINTRUB.....	217
PANTONE20.....	205
PAP120JF.....	115
PAP132DB.....	115
PAPPERDU.....	131
PC190G2.....	80, 93, 118
PC190M3.....	80, 93, 118
PC190S.....	80, 90, 118
PC300.....	77, 91, 122
PC30G2.....	80, 93, 118
PC30M3.....	80, 93, 118
PC500G2.....	77, 91, 122
PC500M.....	122
PC50M1CP2.....	76, 97, 98, 126
PCAMPGB.....	124, 143
PCBRUSHED.....	125, 143
PCCARBON.....	125, 143
PCFORGED.....	125, 143
PCGATOR.....	125, 143
PCLEATHER.....	124
PCR190G2.....	80, 118
PCSTAR01G.....	125, 143
PCSTAR01S.....	125, 143
PCWALL.....	125, 143
PCWOOD02.....	124, 143
PET50CG1.....	104, 146
PET75CG1.....	104, 146
PETSAFE.....	191
PG3036UVB.....	126, 127
PG450.....	107
PG836.....	126, 127
PIADZGREY.....	213
PIADZROUGE.....	213
PIMNA1DE DOCUMENT.....	232
PIMNA1EN DOCUMENT.....	232
PIMNA1ES DOCUMENT.....	232
PIMNA1FR DOCUMENT.....	232
PIMNA1IT DOCUMENT.....	232
PIMNA1SE DOCUMENT.....	232
PISTERMIQ.....	211
PISTLASER3.....	211
PLASMOYEN.....	198
PLASSOUPLE.....	198
PM150V2.....	115
POCHA5 GOODIES.....	234

P

POD220SOLV.....	105
POD225SOLV.....	105
POIGNVITR.....	196, 204
POIGNVITR.....	214
POLY5000 N2NUANCIERA4.....	225
POLY5000 N2NUANCIEREVE.....	224
POP190ECOS.....	111, 221
POP200ECOS.....	111, 221
POP310ECOS.....	111, 223
POPNC400.....	111, 223
POPPRIMO.....	111, 221
PORTECLE.....	241
PORTECOV.....	213
PREMIO.....	222
PREMIOXL.....	222
PTB900G.....	78, 118
PTB900M.....	78, 118
PTB900S.....	78, 118
PULVERISAT.....	200
PURECOVER.....	191
PUREZONEDE.....	
PUREZONEEN.....	
PUREZONEES.....	
PUREZONEFR.....	
PUREZONEIT.....	
PUREZONESE.....	
PURZON060B.....	123, 191
PURZON060M.....	123, 191
PURZONORIB.....	123, 191
PURZONORIM.....	123, 191

R

R3000.....	61
R85120.....	114
RAL.....	205
REFLEX.....	163
REGLET100.....	209
REGLET30.....	209
REGLET50.....	209
REMOVFLEX.....	173
RIVETBRUSH.....	211
ROLAND CAMM1.....	206
ROLLCOV.....	211
ROLLEDOUBLE.....	221
ROLLFIRST.....	221
ROLLRIV.....	211
ROLLSHOW10.....	221
ROLLSHOW85.....	221
RSSEAL.....	176, 199

S

S5000.....	28
S5CANB.....	28
S5DEPM.....	45
S5DP03.....	46
S5ICE.....	45
S6DE00.....	45
SAFERUL050.....	209
SAFERUL100.....	209
SAFERUL150.....	209
SANDOW.....	216
SC3X3SPMAR.....	223
SCRUBBLADE.....	203
SCRUBFLOOR.....	203
SEALIT.....	199
SERIE 100.....	80
SERIE 200.....	82

S

SERIE 240..... **84**
 SERIE 280..... **85**
 SERIE 300..... **86**
 SERIE 3000..... **88**
 SHA05..... **192**
 SHABOTTLE..... **192**
 SHAGBODY..... **195**
 SHAGBOX..... **197**
 SHAGCASE..... **197**
 SHAGCHIZ..... **194**
 SHAGCLEAN..... **217**
 SHAGCUT..... **196**
 SHAGDRILL..... **196**
 SHAGEN2019 N2CATALOGUE..... **228**
 SHAGFELT..... **195**
 SHAGFENCEM..... **194**
 SHAGFENCES..... **195**
 SHAGFINISH..... **220**
 SHAGFR2019 N2CATALOGUE..... **228**
 SHAGGLOVE..... **197, 201, 212**
 SHAGKNIFE..... **196**
 SHAGLINE..... **197, 212**
 SHAGMAMBA..... **213**
 SHAGMITCH..... **195, 214**
 SHAGPAM..... **195**
 SHAGPINK..... **195**
 SHAGRELOAD..... **220**
 SHAGREMOV..... **217, 220**
 SHAGSHINE..... **220**
 SHAGSLICE..... **196**
 SHAGSPOON..... **194**
 SHAGSPRAY..... **197**
 SHAGSUN..... **196**
 SHAGTRASH..... **196**
 SHAGWHEEL..... **196**
 SHAGWIRE..... **197**
 SHAMPICARV2..... **219**
 SHARPTOOL..... **198**
 SKINTAC HX20000..... **20**
 SKINTAC HX30000..... **18**
 SKINTAC HX45000..... **16**
 SKINTAC THE190EVO..... **79**
 SKYCARPET GOODIES..... **235**
 SKYSTAR05..... **183**
 SKYSTAR15..... **183**
 SKYSTAR20..... **183**
 SKYSTAR35..... **183**
 SKYSTAR50..... **183**
 SKYSTAR70..... **183**
 SMARTAC EVOLUTION A5000..... **26**
 SMARTAC KG8000..... **24**
 SP..... **148, 191**
 SPEEDCUT..... **150**
 SPM..... **148**
 SPOT..... **223**
 SPRAYBOX..... **197**
 SPRETRO N2NUANCIERA4..... **225**
 SPVITRES N2NUANCIERA4..... **225**
 SQUEEBAND..... **195**
 SQUEEGEEXL..... **199**
 STDC3X3AR..... **223**
 STDC3X3SPM..... **223**
 STEAMERSC3..... **212**
 STEARMERS3..... **197**
 STENCIL..... **54**
 STOCKNROLL..... **202**
 STRIKERSET..... **211**
 STRONGBAN3..... **216**
 STRONGCUT..... **208**
 STYLO..... **241**

S

SUMOTOOL..... **194**
 SUPTAC HXS5000..... **30**
 SUPTAC S5000..... **28**

T

T5000..... **49**
 TAPIS..... **208**
 TAPISBAR..... **241**
 TEFLEX..... **173**
 TEX'PRESS..... **173**
 TEXIS N2NUANCIEREVE..... **224**
 TEXWALLV2..... **112, 147**
 THE190AUS DOC-KIT..... **231**
 THE190DE DOC-KIT..... **231**
 THE190EN DOC-KIT..... **231**
 THE190ES DOC-KIT..... **231**
 THE190EVO..... **79, 80**
 THE190FR DOC-KIT..... **231**
 THE190FWI DOC-KIT..... **231**
 THE190IT DOC-KIT..... **231**
 THE190SE DOC-KIT..... **231**
 THE190US DOC-KIT..... **231**
 THE2000DE DOC-KIT..... **231**
 THE200AUS DOC-KIT..... **231**
 THE200EN DOC-KIT..... **231**
 THE200ES DOC-KIT..... **231**
 THE200EVO..... **82**
 THE200FR DOC-KIT..... **231**
 THE200FWI DOC-KIT..... **231**
 THE200IT DOC-KIT..... **231**
 THE200SE DOC-KIT..... **231**
 TIRO19X50..... **200**
 TIRO25X50..... **200**
 TIRODECO..... **212**
 TOBLUEMAX..... **198**
 TOCLEAN..... **204**
 TOPDESK..... **223**
 TOR3001WG..... **88**
 TOURDECOU..... **241**
 TT13088..... **68**
 TT21516..... **67**
 TT21536..... **67**
 TT21546..... **67**
 TT32611..... **66**
 TT32613..... **66**
 TT32905..... **66**
 TT32910..... **66**
 TTGRIP..... **68**
 TUBETHE190 DOC-KIT..... **232**
 TWEEZ..... **174, 196, 210**

U

ULS800..... **55**
 ULX800..... **56**

V

V100WG2..... **80**
 V200WG1..... **83**
 V200WM1..... **83**
 V201TR1..... **102, 145**
 V201WG1..... **83**
 V201WM1..... **83**
 V202CG1..... **103, 145**
 V202CG3..... **103, 145**

V

V203EG..... **102, 146**
 V210WG1..... **83**
 V211WG1..... **83**
 V240WG1..... **84**
 V240WM1..... **84**
 V280WG1..... **85**
 V3000WG..... **89**
 V3000WM..... **89**
 V3001WG..... **89**
 V3001WM..... **89**
 V300WG1..... **86**
 V300WS1..... **86**
 V301WG1..... **86**
 V302CG1..... **103**
 V3100WG..... **89**
 V3101WG..... **89**
 V3101WM..... **89**
 V310WG1..... **86**
 V311WG1..... **86**
 V351WG1..... **86**
 V362CG1..... **103**
 V650B..... **89, 95, 121**
 V650M..... **89, 95, 121**
 V700B..... **86, 89, 95, 120**
 V700M..... **86, 89, 95, 120**
 V700S..... **86, 89, 95, 120**
 V740B..... **84, 120**
 V740M..... **84, 120**
 V750B..... **77, 83, 85, 94, 119**
 V750M..... **77, 83, 85, 94, 119**
 V750S..... **77, 83, 85, 94, 119**
 V850B..... **119**
 VBRUSHED..... **124, 143**
 VC104R-21..... **60**
 VC104R-41..... **60**
 VC104R-51..... **60**
 VCHFSUP2XL GOODIES..... **237**
 VCHFSUPL GOODIES..... **237**
 VCHFSUPM GOODIES..... **237**
 VCHFSUPS GOODIES..... **237**
 VCHFSUPXL GOODIES..... **237**
 VCHHSUP2XL GOODIES..... **236**
 VCHHSUPL GOODIES..... **236**
 VCHHSUPM GOODIES..... **236**
 VCHHSUPS GOODIES..... **236**
 VCHHSUPXL GOODIES..... **236**
 VCLEARCG1..... **104, 146**
 VCR650B..... **89, 95**
 VCR650B..... **121**
 VCR650M..... **89, 95, 121**
 VCR740B..... **84, 120**
 VCR740M..... **84, 120**
 VCR750B..... **77, 83, 85, 94, 119**
 VCR750M..... **77, 83, 85, 94, 119**
 VCRE3000..... **34**
 VCSR101WG1..... **93, 141**
 VCSR200WG1..... **94, 141**
 VCSR201DP..... **94, 141**
 VCSR201WG1..... **94, 141**
 VCSR201WM1..... **94, 141**
 VCSR202CG3..... **94, 141**
 VCSR300WG1..... **95, 141**
 VCSR300WM1..... **95, 141**
 VCSR301WG1..... **95, 141**
 VCSR301WM1..... **95, 141**
 VCSR301WS1..... **95, 141**
 VCXR101WG1..... **95, 141**
 VCXR201WG1..... **95, 141**
 VCXR301WG1..... **95, 141**
 VCXR301WS1..... **95, 141**

V

VELCRO..... **68**
 VF180WM..... **114**
 VKHCOAT2XL GOODIES..... **238**
 VKHCOAT3XL GOODIES..... **238**
 VKHCOATL GOODIES..... **238**
 VKHCOATM GOODIES..... **238**
 VKHCOATS GOODIES..... **238**
 VKHCOATXL GOODIES..... **238**
 VKHCOATXS GOODIES..... **238**
 VKHSOFT2XL GOODIES..... **238**
 VKHSOFT3XL GOODIES..... **238**
 VKHSOFTL GOODIES..... **238**
 VKHSOFTM GOODIES..... **238**
 VKHSOFTS GOODIES..... **238**
 VKHSOFTXL GOODIES..... **238**
 VKHSOFTXS GOODIES..... **238**
 VKHSWT2XL GOODIES..... **239**
 VKHSWT3XL GOODIES..... **239**
 VKHSWTC2XL GOODIES..... **239**
 VKHSWTC3XL GOODIES..... **239**
 VKHSWTCL GOODIES..... **239**
 VKHSWTM GOODIES..... **239**
 VKHSWTCS GOODIES..... **239**
 VKHSWTCXL GOODIES..... **239**
 VKHSWTCXS GOODIES..... **239**
 VKHSWTL GOODIES..... **239**
 VKHSWTM GOODIES..... **239**
 VKHSWTS GOODIES..... **239**
 VKHSWTCXL GOODIES..... **239**
 VKHSWTXS GOODIES..... **239**
 VM380WM..... **114**
 VPOFSUP2XL GOODIES..... **237**
 VPOFSUPL GOODIES..... **237**
 VPOFSUPM GOODIES..... **237**
 VPOFSUPS GOODIES..... **237**
 VPOFSUPXL GOODIES..... **237**
 VPOFSUPXS GOODIES..... **237**
 VPOHSUP2XL GOODIES..... **236**
 VPOHSUP3XL GOODIES..... **236**
 VPOHSUPL GOODIES..... **236**
 VPOHSUPM GOODIES..... **236**
 VPOHSUPS GOODIES..... **236**
 VPOHSUPXL GOODIES..... **236**
 VR7077..... **199**
 VRK300B..... **132**
 VRK300M..... **132**
 VTB901WG1..... **78**
 VTOURDECOU GOODIES..... **233**
 VWOOD..... **124, 143**
 VWOOD02..... **124, 143**

W

WALLPAPER & PAPIER..... **112**
 WALLPAPER2..... **112, 147**
 WEEDER3..... **174, 210**
 WHEEL..... **204**
 WRAPBELT..... **197**

X

XT300..... **133**
 XT300M..... **133**
 XT480..... **133**
 XTPRINT..... **116**
 XTTWICE..... **133**
 XTWHOOPS..... **133**

• GENERAL TERMS & CONDITIONS OF SALE

1- PREAMBLE

1.1 The Company 'HEXIS' means all legal entities belonging to the HEXIS group.

1.2 These general terms and conditions of sale represent all the stipulations that constitute the offer issued by HEXIS. They shall apply in their entirety to any contract between HEXIS and Customers in France or abroad, regardless of the place of delivery.

1.3 These general terms and conditions of sale prevail over all conditions of purchase, except in the case of formal and express derogation from HEXIS. Any conditions contrary to these general conditions posed by the Customer, in the general conditions of purchase or in any other document, shall be unenforceable against HEXIS as long as HEXIS does not expressly accept it.

2 - ORDERS

2.1 The Customer's order will only be considered accepted after it has been validated by the Sales Department.

2.2 Any request for modification or resolution of the order, requested in writing, must be received by HEXIS prior to shipment of the goods and be agreed upon by HEXIS. If HEXIS does not accept this application, any advance payments may only be returned in product value.

3 - PRICES - OFFERS

3.1 Prices are given only as an indication and are in euro excluding taxes; this means that they do not include sales taxes, value added tax or similar taxes, commissions, customs duties or other taxes, insurance or transportation and handling costs.

3.2 The prices applicable are those in force on the day of placing the order subject to the special conditions of sale.

4 - INVOICING - PAYMENT PERIODS - PENALTIES

4.1 Invoicing will occur on the prices in effect on the day of the order.

4.2 Payment of invoices shall be made in advance, except in the event of special conditions of sale.

4.3 The payment method accepted by HEXIS is bank transfer. Any other means of settlement will be considered after prior agreement by HEXIS.

4.4 Any delay in payment or non-payment on the agreed due dates will, automatically, without formality or formal notice, lead to the requirement of all sums due and the application of penalties equal to three times the legal interest rate referred to in Article L.441-6 of the French Code of Commerce from the date of settlement recorded on the invoice until full payment.

4.5 By way of a penalty clause, it is agreed that all remaining sums due will be increased by an amount of interest equal to the legal interest amount plus two points and by 10% for collection costs. If HEXIS uses an outside collection company, the costs incurred by the outside collection company will be automatically reflected (or rebilled) to the Customer.

4.6 These fees and penalties may be charged directly to Customer discounts where such discounts exist.

4.7 In the event of late payment, HEXIS may suspend all outstanding orders, without prejudice to any other route of action.

4.8 In the event of a material deterioration in the solvency of the Customer, as well as in the event of the cessation or pledge of all or part of the Customer's business assets and even before the execution of the order, HEXIS reserves the possibility either to cancel the order or require payment in advance, or to request additional guarantees.

4.9 Any right of retention or compensation with receivables that the Customer may possibly have against HEXIS is expressly excluded.

5 - DELIVERY TIMES

5.1 The delivery times are given only as an indication unless otherwise stipulated.

5.2 Any delays due to a case of force majeure as defined in Article 7 of these conditions or justified by a serious reason shall not justify a cancellation of sale, a refusal of goods or a request for damages, or even a deferment.

5.3 Delivery times are extended in the event of force majeure or a fortuitous event such as war, riots, local or national strikes, fire, water damage or machinery breakage or any other cause beyond the control of HEXIS or its suppliers. HEXIS will notify the Customer of the problems encountered in order to establish equitable alternatives together.

5.4 In case of late delivery, the goods will be delivered and invoiced under the initial conditions.

6 - DELIVERY

6.1 With the prices including ex works (EXW Hagetmau, France; ICC Incoterm 2020), unless otherwise agreed in writing, the transfer of ownership and risk to the buyer for all the products becomes effective upon delivery of the products by HEXIS to the buyer's forwarder or agent, independent of the conditions of carriage, the rules of settlement and the costs of carriage.

6.2 Liability being transferred to the purchaser once the goods are loaded for transportation, the purchaser is responsible for receiving the complete delivery or, failing that, for making a claim to the carrier if the delivery or part of the delivery is damaged or missing.

6.3 Due to damage that may occur during transport, the Customer must check the packages upon arrival. It is essential to check products immediately upon receipt. In case of missing goods or damage or

partial loss of the goods, the Customer must express reservations with the carrier on the delivery note. Any concealed damage must be communicated to the carrier within two weeks of receipt of the goods.

7 - FORCE MAJEURE

7.1. "Force Majeure" means the occurrence of an event or circumstance that prevents or impedes a party from performing one or more of its contractual obligations under the contract, if and to the extent that that party proves: [a] that such impediment is beyond its reasonable control; and [b] that it could not reasonably have been foreseen at the time of the conclusion of the contract; and [c] that the effects of the impediment could not reasonably have been avoided or overcome by the affected party.

7.2. In the absence of proof to the contrary, the following events affecting a party shall be presumed to fulfil conditions (a) and (b) under paragraph 1 of this Clause: (i) war (whether declared or not), hostilities, invasion, act of foreign enemies, extensive military mobilisation; (ii) civil war, riot, rebellion and revolution, military or usurped power, insurrection, act of terrorism, sabotage or piracy; (iii) currency and trade restriction, embargo, sanction; (iv) act of authority whether lawful or unlawful, compliance with any law or governmental order, expropriation, seizure of works, requisition, nationalisation; (v) plague, epidemic, natural disaster or extreme natural event; (vi) explosion, fire, destruction of equipment, prolonged break-down of transport, telecommunication, information system or energy; (vii) general labour disturbance such as boycott, strike and lock-out, go-slow, occupation of factories and premises.

7.3. A party successfully invoking this Clause is relieved from its duty to perform its obligations under the contract and from any liability in damages or from any other contractual remedy for breach of contract, from the time at which the impediment causes inability to perform, provided that the notice thereof is given without delay. If notice thereof is not given without delay, the relief is effective from the time at which notice thereof reaches the other party. Where the effect of the impediment or event invoked is temporary, the above consequences shall apply only as long as the impediment invoked impedes performance by the affected party. Where the duration of the impediment invoked has the effect of substantially depriving the contracting parties of what they were reasonably entitled to expect under the contract, either party has the right to terminate the contract by notification within a reasonable period to the other party. Unless otherwise agreed, the parties expressly agree that the contract may be terminated by either party if the duration of the impediment exceeds 60 days.

7.4 By exception, the Parties agree that the health crisis, as well as the war in Ukraine, although foreseeable, may constitute a case of force majeure if they are irresistible and external to a party

8 - HARDSHIP

8.1.A party to a contract is bound to perform its contractual duties even if events have rendered performance more onerous than could reasonably have been anticipated at the time of the conclusion of the contract.

8.2. Notwithstanding paragraph 1 of this Clause, where a party to a contract proves that: a) the continued performance of its contractual duties has become excessively onerous due to an event beyond its reasonable control which it could not reasonably have been expected to have taken into account at the time of the conclusion of the contract; and that b) it could not reasonably have avoided or overcome the event or its consequences, the parties are bound, within a reasonable time of the invocation of this Clause, to negotiate alternative contractual terms which reasonably allow to overcome the consequences of the event.

8.3 Where paragraph 2 of this Clause applies, but where the parties have been unable to agree alternative contractual terms as provided in that paragraph, the party invoking this Clause is entitled to terminate the contract, but cannot request adaptation by the judge or arbitrator without the agreement of the other party.

9 - RETURN/ GUARANTEES

9.1 Without prejudice to the arrangements to be made with respect to the carrier, claims for defects in production or for the non-conformity of goods delivered to the goods order or to the packing slip must be made by international consignments (TNT/DHL) within two weeks of receipt of the goods.

9.2 The Customer, to whom it is the responsibility to provide all supporting documents (including batch numbers), undertakes to leave HEXIS the ability to proceed with the finding of defects or anomalies and to remedy them; the Customer is prohibited from intervening, directly or indirectly, with the products.

9.3 The goods shall not be taken back or exchanged except in the event of defects in the manufacture or non-conformity of the goods, as duly observed by a person from HEXIS. Any return of goods must be the subject of a formal, written agreement from HEXIS and sent, postage paid, to the address indicated by HEXIS.

9.4 No claim will be possible if the goods have been used or processed by the Customer or, in general, if they are no longer in the state in which they were delivered, from the moment when the manufacturing defects or non-conformities which are the subject of the claim may be detected before use.

9.5 In the event of a manufacturing defect or non-conformity of the delivered products, duly recognised by HEXIS under the above conditions, the Customer may obtain, at the discretion of HEXIS, and subject to the laid down in the HEXIS warranty documents, free replacement or refund of the goods, excluding any compensation or damages except in respect of goods benefiting from special guarantee conditions.

9.6 Returns of goods will not delay the payment of invoices on the due date.

10 - RESERVATION OF OWNERSHIP

10.1 All deliveries are made subject to reservation of ownership until full payment of the price in principal and related charges. Payment means the effective receipt of the entire price, the delivery of a check or any other document that creates an obligation to pay not forming a payment.

10.2 In the event of non-payment or failure to comply with the payment terms, HEXIS may terminate the sale automatically by registered letter addressed to the Customer and may request the return of the goods at the Customer's expense and risk. The loss or deterioration of the goods will be borne by the Customer in the event of termination of the sale. HEXIS may unilaterally and immediately draw up an inventory of the unpaid products held by the Customer, without the Customer being able to oppose it, and the Customer will also bear the costs of the litigation services as well as any legal and court costs. The products thus held shall give rise to the payment of a depreciation allowance equal to 3% of the price including tax of the goods, per month of detention from delivery to return. The Customer will ensure that product identification is always possible. In-stock products are assumed to correspond to the most recent deliveries (FIFO rule) and will be assumed to be the unpaid ones.

10.3 The Customer may resell the goods as part of the normal operation of its business. However, the Customer will lose this option in the event of cessation of payment or non-payment of the price on the due date. In particular, HEXIS reserves the right to claim from the third-party purchaser the price or part of the price that the third-party purchaser has not yet paid to the Customer.

10.4 Notwithstanding the application of the aforementioned articles, the transfer of risks to the Customer takes place as soon as the goods are handed over to the carrier.

11 - CONFIDENTIALITY

11.1 All information communicated to the Customer or to one of its representatives, including but not limited to technical, industrial, commercial or financial information, whatever the form of communication, including in particular drawings, diagrams, descriptions and specifications, and related documentation, is confidential.

11.2 It is the responsibility of the Customer to take all necessary steps to ensure that none of this information is communicated or disclosed to a third party. Failure to comply with this obligation of confidentiality may result in termination of the contract, notwithstanding any damages.

12 - INTELLECTUAL AND INDUSTRIAL PROPERTY

12.1 HEXIS retains ownership of patents, studies, plans, models and all documents issued or products presented, including materials, ideas, data or other information relating to research and development activities, trade secrets or business affairs communicated to the Customer or known to the Customer in the context of a proposal, offer and/or contract.

12.2 These documents are confidential and the Customer shall not report, use, distribute or communicate them to third parties without the prior written permission of HEXIS.

13 - LIABILITY

13.1 HEXIS's liability cannot be incurred in any case in the event of the use of HEXIS products which does not comply with the requirements set out in the Data Sheets. No complaint or claim for compensation for HEXIS products, or for any damage to the media on which the HEXIS product was affixed or for its reconditioning, will be admissible in the event of non-conforming use.

13.2 In no event shall HEXIS be liable for any physical or material damage of any kind, which could be a direct or indirect consequence of improper adaptation of the product or its use which does not comply with the requirements of the HEXIS Data Sheet.

13.3 Given the excessive variability of processing tools and application methods, HEXIS cannot be held responsible for the results obtained by the Customer or the implementing conditions of HEXIS Products.

14 - THE COMPETENT JURISDICTION AND APPLICABLE LAW

14.1 All disputes arising from the validity, interpretation and performance of these General Terms and Conditions of Sale are subject to French law. All disputes and disagreements, whatever they may be, shall fall within the exclusive jurisdiction of the courts local to the registered office of HEXIS, including in the case of multiple defendants, an interlocutory application or guarantee claim and even in the case of a different jurisdiction attributed on the part of the Customer.

14.2 Payment drafts or acceptances do not constitute a novation or exemption from this clause which grants jurisdiction.

14.3 In the event of a dispute, prior to litigation, the parties agree to meet in order to find an amicable solution.

**PHOTO
CONTEST
WINNER**



WINNER
2022 CONTEST



INSTALLATION | DECOSAIL



AUTOMOTIVE
VINYL LABS

FREE PROJECT

RADIN D.O.O

DECORATION
COEVER PRODUCCIÓN CREATIVA



SIGN

MÉGAMARK

PURE ZONE
COM-UNICK



TEXTILE

MAIK ZIMMER CAR DESIGN

SOLAR
TRI STATE WINDOW
TINTING



2022 CONTEST WINNERS

**HEXIS FRONTIGNAN
HEAD OFFICE**

Z.I. Horizons Sud
CS 970003
34 118 FRONTIGNAN CEDEX

T. +33 467 186 686
M. order.export@hexisgroup.com

HEXIS HAGETMAU

Z.I. Montplaisir
187, Route de Saint Cricq Chalosse
40700 HAGETMAU



www.hexis-graphics.com



GRAPHICS DIVISION.

Value: 9,80 €

