
GRAPHICS DIVISION. INTERNATIONAL EDITION CATALOGUE 2021



HEXIS NEW ANTIMICROBIAL FILM

PUREZONE®

24/7 protection against bacteria and viruses

ACTIVE AGAINST CORONAVIRUS* INCLUDING SARS-COV-2*



Contact us for more information!

www.hexis-health.com



HEXIS RECEIVES THREE CERTIFICATIONS









In 2020, HEXIS has obtained no less than three ISO certifications.

In the difficult context of the pandemic, the joint efforts of all our teams have enabled us to renew our ISO 9001: 2015 certification for our quality management system. Add to this two new certifications:

ISO 14001:2015 for our environment management system and

ISO 13485:2016 for medical devices, opening up new perspectives in terms of product development and specification for a whole range of specialist markets.

This collective achievement underlines our commitment to continuous process improvements in terms of quality and the environment, while harnessing best practices.

The certifications cover all aspects of design, risk analysis in terms of products and processes as well as software and product validation. They make sure our customers can rely on us when addressing their most specialised and demanding markets.

"In addition to the token of trust these three certifications represent, they are also a real driver for differentiation, further strengthening the maturity of our management systems", explains Guillaume LEONARDON, Head of Quality, Security & Environment.



Discover the new **HEXIS mobile app**

SKINTACH 30000

Assistance

TEXTILE DECORATION

TOOLS AND ACCESSORIES

THE ENTIRE HEXIS UNIVERSE IS NOW AVAILABLE ON IOS AND ANDROID!

GET A **SNEAK PREVIEW** AT NEW PRODUCTS AND ALWAYS KEEP **UP TO DATE**!

You need details about one of our products?

Search by product code or scan the barcode.

Access any documents you may need: catalogues, data sheets, support documents etc.

SERVICES

Need documentation?





15:28

SOLUTIONS FOR PROTECTION & SOCIAL DISTANCING

Your safety and the safety of your staff and customers is our priority



Communicating protective measures, managing people flows and ensuring physical distancing











1 The AG/PG anti-graffiti range

Highly transparent, ultra-smooth films for easy cleaning of graffiti.

2 HW301WM1

Printable anti-slip film (R10, DIN 51-130 standard), up to 6 months, for application on indoor floors, compatible with eco-solvent, solvent-based, latex and UV inks.

MICROTAC ME2000

Plotter film, black or white, removable for up to 6 months, for application on flat indoor and outdoor surfaces.

4 6 VCXR201WG1

Self-adhesive film with extra-reinforced adhesive, suitable for numerous substrates (e.g. textured and low-energy surfaces).

5 The GFLI and GFLX range

Anti-slip laminates (R9 to R11, DIN 51-130 standard), for application on indoor and outdoor floors.



2 4 5 Proven efficient on viruses of the **coronavirus family** (HCoV-229E). Reduces viral load by 99.87% in only one hour!*

*according to ISO 21702



Ensuring a healthier environment and easy cleaning of frequently touched objects and surfaces









1 PETSAFE

Protective anti-projection film, ultra-transparent and adhesive-free.

PURE ZONE® protective films

Anti-microbial protection films, patented to limit the spread of bacteria on surfaces, proven antimicrobial efficacy 24/7. Available in gloss, matt and ultra-transparent gloss finish.

3 Hydroalcoholic gel (GELO5) and solution (SHAO5)

Made in France, available in economy-sized 5-litre canisters.

4 PROTECTPZ

Anti-microbial protection film for touchscreens.

PROTECTION & SOCIAL DISTANCING

H HEX'PERIENCE

Our **HEX'PERIENCE** concept allows you to personalise your surfaces hygienically. Combine it with one of our anti-microbial textured laminates (leather or wood effect, gloss or matt finish) to add further value to your decorations - hygiene and safety.

Combining decoration with anti-microbial protection





PCWOOD01* PURE ZONE® PVC-free, wood-effect cast laminate with anti-microbial features

2 PCAMPGB PURE ZONE® leather-effect cast PVC laminate with anti-microbial features

* Available while stocks last

PURZONO60B PURE ZONE® cast PVC laminate, gloss finish, with anti-microbial features





Customising work clothing and safety material











UFLEX5S

Printable Flex film, quick application, suitable for lettering, small logos and images.

2 NYLCUT

Plotter flex for water-repellent substrates and coated nylon.

3 UFLEX7PV2

Printable flex for detailed cut-outs, easy weeding thanks to its non-adhesive liner.

4 SPEEDCUT

Plotter flex with adhesive liner, fast shaping for chest pocket logos and large-format graphics.

5 UFLEXCLEAR

Very thin transparent printable flex. No tape for transfer on fabric required. For use with white or very light colours fabrics.



HEXIS is expanding its 100% PVC-free product range with

ECOLOGICALCUT and **ECOLOGICALPRINT**

Find the solution that fits your project!

SIGN VINYLS



A5000:

High-performance product for indoor and outdoor signs, 14 gloss colours to choose from (see page 32)

DATA SHEET

> HIGH-PERFORMANCE CAST POLYURETHANE FREE





- > PVC-FREE
- > 60 MICRONS
- > 14 GLOSS COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO 10 YEARS DURABILITY
- > SILICONISED KRAFT LINER

A5000	WIDTH MM	LENGTH LM
RANGE 1	1230	30
RANGE 2	1230	30
RANGE 3	1230	30









Get into the green spirit with Hexis films!

First-rate solutions to meet even the strictest requirements of sustainable development and of calls for tenders/projects that require the use of environmentally friendly products.




CUSTOM COLOURS

You didn't find the colour you want in our swatchbook? HEXIS offer a custom colour service.

Contact us for more information

A5001B A5889B COAL BLACK



A5109B A5136B A5165B A5485B A5186B BLOOD RED BROWN

SUN YELLOW YELLOW

A5109B SUN YELLOW

A5109B MANDARIN EMBER RED RUBY RED BLOOD RED BROWN







ECE3000:



New range of long-term removable products: an eco-friendly solution for your signage projects (see page 41).

DATA SHEET

> POLYOLEFIN FILM FREE OF PVC, CHLORINE AND PLASTICISERS



- > 70 MICRONS
- > CLEAR REMOVABLE SOLVENT-BASED ACRYLIC ADHESIVE
- > DURABILITY UP TO 5 YEARS
- > REMOVABLE FOR UP TO 6 MONTHS WITH NO MAJOR TRACES
- > AVAILABLE IN BLACK AND WHITE MATT
- > SILICONISED KRAFT LINER



WIDTH MM	LENGTH LM
615	30
1230	30



TEXTILE

All our textile decoration solutions are guaranteed PVC-free. Discover all our ranges (see page 151).






MEDIA FOR DISPLAYS

Create designs for self-supporting displays or roll-up displays with our 100% PVC-free opaque media (see page 115).

OPAQUE FI	LMS FOR DISPL	_AYS								
PRODUCT	COMPATIBLE	FINISH	THICKNESS	CC	OMPA	TIBIL	ΙΤΥ	WIDTH	LENGTH	
CODE	DISPLAYS	FINISH	MICRONS	SOLV	ÉCO-S	LATEX	UV	ММ	LM	
POPPRIMO	ROLLPRIMO ROLLECO85	satin	220	√	√	√	√	914		
FOFFRIMO	ROLLECO100 ROLLDOUBLE	10	1067	30						
POP190ECOS	ROLLPRIMO ROLLECO85	catin	190	√	√	√		914		
Certified for HP Latex Inks	ROLLECO85 ROLLECO100 satin	190	•	, 			1067	20		
POP200ECOS	ROLLPRIMO ROLLECO85	satin	195	√	√	√	√	914	30	
POPZOOECOS	ROLLECO100 ROLLDOUBLE	Sauli	195		•			1067	30	
POP310ECOS	STANDC3X3		315	./	√	√		914	- 20	
POPSIDECOS	STAINDCSXS	satin		V	V	V		1370		





DIGITAL PRINTING



HX500WG2:

High-performance, conformable printable film providing a better durability while ensuring environmental responsibility (see page 97).

HX500 SERII	ES .	WHITE PVC-FR	EE FIL	EE FILM - 50 MICRONS - HEXIPRESS LINER						
PRODUCT CODE	FINISH	COMP ADHESIVE		OMPAT		ΓΥ UV	WIDTH MM	LENGTH LM		
HX500WG2 [*]	gloss	permanent grey		√			1520	45		

^{*}Standard valid for composite HX500WG2 + PC500M

HXR301EPS:

Easy to apply printable solution with HX liner. The reinforced adhesive lets you create designs on textured surfaces while respecting the environment (see page 97).

	ECOLOGICAL PRINT SERIES		WHITE PP FILM ECOLOGICAL PRIN					IT - 80 MICRONS - K LINER		
	PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM	
N	HXR301EPS*	satin	clear, reinforced				V	1370	45	

*STANDARD EN 13501-1



PET75CG1:

This ultra-transparent PET film will help to enhance your designs on glass. (see page 110)

ULTRA-TRANSPARENT			PE	PET FILM – 75 MICRONS – PET LINER					
PRODUCT CODE	FINISH	ADHESIVE	SOLV	COMPATIBILITY SOLV (COS (LITEX UV)			WIDTH MM	LENGTH LM	
PET75CG1	gloss	removable, clear				V	1520	30	

JT300M1:

Eco-friendly, PVC- and phtalate-free canvas.

POLYESTER	RBANNER									
PRODUCT CODE	FINICII	GRAMMAGE/	PRINTABLE	СО	MPA ⁻	ΓIBIL	ITY	WIDTH	LENGTH LM	
	FINISH	M ²	SIDE	SOLV	ÉCO-S	LATEX	UV	ММ		
JT300M1	satin	280	outside	√	V	V	V	1020 1370 1620	30	

WALLPAPER2:

PVC-free, pre-pasted printable wallpaper for wall coverings. FSC-certified

WALL COVERINGS		PVC-FREE PRINTABLE WALLPAPER – PRE-PASTED							
PRODUCT	PROPERTIES	THICKNESS	C	OMPA	TIBILI	ГΥ	WIDTH	LENGTH	
CODE	PROPERTIES	MICRONS	SOLV	Éco-s	LATEX	UV	ММ	LM	
WALLPAPER2*	pre-pasted paper with	222	,	,		,	1067		
J FSC	permanent adhesive	330	V	V	V	V	1372	51	

^{*}STANDARD EN 13501-1





LAMINATES

PC500/PC300:

Highly durable laminate aimed specifically for HX500WG2 (see page 126).

PVC-FREE	PU FILMS					
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
DCCOCC	PC500G2 gloss	50	sol- vent-based	DE	1370	50
PC500G2		50	acrylic	PE	1520	50
PC500M	matt	50	sol-		1370	50
M1 ·	Mall	50	vent-based acrylic	PE	1520	50
PC300	eloco	20	sol-	DET	1370	50
N	gloss	30	vent-based acrylic	PET	1520	50

^{*}Standard valid for HX500WG2 + PC500M

PCWOOD01:

Textured wood-effect film with antimicrobial properties (see page 128).

ANTIMICRO	ANTIMICROBIAL PVC-FREE TRANSPARENT CAST FILM									
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM				
PCWOODO1*	alpine wood effect	80	solvent-based acrylic	PE	1520	30				

^{*} Available while stocks last.



TRANSPARENT POLYESTER FILMS:

HEXIS offer a range of anti-graffiti laminates to enhance your projects in respecting the environment (see page 128).

TRANSPA	ARENT P	OLYESTER FILMS	;				
PRODUCT CODE	FINISH	USAGE	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
AG436M R1 R7 M1	matt	anti-graffiti anti-reflective	30	solvent-based acrylic	siliconised paper	1370	50
				solvent-based acrylic		1310	
AG700	gloss	anti-graffiti	36		siliconised paper	1370	50
						1520	
AGCR700		anti-graffiti for	22	reinforced	siliconised	1370	
UV	gloss	laminating UV prints	36	solvent-based acrylic	paper	1520	50
AG900	gloss	anti-graffiti standard anti-scratch	100	solvent-based acrylic	PET	1520	30.5
AG800 F1 M1	gloss	anti-graffiti superior anti-scratch	100	solvent-based acrylic	PET	1520	30-120
PG836		ultra-transparent		solvent-based		1370	
R1 R7	gloss	microperforated anti- graffiti special	36	acrylic	PET	1600	30-120
PG3036UVB		ultra-transparent microperforated anti-		solvent-based		1370	30
R1 R7	gloss	graffiti special, superior UV protection	36	acrylic	PET	1520	



WITH HEXIS, you can help our planet while choosing conformable, highly resistant and durable products for extreme conditions.

P. 80

PRINTABLE FILMS

- > **THE200EVO:** Premium polymeric film with TAKE HEAT EASY® technology
- > TOR3001WG: High-opacity monomeric film
- > EASYSTIKCG/WS: Repositionable film, available in white and transparent
- > HW301WM1: Textured anti-slip film for floor

markings, R10

- > POD225SOLV: Non-adhesive backlit film for light boxes
- > PM150V2: Non-adhesive paper for posters and notices

P. 121

LAMINATES

- > PC300: PU gloss laminate
- > V850B: Polymeric gloss laminate
- > V740M: Hybrid matt laminate
- > VRK Series, motorbike kit special: VRK300M and VRK300B monomeric laminate, matt and gloss

P. 137

DECORATION

- > **VWOODO2:** Textured, wood-effect polymeric laminate
- New HEX'PERIENCE designs
- > P6000 super-gloss polyester film for window graphics: P6871SB (gold), P6872SB (rose gold)

P. 151 FILMS FOR TEXTILES

- > **SPEEDCUT:** Plotter flex with adhesive liner, ultra-fast transfer
- COLORCUT: Plotter flex with very slightly adhesive liner
- > METALCUT: Metal-effect plotter flex, gloss
- > **GLOWCUT:** Photoluminescent plotter flex, visible day and night
- > NYLCUT: Special plotter flex for nylon
- > BLOCKCUT: Plotter flex for dye-sublimated fabrics
- > SILKPRINT: Printable flex, ultra-fast transfer, silky feel
- > NYLPRINT: Printable flex for nylon
- > BLOCKPRINT: Printable flex for dye-sublimated fabrics



BODYWORK PROTECTION

- BODYFENCEX: Self-healing film with X technology, 150 μm
- BODYFENCEP: Self-healing film with X technology, 180 μm
- > **BFBLACK:** Black opaque self-healing film with X technology
- > BLACKLIGHT: Anti-shock protective film in grey for headlights
- HEXLIGHTS: Protective film in light or dark black for headlights

PROTECTION FOR SURFACES & PEOPLE

- > PROTECTPZ: protective film for touchscreens
- > SP150B and SP150M: protective film for surfaces
- > **PETSAFE:** transparent, non-adhesive protective film for effective protection against projections
- > PURECOVER: removable, transparent microbial protection film for surfaces
- > **GEL05 / SHA05:** hydroalcoholic gel and solution to be used with GELBOTTLE and SHABOTTLE

AUTOMOTIVE SOLAR FILMS

P. 182

P. 191

- > SKYFALL range: Automotive solar colour films
- MAJESTIK range: Premium automotive solar colour films with nano-ceramic technology

VEHICLE FLEETS



HX45MMAB

IARRAKESH BROWN

P. 22

SOUTH SEA BLUE CELESTIAL BLUE HX45NCAB CATECHU BLACK

HX45661S CANYON BRONZE METAL

SILVER

RAINBOW WHITE

METEORITE GREY

HX45RW002B HX45RW889B

DARK GREY

HEXIS offer 2 years of warranty for horizontal applications and 5 years for vertical ones. https://www. hexis-graphics.com/en/warranty/



VEHICLE CUSTOMISATION

> SKINTAC HX30000

P. 24










HX30HC889S HX30SCH13B HX30SCH14B HX30SCH15B HX30SCH14S SUPER CHROME SUPER CHROME SUPER CHROME BONITE BLACK LEMON GREEN ARABICA COPPER LEMON GREEN

HX30SCH15S ARABICA COPPER

> SKINTAC HX20000



PLOTTER FILMS

> SUPTAC HXS5000













GLOSS

> P6000

P. 36





P6871SB GOLD SUPER GLOSS

ROSE GOLD SUPER GLOSS

TOOLS & ACCESSORIES

- > Squeegees for tear-off films: TOCLEAN, TOBLUEMAX
- > CUTOLFA30: Olfa® 30° cutter
- > SNAILCUT: Ergonomic cutter
- > SHAMPCARV2: Car body shampoo
- > Cleaning and maintenance fluids for BODY-FENCE gloss films: BODYRELOAD, BODYSHINE
- > Cleaning and maintenance fluids for SKINTAC gloss films: SHAGRELOAD, SHAGSHINE
- > RSSEAL Series: Protective sealing strip

SPECIALITIES

- > MB800: White removable magnetic film
- > ULX800 retro-reflective films: Approved range with microprismatic technology, specially designed for road signs



WHITE

P. 63



YFIIOW








RIUF







A new high-performance marking range For each textile, a TEXIS solution!

CUTTING FILMS

PRINTING FILMS








CONTENTS

PUREZONE	p. 1	Laminates for displays	p. 1	32
HEXIS receives three certifications	n 4	Laminates for displays Anti-slip laminates for floor graphics Very high durability laminate Dry erase laminate	p. 1	34
100% PVC-free products New for 2021 Receipt, returns, cutting, samples	p. 8 p. 16	Dry erase laminate Lamination tools Special laminate decoration kits	p. 1	35
Receipt, returns, cutting, samples Contents Pictogram legend	p. 18 p. 19	DECORATION SOLUTIONS		
Pictogram legend	p. 20	Decoration Solo Hors		
FULL WRAPS SKINTAC HX45000 SKINTAC HX30000 SKINTAC	p. 22 - 23	HEX'PERIENCE Showroom Printable decoration films		
SKINTAC HX30000SKINTAC	p. 24 - 25 p. 26 - 27	Special finish decoration laminates		
HEXIS DAM	p. 28	Anti-slip decoration laminates	p.146 - 1	47
SMARTAC KG8000 cast film	p. 30 - 31	Dichroic films Printable films for window graphics	p. 14	.48
SUPTAC LIVE FOOD POLYMETIC FILM	p. 32 - 33 p. 34 - 35	Polymeric etched glass film	n 1	49
ECOTAC PLUSED NO POLYMERIC FILM	p. 30 - 37 p. 38 - 39	Removable transparent films Wallpapers & papers	p. 15	50
PVC-FREE ECOLOGICAL CUT ECE3000	p. 40	TEXTILE DECORATION Textile plotter and decoration films	P. 15	51
TB9000s plotter film truck banner special	p. 42 - 43 p. 44 - 45	SPEEDCUT	p. 152 - 19	53
P6000 special polyester film	p. 46	METALCUT FLOCK 200	p. 156 - 1	57
HEXIS DAM. SIGN VINYLS SMARTAC KG8000 cast film SMARTAC EVOLUTION A5000 cast film. SUPTAC S5000 POLYMERIC FILM. SUPTAC HXS5000 POLYMERIC FILM. ECOTAC PLUS E3000+ MONOMERIC FILM. ECOTAC SUPER+ VCRE3000 MONOMERIC FILM. PVC-FREE ECOLOGICAL CUT ECE3000 MICROTAC M2000 monomeric film. TB9000S plotter film truck banner special. B3000 semi-polymeric film banner special. P6000 special polyester film. Filuo F610 polymeric film. CRISTAL C4000 polymeric film. KG15DEPM cast etched glass film. Polymeric classic etched glass films. Polymeric white sparkle etched glass films. Monomeric frosted glass films. Polyester privacy film. Polyester privacy film.	p. 48 - 49	GLITELEY	n 160 - 1	161
Polymeric classic etched glass film	p. 50 p. <u>51</u>	NYLCUT Blockcut for dye-sublimated fabrics Textile plotter and decoration flex films	p. 16	63
Monomeric frosted glass films	p. 52 p. <u>53</u>	GLOWCUT	p. 104 - 10 p. 164 - 10	64
Polyester privacy film	p. 54 p. <u>55</u>	REFLEX Textile printing and decoration films		
		SILKPRINT		
SPECIALTIES. Long-term dry erase films. Self-adhesive blackboard film.	p. 58 - 59	UFLEX7PV2		
Masking film	p. 61	UFLEX5SNYLPRINT		
P8100	p. 62	BLOCKPRINTUFLEXCLEAR		
Approved markings for emergency vehicles	p. 63	Tools for textile decoration		
ULS800 permanent retro-reflective films for road signs. P8100 ULX800 permanent retro-reflective films for road signs	p. 64 p.65	Tools for hot pressing	p. 1	.72
Approved reflective stripes for neavy goods venicle safety	p. 66	Tools for textile film weeding	p. 1	73
N2PAPECPI drawing nanor	n 68	PROTECTION	P. <u>17</u>	75
MB800 magnetic film FM580 self-adhesive magnetic film FF480 self-adhesive ferrous film Double-sided tapes	p. 69 p. 70	CARPROTECT automotive protection films	p. 1	77
FF480 self-adhesive ferrous film Double-sided tapes	p. 71 p. 72 - <u>7</u> 4	Precut automotive protection hims	p. 178 - 1	79
veicro tastening	D. /4	High-put and the addignts	p. 1	181
APPLICATION TAPES	p. 76 - 78	BODYFENCE automotive protection films CARPROTECT automotive protection films HXRI50BGR automotive protection films Precut automotive protection films Protective films for headlights High-performance windscreen protection films SKYFALL automotive solar films MAJESTIK automotive solar films Building protection films	p. 184 - 18	85
DIGITAL PRINTING	P.80	Building protection films	p. 160 - 16 p. 189 - 19	90
Premium cast film banner special	p. 82	TOOLS AND DISPLAYS	p. 191 - 18 P. 1 9	9Z
SKINTAC THE190EVO premium cast film		SHAG application tools	p. 194 - 19	95
200 SERIES polymeric films	p. 86 - 87	Application tools		
240 SERIES polymeric films	p. 88	Removal tools	p. 201 - 20	02
300 SERIES monomeric films	p. 90	Swatchbooks & colour guidance Tools for rolls		
300 SERIES floor films and solution		Tools for cutting	p. 204 - 20	08
4000 SERIES monomeric films	p. 94 - 95	Tools for full wraps Tools for solar films		
PVC-free films		Tools for banner finishing	p. 213 - 2	214
200 SERIES polymeric films with reinforced adhesive	p. 100	Cleaning fluid		
300 SERIES monomeric films with reinforced adhesive Semi-rigid monomeric film with reinforced adhesive		Roll-up displays	p. 2	219
Microperforated polymeric films	p. 103	Self-supporting displaysFolding stand & accessories		
Microperforated monomeric films		Swatchbooks	p. 222 - 22	23
Tools for microperforated films	p. 106	BinderFolder		
Translucent polymeric film		Brochures	p. 224 - 22	29
Transparent monomeric films	p. 109	Documentation Promotional items		
Removable transparent films		Menswear/Womenswear	p. 234 - 23	35
Printable PVC banners	p. 112	Unisex clothing		
Printable diffusing PVC banners		TRAINING		
Media for displays	p. 115	Choosing the right course		
Wallpapers & papers		Choosing the right pack		
Magnetic/ferrous films	p. 112	SignsFull wraps	p. 248 - 2	251
Reflective films		BODYFENCE paint protection film	p. 252 - 25	53
Aqueous films & papers	p. 120	Interior decoration Automotive protection film		
LAMINATES Premium cașt laminates	P. 121	Window graphics film		
Rannor enocial laminatos	n 100	Racing OpticsPure Zone		
High-performance polymeric laminates Polymeric laminates with reinforced adhesive Polymeric hybrid laminate Polymeric hybrid laminate Polymeric hybrid laminate with reinforced adhesive	p. 123	Digital printing		
Polymeric hybrid laminate with reinforced adhesive	p. 124	HEXIS certificationsHEXIS offers 3 certifications		
Monomeric laminates	b. 125	Bodyfence Corner	p. 264 - 26	65
Anti-microbial laminates Special finish laminates	p. 127	THE HEXIS PLUSThe HEXIS plus	p. 268 - 26	69
Laminates for microperforated films Laminates for anti-graffiti films	p. 130	INDEXDESIGNS AND PROJECTS OF OUR CUSTOMERS	p. 270 - 2 p. 274 - 2	73
	P. 101	NOTES	. n 2	76



PICTOGRAM LEGEND

TAKE N HEAT EASY	TAKE HEAT EASY® liner	HEX:PRESS	HEX'Press liner
WHITE ADHESIVE	White adhesive	N	New product
M	Matt finish	S	Satin finish
SOLV	Compatible with solvent-based inks	Éco-s	Compatible with eco-solvent inks
LATEX	Compatible with latex inks	UV	Compatible with UV inks and protective laminates for UV prints
M1	Product rated M1 or NF EN 13501-1	Certified for HP Latex Inks	Certified for use with HP Latex printers
R1	Product rated R1 according to standard EN-45545 (Contact your sales representative for more information)	R7	Product rated R7 according to standard EN-45545 (Contact your sales representative for more information)
EN 13501-1	EUROPEAN CLASSIFICATION ACCORDING TO NF EN 13501-1 (fire resistance rating)		



FILMS FOR FULL WRAPS

SKINTAC HX45000	CAST FILM	 	.22 - 23
SKINTAC HX30000	CAST FILM	 	. 24 - 25
SKINTAC HX20000	CAST FILM	 	.26 - 27
HEYIS DAM			28

CAST FILM

SKINTAC HX45000

3D

LONG-TERM

FULL WRAPS


AUTOMOTIVE FLEETS & BOATS

Fully conformable, **SKINTAC** HX45000 can be easily applied on any indoor or outdoor surface. Its excellent performance and conformability allow it to be used on curved or textured surfaces (welds or rivets). Thanks to its surface sliding properties, it offers easy and time-saving application. Particularly suitable for application on boats.

DATA SHEET

- **HIGH-PERFORMANCE** MULTILAYERED CAST FILM
- FROM 100 TO 150 MICRONS DEPENDING ON PRODUCT CODE
- **HEX'PRESS LINER**
- **63 GLOSS COLOURS**
- 8 SATIN COLOURS 5
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- UP TO 12 YEARS DURABILITY
- WARRANTY OF 2 YEARS (HORIZONTAL) / 5 YEARS (VERTICAL) AGAINST YELLOWING AND CRACKING

HX45000	WIDTH MM	LENGTH LM
RANGE 1	1520	25
RANGE 2	1520	25
RANGE 3	1520	25
DANIOE 4	1370	25
RANGE 4	1520	25



The H∈×'PR∈SS liner is an innovation used by HEXIS for our high-performance films.

INFORMATION



N This pictogram shows new colours

This range is available in gloss and satin Repositionable **HEX**'PRESS





HX45CA890B

INSTALLATION YACHT WRAPPING I FRANCE

HX45284B, HX45532B & HX45108B INSTALLATION YACHT WRAPPING I FRANCE



HEXIS are committed to you and applies a unique principle in the market.

We offer a comprehensive warranty* against yellowing and cracking:

- >5 years in vertical / 2 years in horizontal position on all land vehicles
- > 3 years in horizontal position on boats

^{*} The warranty against yellowing and cracking comes into force from the date of installation by the client according to the terms and conditions specified in "Special Basic Warranty HX45000". Technical data sheet available on www.hexis-graphics.com



















HX45890S

RANGE 2

HX45G004B LAPP SPARKLE WHITE







HX45495B



HX45485B

HX45186B

HX45200B

HX45220B









HX45348B EMERALD GREEN







HX45266S ACID GREEN



DROSERA GREEN







SOUTH SEA BLUE



ABYSSAL BLUE



HX45033B FIRMAMENT BLUE

HX45905B NIGHT BLUE METAL

HX45236S CELESTIAL BLUE

HX45280B PACIFIC BLUE

HX45300B SAPPHIRE BLUE



NIAGARA BLUE









APOLLO BLUE



BLUE

HX45035B TI BLUE

HX45034B TAXI BEIGE



HX45468B

SHARK GREY



DARK GREY











HX45445B



HX45G03S

HX45G04S HX45423B

ARGENTIC GREY

IVORY

HX45432B









CATECHU BLACK SATURN WHITE





ASHEN BEIGE METALLIC





CANYON BRONZE METAL





EBONY SPARKLE BLACK







CHAMELEON

GREY



NEON BLUE



RAINBOW WHITE





BLACK


















^{*} Colour available in 1370 mm only: HX45CA891B

→ CAST FILM

SKINTAC HX30000

3D

LONG-TERM

FULL WRAPS

AUTOMOTIVE DECORATION

SKINTAC HX30000, specially designed for customising vehicles and for decoration, consists of a multilayered cast PVC film and the **H∈**×'PR∈S**S** liner for easy application.

DATA SHEET

- HIGH-PERFORMANCE MULTILAYERED CAST FILM
- FROM 70 TO 280 MICRONS DEPENDING ON PRODUCT CODE
- HEX'PRESS LINER
- **38 GLOSS COLOURS**
- **16 SATIN** COLOURS
- **3 MATT COLOURS**
- **29 CHROME COLOURS**
- **15 TEXTURED PRODUCTS**
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- UP TO 5 YEARS DURABILITY

HX30000	WIDTH MM	LENGTH LM
RANGE 1	1520	25
DANCE 2	1370*	25
RANGE 2	1520	25
RANGE 3	1370	25

^{*} Width available only for HX30CANCOB, HX30AL003B, HX30AL890B.

INFORMATION




N This pictogram shows new colours. This range is available in gloss, matt M or satin S. Range 3 sold cut to size only depending on stock.



To clean and maintain **SKINTAC** gloss films, we recommend our SHAGFINISH Kit. (See page 218)

Colours available in 1370 mm only: HX30CANCOB, HX30AL003B, HX30AL890B.









CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?

HEXIS offer a custom colour service.

Please contact us for more information.



SKINTAC HX30N71M

INSTALLATION MULTISIGN SRL | RUMANIA

SKINTAC HX30SCH02B & HX30SCH02S

INSTALLATION BLYSTRA SIGNS | UK

SKINTAC HX30SCH01B

INSTALLATION BECKER PUBLICITÉ | FRANCE

SKINTAC HX30CAF89S

PHOTO HEXIS AB | SWEDEN

RANGE





HX30BPEB PEARL WHITE

























LAPIS BLUE





CARBON ONE



BLACK FORGED

CARBON



HONEYCOMB

BLACK



GLACIER WHITE

ALLIGATOR



DEEP BLACK

ALLIGATOR



PEARL WHITE CARBON













PETROLEUM CARBON BLACK









RAVEN CARBON



























SUPER CHROME

LIGHT BLUE



SUPER CHROME ROSE GOLD

SUPER CHROME ROSE GOLD













SUPER CHROME BLUE















LIGHT BLUE









HX30SCH12S HX30SCH14S HX30SCH15S SUPER CHROME SUPER CHROME LEMON GREEN ARABICA COPPER



* While stocks last.



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.







→ CAST FILM

SKINTAC HX20000

3D

LONG-TERM

FULL WRAPS

AUTOMOTIVE DECORATION

STANDARD EN 13501-1

Specially designed for full wraps, **SKINTAC HX20000** is a multilayered cast PVC film over 100 microns thick with a **H∈×'PR∈SS** liner. Thanks to its thickness, it preserves its colour even under strong deformation.

DATA SHEET

- **HIGH-PERFORMANCE** MULTILAYERED CAST FILM
- > OVER 100 MICRONS
- **82 GLOSS COLOURS**
- **20 MATT COLOURS**
- **10 SATIN** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- UP TO 6 YEARS DURABILITY
- HEX'PRESS LINER

HX20000	WIDTH MM	LENGTH LM
RANGE 1	1520	25
RANGE 2	1520	25

INFORMATION



N This pictogram shows new colours This range is available in gloss, matt or satin



HEXIS ADVICE



To install films with a gloss finish, we recommend MagicSpray. (See page 216)



To clean and maintain SKINTAC gloss films, we recommend OUr SHAGFINISH Kit. (See page 218)







CUSTOM COLOURS

You didn't find the colour you want in our swatchbook? HEXIS offer a custom colour service.

Contact us for more information



SKINTAC HX20613B INSTALLATION FRATINI GARAGE | ITALY

SKINTAC HX20000 INSTALLATION MOSAIK-WERBETECHNIK | GERMANY

4
ш
U
Z
⋖
œ

N		M		M	N			M	5
HX20001B	HX20002B	HX20002M	HX20003B	HX20003M	HX20500B	HX20889B	HX20890B	HX20NPRM	HX20NPRS
POLAR WHITE	LAPLAND WHITE	LAPLAND WHITE	GLACIER WHITE	GLACIER WHITE	ICE WHITE	COAL BLACK	DEEP BLACK	DEEP BLACK	DEEP BLACK

		S						N		N M
HX20BSAB SATURN WHITE	HX20BLPB LAPP SPARKLE	HX20BNCS NACRE WHITE	HX20BTXB TAXI BEIGE	HX20468B IVORY	HX20BCMB ASHEN BEIGE	HX20P001B ZEUS GOLD	HX20871B GOLD	HX20613B FLUO YELLOW	HX20108B LEMON YELLOW	HX20JJAM JAIPUR YELLOW
M	WHITE	SATIN	N M		METALLIC	N	0025	1200 1222011	M	N
IIV20100M	IIV20100D	HX20123B	IIVOOEAOM	IIVOOIMID	HX20558B	IIV20C14D	IIV2040ED	IIV201CED	IIV201CEM	IIVOCECED
HX20108M LEMON YELLOW	HX20109B SUN YELLOW	DAFFODIL YELLOW	HX20548M FLORIDA YELLOW	HX20JMIB HONEY YELLOW	YELLOW METALLIC	HX20614B FLUO ORANGE	HX20495B URBAN ORANGE	HX20165B MANDARIN RED	HX20165M MANDARIN RED	HX20585B ZENITH ORANGE
	N	N s		N			M		N S	
HX200AUB AURORA ORANGE	HX20615B FLUO RED	HX20615S FLUO RED	HX20485B EMBER RED	HX20R05B RACING RED	HX20186B RUBY RED	HX20200B BLOOD RED	HX20200M BLOOD RED	HX20RGRB GARNET RED	HX20196S ALU RED	HX20PCAB CANDY PINK
			M			N			N	N
HX20RDRB	HX20RINB	HX20220B	HX20220M	HX20518B	HX20008B	HX20V18B	HX20352B	HX20VBYB BYZANTINE	HX20B32B	HX20284B
JELLYBEAN PINK	INDIAN PINK	FUCHSIA	FUCHSIA MATT	MANGA PURPLE	PLUM VIOLET	DAMSON VIOLET	ELDERBERRY PURPLE	VIOLET	JAZZ BLUE	NIAGARA BLUE
		2						3		100
HX20646B YAS MARINA	HX20299B MONTPELLIER BLUE	HX20219S ARA BLUE METALLIC	HX20293B CURAÇAO BLUE	HX20P004B APOLLO BLUE	HX20300B SAPPHIRE BLUE	HX20905B NIGHT BLUE METAL	HX20905M NIGHT BLUE METAL	HX20236S CELESTIAL BLUE	HX20280B PACIFIC BLUE	HX20P005B TRITON BLUE
		M	N					N	N	S
HX20281B	HX20BTIB	HX20BTUM	HX20B11B	HX20BFJB	HX20315B	HX20033B FIRMAMENT	HX20532B	HX20612B	HX20V24B	HX20266S
NIGHT BLUE	TI BLUE	TURQUOISE BLUE	SOUTH SEA BLUE	FJORD BLUE	PIGEON BLUE	BLUE	ABYSSAL BLUE	FLUO GREEN	TOXIC GREEN	ACID GREEN
										•
HX20375B	HX20375M	HX20228B	HX20228M	HX20369B	HX20V16B	HX20348B	HX20V14B SHERWOOD	HX20VAVM ADVENTURE	HX20VMIM	HX20012B
LIGHT GREEN	LIGHT GREEN	WASABI GREEN	WASABI GREEN	APPLE GREEN	DROSERA GREEN	EMERALD GREEN	GREEN	GREEN	MILITARY GREEN	SUMMIT WHITE
				1						
HX20428B CLOUD GREY	HX20877B SILVER	HX20990B METEORITE GREY METAL	HX20990M METEORITE GREY METAL	HX20948B BRONZE GREY METAL	HX20GGIM FROZEN GREY	HX20G06B DUST GREY	HX20445B PEARL GREY	HX20446B ELEPHANT GREY	HX20G03S SANTI GREY METAL	HX20G07B ASTON GREY
S	M		N		M	S	N			
HX20G04S	HX20GANM	HX20423B	HX20432B	HX20MMAB	HX20MMAM	HX20661S	HX20731B	HX20476B	HX20MCAB	HX20N03B
ARGENTIC GREY	ANTHRACITE GREY METAL	SHARK GREY	DARK GREY	MARRAKESH BROWN	MARRAKESH BROWN	CANYON BRONZE METAL	HAVANE BROWN	BROWN	COFFEE BROWN	VAMPIRE BLACK
	M									
HX20NEPB	HX20NEPM	HX20NCAB								
EBONY SPARKLE BLACK	EBONY SPARKLE BLACK	CATECHU BLACK								

^{*} While stocks last.



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.










Explore our new media library **HEXIS DAM**




BROWSE, PUBLISH, SHARE

All resources available for HEXIS Group Partners

https://media.hexisgroup.com

ACCESS
ALL HEXIS
RESOURCES
WITH A SINGLE
CLICK



Aucun preset sélectionné V



SIGN VINYLS

SMARTAC KG8000 CAST FILM	30 - 31
SMARTAC EVOLUTION A5000 CAST FILM	32 - 33
SUPTAC S5000 POLYMERIC FILM	34 - 35
SUPTAC HXS5000 POLYMERIC FILM	36 - 37
ECOTAC PLUS E3000+ MONOMERIC FILM	38 - 39
ECOTAC SUPER + VCRE3000 MONOMERIC FILM	40
PVC-FREE ECOLOGICAL CUT ECE3000	41
MICROTAC M2000 MONOMERIC FILM	42 - 43
TRUCK BANNER SPECIAL TB9000S PLOTTER FILM	44 - 45
BANNER SPECIAL B3000 SEMI-POLYMERIC FILM	46
P6000 POLYESTER FILM	46
FLUO F610 POLYMERIC FILM	47
CRISTAL C4000 POLYMERIC FILM	48
ETCHED GLASS KG15DEPM CAST FILM	50
ETCHED GLASS CLASSIC POLYMERIC FILMS	51
ETCHED GLASS WHITE SPARKLE POLYMERIC FILMS	52
FROSTED GLASS MONOMERIC FILMS	53
POLYESTER PRIVACY FILM	54
TRANSLUCENT T5000 POLYMERIC FILM	55
OPACIFYING BLOCK-OUT POLYMERIC FILM	56

SMARTAC KG8000 CAST FILM

2D+

LONG-TERM

PERMANENT

SMARTAC KG8000 is a cast film offering good conformability on complex surfaces such as rivets or deformations on vans. Great for decorative strips on vehicles as well.

The product is easy to cut and to apply thanks to its good dimensional stability.

DATA SHEET

- **HIGH-PERFORMANCE CAST FILM**
- **50 MICRONS**
- **51 GLOSS COLOURS**
- 2 MATT COLOURS
- CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO 10 YEARS DURABILITY
- SILICONISED KRAFT LINER

KG8000	WIDTH MM	LENGTH LM
RANGE 1	1230	30
RANGE 2	1230	30
RANGE 3	1230	30

INFORMATION



This range is available in gloss and matt .



SMARTAC KG8136B & KG8002B PUBLISFLASH | **FRANCE**

SMARTAC KG8889B G&G WERBETECHNIK ${\sf SWITZERLAND}$





RANGE 1

KG8002B KG8002M
LAPLAND WHITE MATT KG8889B COAL BLACK KG8890B KG8890M

RANGE 2 KG8115B KLEE YELLOW KG8164B* KG8108B* KG8109B KG8123B* KG8136B KG8165B KG8795B* KG8485B KG8187B DAFFODIL YELLOW MUSTARD YELLOW COLOCYNTH ORANGE EMBER RED LEMON YELLOW LOVE RED KG8299B MONTPELLIER BLUE KG8505B KG8300B KG8186B KG8220B KG8PKIB KG8297B KG8293B KG8280B KG8281B GERANIUM RED BURGUNDY FUCHSIA SKY BLUE CURAÇAO BLUE SAPPHIRE BLUE PACIFIC BLUE NIGHT BLUE KIJI PLUM KG8BMEB* KG8532B KG8VPRB KG8VJAB* KG8VJPB* KG8375B KG8369B KG8370B KG8348B KG8336B MEDITERRANEAN BLUE SPRINGTIME GREEN YELLOWED GREEN ABYSSAL BLUE SEEDLING GREEN LIGHT GREEN APPLE GREEN MEADOW GREEN EMERALD GREEN LARCH GREEN KG8302B KG8428B KG8430B KG8445B KG8G02B

E S										
RANGE	KG8963B LIPARI BLUE METALLIC	KG8964B POSEIDON BLUE	KG8961B* LIQUEUR BLUE	KG8965B LAZULI BLUE	KG8990B METEORITE GREY METALLIC	KG8GFUB SMOKEY GREY	KG8879B* TITANIUM GREY	KG8948B* BRONZE GREY METALLIC	KG8875B ROBOT GREY METALLIC	KG8878B MINERAL GREY METALLIC
	KG8870B ONYX BEIGE METALLIC	KG8871B GOLD	KG8877B SILVER							

^{*} While stocks last.

BRAMBLE GREEN



CUSTOM COLOURS

You didn't find the colour you want in our swatchbook? HEXIS offer a custom colour service.

Please contact us for more information.



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.







→ SMARTAC EVOLUTION A5000

CAST FILM

2D+

PVC-FREE

LONG-TERM

PERMANENT

SMARTAC EVOLUTION A5000

is ideally suited for indoor and outdoor signage.

Its high technical performance ensures excellent conformability, allowing it to be applied on concave or convex surfaces. Metallised films should be applied to flat or 2D surfaces only, without stretching.

This range offers easy removal and increased resistance to abrasion compared with PVC films.

DATA SHEET

> HIGH-PERFORMANCE
CAST POLYURETHANE FILM

- > PVC-FREE
- > 60 MICRONS
- > 14 GLOSS COLOURS
- CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE

PVC-

FREE

- > UP TO 10 YEARS DURABILITY
- > SILICONISED KRAFT LINER

A5000	WIDTH MM	LENGTH LM
RANGE 1	1230	30
RANGE 2	1230	30
RANGE 3	1230	30

INFORMATION




This range is available in gloss only.



HEXIS ADVICE

This chlorine-free product is perfect for laser cutters/engravers.





CUSTOM COLOURS

You didn't find the colour you want in our swatchbook? HEXIS offer a custom colour service.

Please contact us for more information.

RANGE 1





Ë 2						
RANGE	A5293B CURAÇAO BLUE	A5280B PACIFIC BLUE	A5348B EMERALD GREEN	A5445B PEARL GREY	A5446B ELEPHANT GREY	

RANGE 3

A5109B SUN YELLOW	A5136B MUSTARD YELLOW	A5165B MANDARIN	A5485B EMBER RED	A5186B RUBY RED	A5200B BLOOD RED	A5476B BROWN











SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.





-• SUPTAC S5000 POLYMERIC FILM

2D

LONG-TERM

PERMANENT

The ultimate multi-purpose product!

SUPTAC S5000 is perfect for panels, totems, outdoor signage, sign boards and vehicle decoration. Application on flat and slightly curved surfaces.

DATA SHEET

- **HIGH-PERFORMANCE POLYMERIC FILM**
- **65 MICRONS**
- **87 GLOSS COLOURS**
- **3 MATT COLOURS**
- CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- UP TO 10 YEARS DURABILITY
- 'BLUE CONTRAST' LINER ON WHITE \$5001B/M FILMS
- SILICONISED KRAFT LINER

S5000	WIDTH MM	LENGTH LM
DANCE 1	1230	20
RANGE 1	1520	30
DANIOE 2	1230	20
RANGE 2	1520	30
DANIOE O	1230	
RANGE 3	1520	30
S5CANB	1520	30

INFORMATION



This range is available in gloss and matt M Some products are available in 1520 mm.



HEXIS ADVICE

To transfer SUPTAC Carbone S5CANB, we recommend to use HEX750 tape.













CUSTOM COLOURS

You didn't find the colour you want in our swatchbook? HEXIS offer a custom colour service.

Contact us for more information

IGE 1	152 \$5001B	S5001M	15 \$5899B	S5899M	157 \$5889B	20 <u>M</u> S5889M
RAN	POLAR WHITE	POLAR WHITE MATT	CRISTAL	TRANSPARENT	COAL BLACK	COAL BLACK MATT

M M		1520		WHITE ADHESIVE		1520				
RANGE	S5108B LEMON YELLOW	S5109B SUN YELLOW	S5123B DAFFODIL YELLOW	S5136B MUSTARD YELLOW	S5137B SAFFRON	S5165B MANDARIN	S50VIF BRIGHT ORANGE	S5048B ORANGE RED	S5179B VERMILION RED	S5795B FIRE RED
	1520	1520		1520				1520		
	S5485B EMBER RED	S5186B RUBY RED	S5193B CARDINAL RED	S5200B BLOOD RED	S5201B WINE RED	S5505B BURGUNDY	S5214B MAGENTA	S5220B FUCHSIA	S5169B FLAMINGO PINK	S5251B LILAC
									1520	
	S5480B ANEMONE PURPLE	S5623B AMETHYST	S5655B LAVENDER FIELD	S5527B PURPLE	S5532B ABYSSAL BLUE	S5303B ONYX BLUE	S5295B NAVY BLUE	S5281B NIGHT BLUE	S5280B PACIFIC BLUE	S5NORB NORDIC BLUE
				1520					1520	
	S5NORB NORDIC BLUE	S5ELEB ELECTRIC BLUE	S5RFXB REFLEX BLUE	S5294B* ULTRAMARINE BLUE	S5288B ADRIATIC BLUE	S5300B SAPPHIRE BLUE	S5293B CURAÇAO BLUE	S5005B OCEAN BLUE	S5299B MONTPELLIER BLUE	S5278B HOLLYHOCK BLUE
	S5297B SKY BLUE	S5298B PERIWINKLE BLUE	S5351B LIME BLOSSOM GREEN	S5332B JADE	S5268B DARK JADE GREEN	S5125B ATOLL BLUE	S5320B TURQUOISE	S5323B FOREST GREEN	S5336B LARCH GREEN	S5348B EMERALD GREEN
			1520							
	S5340B MEDIUM GREEN	S5354B VIVID GREEN	S5370B GRANNY GREEN	S5360B FERN GREEN	S5375B LIGHT GREEN	S5VACB ACACIA GREEN	S5392B OLIVE GREEN	S5498B CAPER GREEN	S5167B PAPRIKA	S5635B LIGHT BROWN
	1520									
	S5476B BROWN	S5461B SAND	S5468B IVORY	S5685B MAGNOLIA	S5B05B ECRU	S5BPAB PANAMA BEIGE	S5GBEB BEIGE GREY	S5404B BROWN GREY	S5GPEB LIGHT PEARL GREY	S5GCLB LIGHT GREY
			1520				1520	1520		
	S5BA01B CREAM	S5205B CLAY GREY	S5428B CLOUD GREY	S5431B MEDIUM GREY	S5443B GREY	S5430B MOUSE GREY	S5445B PEARL GREY	S5446B ELEPHANT GREY	S5059B* SHADOW GREY	S5850B DARK GREY





^{*} Available while stocks last in all widths.



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.







SUPTAC HXS5000

POLYMERIC FILM

2D

LONG-TERM

PERMANENT

The **HXS5000** range offers the same specifications as the **\$5000** range, combining them with the H∈×'PR∈SS liner for even easier application. Application on flat and slightly curved surfaces.

DATA SHEET

- **HIGH-PERFORMANCE POLYMERIC FILM**
- **65 MICRONS**
- **17 GLOSS COLOURS**
- 2 MATT COLOURS
- CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- UP TO 10 YEARS DURABILITY
- HEX'PRESS LINER

HXS5000	WIDTH MM	LENGTH LM
RANGE 1	1230	20
	1520	30
RANGE 2	1230	30
	1520	30
RANGE 3	1230	20
	1520	30
RANGE 4	1520	30

INFORMATION N This pictogram shows new colours. This range is available in gloss and matt M. This range offers the HEX'PRESS liner.








CUSTOM COLOURS

You didn't find the colour you want in our swatchbook? HEXIS offer a custom colour service.

Contact us for more information





















→ ECOTAC PLUS E3000+

MONOMERIC FILM

2D

LONG-TERM

PERMANENT

The ECOTAC PLUS E3000+

film can be cut and weeded with great ease, even for very small lettering.

It's designed for outdoor and indoor signage on flat and smooth surfaces like boards, windows and stands.

DATA SHEET

- > INTERMEDIATE MONOMERIC FILM
- > 80 MICRONS
- > 37 GLOSS COLOURS
- > 33 MATT COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO 6 YEARS DURABILITY
- > SILICONISED KRAFT LINER
- > "BLUE CONTRAST" LINER ON WHITE E3829B/M FILMS

E3000+	WIDTH MM	LENGTH LM
RANGE 1	1230	20
	1520	30
RANGE 2	1230	
	1520	30
RANGE 3	1230	30

INFORMATION




This range is available in gloss and matt M.
Some products are available in 1520 mm.



HEXIS ADVICE

You are looking for an **ECOTAC** product with reinforced adhesive? **VCRE3000** is the answer! See page 40
















CUSTOM COLOURS

You didn't find the colour you want in our swatchbook? HEXIS offer a custom colour service.

Please contact us for more information.



ECOTAC E3000+ PHOTO ILLIMITED EDITION I FRANCE ECOTAC E3000+ PHOTO PRPGND I SPAIN





SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.





ECOTAC SUPER + VCRE3000

MONOMERIC FILM

2D

MEDIUM-TERM

REINFORCED ADHESIVE

PERMANENT

Thanks to its reinforced adhesive, VCRE3000 is particularly recommended for indoor application on walls (such as Placoplatre® BA13, smooth or slightly textured walls) or on low-energy surfaces (polyethylene or polypropylene, e.g. waste containers). Matt and gloss finish.

DATA SHEET

- INTERMEDIATE MONOMERIC FILM
- **80 MICRONS**
- UP TO 6 YEARS DURABILITY
- **2 GLOSS COLOURS**
- 8 MATT COLOURS
- CLEAR REINFORCED SOLVENT-BASED ACRYLIC ADHESIVE
- SILICONISED KRAFT LINER
- "BLUE CONTRAST" LINER ON WHITE VCRE3829M FILM


VCRE3000	WIDTH MM	LENGTH LM
RANGE 1	1230	30
RANGE 2	1230	30

INFORMATION



N This pictogram shows new colours.

This range is available in gloss and matt M















M1





ECOTAC VCRE3889B INSTALLATION ILLIMITED I FRANCE



CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?

HEXIS offer a custom colour service.

Please contact us for more information.

HEXIS CATALOGUE 2021 **■**

PVC-

FREE

M1

→ PVC-FREE

ECOLOGICAL CUT ECE3000

2D

LONG-TERM

REMOVABLE

The Ecological Cut **ECE3000** film is perfect for indoor and outdoor signage.

Free of PVC, chlorine and plasticiser, it offers an ecofriendly solution for projects having to meet ever stricter specifications.

This film is rated B-sI,d0 (EN 13501-1).

Designed for flat and smooth surfaces, it enables a wide variety of applications, including signs and windows.

DATA SHEET

POLYOLEFIN FILM FREE OF PVC CHLORINE AND PLASTICISERS

- **70 MICRONS**
- CLEAR REMOVABLE SOLVENT-BASED ACRYLIC ADHESIVE
- **DURABILITY UP TO 5 YEARS**
- REMOVABLE FOR UP TO 6 MONTHS WITH NO MAJOR TRACES
- AVAILABLE IN BLACK AND WHITE MATT
- SILICONISED KRAFT LINER

WIDTH	LENGTH
MM	LM
1230	30









ECOLOGICAL CUT ECE3004M INSTALLATION ILLIMITED I FRANCE



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.







→ MICROTAC M2000

MONOMERIC FILM

2D

PROMOTIONAL

PERMANENT & REMOVABLE

Our permanent **MICROTAC** film (**MG2000/MM2000**) is the ideal product for shortterm indoor and outdoor applications.

The removable **MICROTAC** film (code ME2000) can be taken off without tiresome cleaning.

DATA SHEET

- MONOMERIC FILM
- **80 MICRONS**
- UP TO 5 YEARS DURABILITY
- MG2000/MM2000: 28 GLOSS COLOURS, 2 MATT COLOURS
- ME2000: 2 MATT COLOURS

PERMANENT MICROTAC MG2000 MM2000	WIDTH MM	LENGTH LM
RANGE 1	1230	50
RANGE 2	1230	50

REMOVABLE MICROTAC ME2000	WIDTH MM	LENGTH LM	
BLACK / WHITE	1230	30	



INFORMATION



Some products are available in matt <u>M</u>.



MICROTAC MG2829 INSTALLATION LA BORNE I FRANCE


















CUSTOM COLOURS

You didn't find the colour you want in our swatchbook? HEXIS offer a custom colour service.

Please contact us for more information.

→ TRUCK BANNER SPECIAL TB9000S

PLOTTER FILM

2D

MEDIUM-TERM

PERMANENT

With excellent flexibility, making it easy to weed, the **TB9000S** film is perfect for creating large lettering (logos, graphics, decorative strips and more). This film offers superior resistance to adverse weather and mechanical stress (e.g. automatic wash programs). Designed for fast application, it also offers strong immediate adhesion, allowing the tape to be removed straight after application.







DATA SHEET

- **CAST** PVC FILM
- **80 MICRONS**
- **ACRYLIC ADHESIVE & KRAFT LINER**
- UP TO 5 YEARS DURABILITY
- **13 SATIN COLOURS**

WIDTH	LENGTH
MM	LM
1230	30







Durability of **TB9990S** & **TB9873S** films: up to



HEXIS ADVICE

The superior quality TB9000S film adapts perfectly to ripples in the banner, working with its deformations and sections that pass under straps. We recommend using HEX904 (see page 76) tape for transferring the film.






CUSTOM COLOURS

You didn't find the colour you want in our swatchbook? HEXIS offer a custom colour service.

Please contact us for more information.













BANNER SPECIAL B3000

SEMI-POLYMERIC FILM

2D

SHORT-TERM

PERMANENT

Very smooth, **B3000** is the ideal product for banners and canopies.

It can be used for communications announcing cultural or sports events, or at the POS, etc.

INFORMATION



Note: B3000 is not suitable for truck banners

DATA SHEET

- > SEMI-POLYMERIC FILM
- > 80 MICRONS
- > 2 SATIN COLOURS
- > UP TO 3 YEARS DURABILITY
- > SILICONISED **KRAFT** LINER

WIDTH	LENGTH
MM	LM
1230	30



→ POLYESTER FILM P6000

SHORT-TERM

PERMANENT

WINDOW GRAPHICS

DECORATION

Our polyester products are decorative films allowing you to create unique visuals. Choose from 6 different finishes: gold gloss

(P6871B) and gold super gloss (P6871SB), rose gold (P6872B) and rose gold super gloss (P6872SB), silver gloss (P6877B) or brushed aluminium (P6870B).
The P6000 polyester film is ideal for flat and smooth surfaces, both indoor and

Its ultra-transparent adhesive makes it an excellent window film, with the design and mirror effect visible from both sides.

DATA SHEET

- > POLYESTER FILM
- > 50 MICRONS
- > 5 CHROME COLOURS
- > 1 BRUSHED ALUMINIUM COLOUR
- > UP TO 1 YEAR DURABILITY
- > SILICONISED KRAFT LINER

P6000	WIDTH MM	LENGTH LM
ROSE GOLD AND SILVER	1230	30
BRUSHED ALU	1230	30





outdoor.

→ FLUO F610

POLYMERIC FILM

HEXIS CATALOGUE 2021 www.hexis-graphics.com

2D

SHORT-TERM

PERMANENT


These fluorescent vinyls are ideal for creating short-term promotional visuals such as trestles, store windows or stands. The 5 colours on offer ensure instant visual impact.

- POLYMERIC FILM
- **80 MICRONS**
- UP TO 6 MONTHS DURABILITY
- **5 FLUORESCENT COLOURS**
- > SILICONISED KRAFT LINER

WIDTH	LENGTH
MM	LM
1230	30











CRISTAL C4000 POLYMERIC FILM

2D

MEDIUM-TERM

PERMANENT

This PVC film is very easy to cut and weed. Specially designed for trendy visuals on shop windows, in boutiques, bars and restaurants, etc.
The polyester liner gives the CRISTAL C4000 film very high transparency, avoiding visual distortion of objects behind.

DATA SHEET

- > POLYMERIC FILM
- > 80 MICRONS
- > 14 GLOSS COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO 5 YEARS DURABILITY
- > SILICONISED PET LINER

WIDTH	LENGTH
MM	LM
1230	30




HEXIS ADVICE BEFORE APPLICATION

For better results, apply transfer paper to the CRISTAL C4000 film before you start.

APPLICATION

For even greater transparency, use the **SHAGFENCE** squeegee (see page 194) and **HEXISGEL** application gel (see page 216).










^{*} While stocks last.





CRISTAL C4387 - CRISTAL C4288 INSTALLATION IDEOPRINT FRANCE

CRISTAL C4249 INSTALLATION CORBUSIERHAUS BERLIN GERMANY

CRISTAL C481 INSTALLATION ILLIMITED FRANCE



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.



→ ETCHED GLASS KG15DEPM

CAST FILM

2D

LONG-TERM

PERMANENT

The **KG15DEPM** film offers real sparkles and a clearer finish than other products from our etched glass range.

- **VERY HIGH-PERFORMANCE CAST FILM**
- **80 MICRONS**
- **ETCHED GLASS CLEAR MATT FINISH WITH SPARKLES**
- SOLVENT-BASED ACRYLIC ADHESIVE
- UP TO 7 YEARS DURABILITY
- > SILICONISED **KRAFT** LINER

WIDTH	LENGTH
MM	LM
1230	30











■ ETCHED GLASS CLASSIC

POLYMERIC FILMS

2D

LONG-TERM

PERMANENT & REMOVABLE (S6DE00)

These etched glass films have the same type of finish but 3 different adhesives.

The **S5DEPM** is the ultimate etched glass film. Suitable for wet application.

The **HX5DEPM** film comes with a textured adhesive

H∈×'PR∈S**S** for better air egress and faster application. This product is for dry application.

The **S6DE00** is a removable etched glass film for temporary applications.

DATA SHEET



- **80 MICRONS**
- **ETCHED GLASS MATT FINISH**
- SOLVENT-BASED ACRYLIC ADHESIVE
- UP TO 8 YEARS DURABILITY
- S5DEPM/S6DE00: SILICONISED KRAFT LINER
- HX5DEPM: HEX'PRESS LINER



HEXIS CATALOGUE 2021

	CODES	WIDTH MM	LENGTH LM
	S5DEPM	1230	20
	M1	1520	30
НХ5ДЕРМ	1230	30	
	1520		
	S6DE00	1230	30

INFORMATION



S6DE00 can be removed for up to 6 months without adhesive residue.





SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.





- POLYMERIC FILMS

ETCHED GLASS WHITE WITH SPARKLES

2D

LONG-TERM

PERMANENT

These etched glass films are ideal for indoor decorations and signage.

They have the same type of finish

but two different adhesives. The **HX5DP03** film comes with a textured adhesive **H∈×**'PR∈SS for better air egress and faster application. This product is for dry application.

- **POLYMERIC** FILMS
- **80 MICRONS**
- UP TO 4 YEARS DURABILITY



- **ETCHED GLASS CLEAR MATT FINISH WITH SPARKLES**
- SOLVENT-BASED ACRYLIC ADHESIVE
- **S5DP03**: SILICONISED **KRAFT** LINER
- HX5DP03: HEXIPRESS LINER

PRODUCT CODE	WIDTH MM	LENGTH LM
S5DPO3	1230	30
HX5DP03	1230	30











MONOMERIC FILMS

FROSTED GLASS

HEXIS CATALOGUE 2021 ■

2D

LONG-TERM

PERMANENT

This self-adhesive film with a frosted glass finish is perfect for all short- to medium-term applications.

The HXE3GIVMV2 film comes with a textured adhesive **H∈**×'PR∈S**S** for better air egress and faster application. This product is for dry application.





DATA SHEET

- **MONOMERIC** FILM
- **80 MICRONS**
- UP TO 3 YEARS DURABILITY
- FROSTED GLASS MATT FINISH
- SOLVENT-BASED ACRYLIC ADHESIVE
- E3GIVMV2: SILICONISED KRAFT LINER
- HXE3GIVMV2: HEX'PRESS LINER

PRODUCT CODE	WIDTH MM	LENGTH LM
E3GIVMV2	1230	50
	1520	50
HXE3GIVMV2	1230	
	1520	50









SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.



→ POLYESTER

PRIVACY FILM

2D

LONG-TERM

PERMANENT

DSVG180 is a decorative film for indoor applications on glass.

It has a 'Venetian blinds' look with etched glass, greyed 18 mm wide stripes, spaced by 6 mm.

DATA SHEET


- **POLYESTER** FILM
- **40 MICRONS**
- UP TO 10 YEARS DURABILITY
- **GREYED ETCHED GLASS STRIPES**

PRODUCT	WIDTH	LENGTH
CODE	MM	LM
DSVG180	1523	30



HEXIS ADVICE

This film is applied just like protective films for buildings. For advice on application, we recommend reading our building film application sheet.









→ TRANSLUCENT T5000

POLYMERIC FILM

HEXIS CATALOGUE 2021

2D

LONG-TERM

PERMANENT

T5000 is specially designed for decorating light boxes. Its slightly grained finish ensures perfectly uniform light diffusion for your signs. Thanks to excellent dimensional stability, it can be easily installed. Equally suitable for both Plexiglas® and light diffusing banners. Combine this translucent film with Block-Out to create opaque effects.

DATA SHEET

- INTERMEDIATE TRANSLUCENT POLYMERIC FILM
- **80 MICRONS**
- UP TO 7 YEARS DURABILITY
- **16 SATIN COLOURS**
- SOLVENT-BASED ACRYLIC ADHESIVE
- SILICONISED KRAFT LINER

T5000	WIDTH MM	LENGTH LM
COLOURS	1230	30

B-S1d0 CLASSIFICATION

EN 13501-1





T5053 INSTALLATION ILLIMITED FRANCE

2 T5053 INSTALLATION ILLIMITED **FRANCE**





CUSTOM COLOURS

You didn't find the colour you want in our swatchbook? HEXIS offer a custom colour service.

Please contact us for more information.

→ OPACIFYING BLOCK-OUT

POLYMERIC FILM

2D

LONG-TERM

PERMANENT

BLOCK-OUT is used to make light boxes opaque. It works hand in hand with Translucent T5000.

DATA SHEET

- COLAMINATED POLYMERIC FILM
- > 165 MICRONS
- MAKES LIGHT BOXES OPAQUE
- UP TO 5 YEARS DURABILITY
- 2 MATT COLOURS
- SOLVENT-BASED ACRYLIC ADHESIVE
- SILICONISED KRAFT LINER


PRODUCT	WIDTH	LENGTH
CODE	MM	LM
BOBLANC BONOIR	1230	15 - 30





BONOIR INSTALLATION G&G WERBETECHNIK SWITZERLAND

BOBLANC INSTALLATION ILLIMITED FRANCE





SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.





SPECIALTIES

LONG-TERM DRY ERASE FILMS	58 - 59
SELF-ADHESIVE BLACKBOARD FILM	60
MASKING FILM	61
ULS800 PERMANENT RETRO-REFLECTIVE FILMS FOR ROAD	SIGNS 62
ULX800 PERMANENT RETRO-REFLECTIVE FILMS FOR ROAD	SIGNS 63
P8100	63
APPROVED MARKINGS FOR EMERGENCY VEHICLES	64
APPROVED MARKINGS FOR VEHICLES	64
PRECUT MARKINGS	65
APPROVED REFLECTIVE STRIPES FOR HEAVY GOODS VEHICLE S.	AFETY 66
R3000 DECORATIVE RETRO-REFLECTIVE FILMS	67
N2PAPSILI SILICONISED PAPER	68
N2PAPECRI DRAWING PAPER	68
MB800 MAGNETIC FILM	69
FM580 SELF-ADHESIVE MAGNETIC FILM	70
FF480 SELF-ADHESIVE FERROUS FILM	71
DOUBLE-SIDED TAPE	72 - 74
VELCRO FASTENING	74

→ LONG TERM **DRY ERASE FILMS**

LONG-TERM

PERMANENT

WRITING WITH ERASABLE MARKERS

Writing on these dry-erase films can be erased even after several months. They feature a special varnish coating on top of the PVC. Indoor applications only.

DATA SHEET

DWP001B

- **DRY ERASE WHITE POLYMERIC FILM**
- > 100 MICRONS
- > IDEAL FOR CREATING WRITING BOARDS
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO 5 YEARS DURABILITY
- > ERASABLE FOR UP TO 3 MONTHS
- **PE** LINER
- **STANDARD EN 13501-1**

WIDTH	LENGTH
MM	LM
1370	30

DATA SHEET

DWP002B

- > DRY ERASE TRANSPARENT MONOMERIC FILM
- > 90 MICRONS
- > IDEAL FOR TRANSFORMING A PRINTOUT OR DESIGN INTO A WRITING BOARD
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO 2 YEARS DURABILITY
- > ERASABLE FOR UP TO 3 MONTHS
- > PE LINER

WIDTH	LENGTH
MM	LM
1370	30




HEXIS ADVICE

We recommend to use BIC Velleda® markers. Get a list of compatible markers by downloading the data sheet from our website:

www.hexis-graphics.com.









→ SELF-ADHESIVE BLACKBOARD FILM

LONG-TERM

PERMANENT

WRITING WITH TRADITIONAL CHALK

A true classic! The BBNOIR blackboard film can be used to create schoolstyle or slate-type boards.

It can be cut with a plotter to create original shapes.

DATA SHEET

- > MONOMERIC FILM WITH A BLACK SLATE FINISH
- > 170 MICRONS
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO 2 YEARS INDOOR DURABILITY
- > CAN BE CUT WITH A PLOTTER
- > KRAFT LINER

PRODUCT	WIDTH	LENGTH
CODE	MM	LM
BBNOIR	1230	30



BLACKBOARD INSTALLATION ILLIMITED FRANCE

BLACKBOARD INSTALLATION EXAMPLE






HEXIS ADVICE

The BBNOIR film can be erased easily with a damp, non-abrasive cloth or sponge.

Do not use with chalk markers.

Indoor use only.

For painted substrates, apply to undamaged, original paintwork only.





→ **MASKING** FILMS



The **M1000** stencil is specially designed for sandblasting granite, marble and glass.

DATA SHEET

M1000

- > MONOMERIC FILM
- > 230 MICRONS
- > GREEN COLOUR
- > SEMI-REMOVABLE ADHESIVE

The **STENCIL** version is for smooth surfaces: sheets, walls, etc.

DATA SHEET

STENCIL

- > SEMI-POLYMERIC FILM
- > 80 MICRONS
- > GREY COLOUR
- > REMOVABLE ADHESIVE

For masking canvas, use the **LAMBREQUIN** version. Its flexibility and special adhesive allow it to adapt perfectly to the fibres of the canvas, avoiding paint bleeding.

DATA SHEET

LAMBREQUIN

- > CADMIUM-FREE **POLYMERIC CALENDERED** PVC
- > 70 MICRONS
- > WHITE COLOUR
- > SEMI-REMOVABLE ADHESIVE

PRODUCT CODE	WIDTH MM	LENGTH LM
M1000	1230	30
	1230	20
STENCIL	1520	30
LAMBREQUIN	1230	30







3 LAMBREQUIN MATHEUS COMMUNICATION







PERMANENT RETRO-REFLECTIVE FILMS FOR **ROAD SIGNS**

ULS800

CLASS 2 - STANDARD EN 12899-1

CLASS 2 **RETRO-REFLECTIVE FILM**

MEDIUM LEVEL OF VISIBILITY

VISIBLE UP TO 250 METRES

Made with a honeycomb microbead structure, it is used:

In open countryside, for all signs more than 2 metres high and signs on motorways and trunk roads, whatever their height.

In urban environments, for all signs in areas where the maximum speed limit is 70km/h and at type AB priority roads and junctions (see sign graphic). Road signs covered with **ULS800** films are highly visible both day and night and are especially recommended for sinuous roads.

HEXIS ADVICE

Class 2 films can be used instead of Class 1 films.

For more information on reflection coefficients. download our technical data sheets from our website.

Looking for a printable retro-reflective film?

Take a look at the R85120 film on page 118.


- **RETRO-REFLECTIVE FILM WITH MICROBEADS**
- **6 GLOSS COLOURS**
- **UP TO 10 YEARS DURABILITY**

WIDTH MM	LENGTH LM
610	23
1220	46



^{*} Width 1220 mm x 46 lm unavailable







PERMANENT RETRO-REFLECTIVE FILMS FOR ROAD SIGNS



ULX800

CLASS 2 - STANDARD EN 12899-1

CLASS 2 RETRO-REFLECTIVE FILM

SUPERIOR LEVEL OF VISIBILITY

VISIBLE UP TO 500 METRES

Thanks to its micro-prismatic technology, the ULX800 range significantly improves the perception and visibility of road signs.

Providing over 500 metres of visibility both day and night, it is ideal for areas with difficult traffic conditions.

The retro-reflective signs can be seen up to 800 metres ahead on main roads running straight.

DATA SHEET



- MICROPRISMATIC RETRO-REFLECTIVE FILM
- 5 COLOURS
- UP TO 10 YEARS DURABILITY

WIDTH MM	LENGTH LM
610	23
1220	46





• P8100

CLASS 1 - STANDARD EN 12899-1

CLASS 1 RETRO-REFLECTIVE FILM

LOWEST LEVEL OF VISIBILITY

VISIBLE UP TO 100 METRES

Made from acrylic resin and glass microbeads, this multilayered film is used for roads in open countryside and in urban areas where Class 2 films are not mandatory.

Road signs covered with P8100 films are visible both day and night.

- MULTILAYERED RETRO-REFLECTIVE FILM
- 175 MICRONS
- 7 GLOSS COLOURS
- UP TO 7 YEARS DURABILITY

WIDTH MM	LENGTH LM
610	25
1220	50

						11
P8104 YELLOW	P8106** BLUE	P8107 ORANGE	P8108** GREEN	P8109** BROWN	P8112 WHITE	P8135** RED

^{**} Unavailable in 1220 mm width



APPROVED MARKINGS

FOR EMERGENCY VEHICLES

FLUO YELLOW / **RED REFLECTIVE CHEVRONS**

CLASS B

STANDARD TPESC B 06014

Yellow and red reflective stripes for marking emergency and rescue vehicles, such as fire engines and police cars

Class B TPESC B 06014

The microprismatic technology provids high visibility at long distance (over 800 metres)

INFORMATION



Each kit contains 2 rolls: left and right.

Never combine different types of film on the same vehicle.

PRODUCT CODE	WIDTH MM	LENGTH LM
CHEVS7	140	9 X 2
CHEVS77	280	9 X 2

TPESC B 06014 approval / Class B

Honeycomb microprismatic technology for excellent daytime visibility and longdistance reflective performance.





REFLECTIVE CHEVRONS YELLOW | RED **CLASS B**

FOR VFHICLES APPROVED MARKINGS

WHITE / RED REFLECTIVE **CHEVRONS**

CLASS A & B

STANDARDS TPESC-A 19112 & TPESC-B 5098

Approved by UTAC.

Light and commercial vehicles marked with our approved reflective stripes are highly visible both day and night, improving road traffic safety.

Class A / TPESC-A 19112 Multilayered microbead technology

Class B / TPESC-B 5098 Honeycomb microbead technology

Class A stripes can be used for all works and service vehicles and machinery moving slowly or parked on public roads. More specifically, they are for security and works vehicles travelling in urban areas or on roads with a speed limit below 90 km/h.

Class B stripes ensure visibility from at least 250 metres away. Their honeycomb microbead technology provides a reflection coefficient over and above the minimum legal requirement. Highly visible, they are used on roads where the speed limit is 90 km/h or above.

PRODUCT CODE	WIDTH MM	LENGTH LM
BACS1 CLASS A	140	9 X 2
BACS4 CLASS B	140	9 X 2
BACS44 CLASS B	280	9 X 2



YOUR VISIBILITY = OUR PRIORITY!

DOES YOUR VEHICLE NEED TO STOP OR TRAVEL SLOWLY ALONG THE ROAD?

ACCORDING TO LEGISLATION, IT MUST BE EQUIPPED WITH REFLECTIVE STRIPES ON ALL SIDES!

HEXIS

now offers factory precut marking kits.



Easy to apply and tailored to fit the shape of your vehicle, our kits are available in Class A and Class B (UTAC-approved).

BENEFITS

- Visibility 100 to 500 metres
 UTAC-approved
- High-quality adhesive
- up to 7 years durability



Class A: multilayered microbead technology



Class B: honeycomb microbead technology

APPROVED MARKINGS

REFLECTIVE STRIPES FOR HEAVY GOODS VEHICLE SAFETY

CLASS C - STANDARD ECE104

PRODUCT CODE	WIDTH MM	LENGTH LM
VC104R-21 WHITE	51	50
VC104R-41 YELLOW	51	50
VC104R-51 RED	51	50

Highly visible conspicuity markings play a crucial role in improving road traffic safety. The VC104R range has been approved and meets the legal requirements for the marking of heavy goods vehicles.

Types of vehicle affected: vehicles registered from 1 April 2016 over 3.5 tonnes belonging to one of the following international categories:

- M (transportation of passengers),
- N (transportation of goods),
- O (trailers) exceeding 3.5 tonnes.

These HGVs must be equipped with high-visibility, class C conspicuity markings, which is the highest reflection level. Available in 3 colours:

> YELLOW to be applied on entire vehicle, WHITE to be applied on the sides of the vehicle only, **RED** to be applied on the rear of the vehicle only.

Where to attach the reflective stripes











Minimum 150 cm Minimum 25 cm







Rigid surface

Cylindrical outline

Since 1 January 2021, a measure to improve the safety of vulnerable road users on public roads has been mandatory in France. A warning notice regarding blind spots must be visibly attached to the sides as well as the rear of HGVs over 3.5 tonnes.

There are several products available for this new measure. Please contact the HEXIS sales team.



→ DECORATIVE RETRO-REFLECTIVE FILMS

HEXIS CATALOGUE 2021 www.hexis-graphics.com

R3000

2D

LONG-TERM

PERMANENT


The particularity of these films is that they reflect light. They are perfect for decorative lettering on flat or very slightly curved surfaces. The polyethylene liner offers better dimensional stability and thus avoids curling.

- MULTILAYERED RETRO-REFLECTIVE FILM
- > 100 MICRONS
- **5** COLOURS
- UP TO 3 YEARS DURABILITY

PRODUCT CODE	WIDTH MM	LENGTH LM
R3000	1230	30



^{*} Available while stocks last









→ SILICONISED PAPER **N2PAPSILI**

ASSEMBLY OF LETTERING

Siliconised liner for kit preparation.

DATA SHEET

- > SILICONISED PAPER
- > 137 G/M²
- > UP TO 10 YEARS DURABILITY

PRODUCT	WIDTH	LENGTH
CODE	MM	LM
N2PAPSILI	1230	30

→ DRAWING PAPER **N2PAPECRI**

FOR DRAWING MODELS AND PLANS

For all types of writing.

- > WHITE PAPER
- > 120 G/M²
- > UP TO 10 YEARS DURABILITY

PRODUCT	WIDTH	LENGTH
CODE	MM	LM
N2PAPECRI	1260	





→ MAGNETIC FILM **MB800**

HEXIS CATALOGUE 2021 www.hexis-graphics.com

REMOVABLE ARTWORK

MB800 is a white magnetic film with a magnetised black back. Repositionable, it has a strong magnetic force and will adhere magnetically to a variety of substrates such as vehicle bodies.

DATA SHEET



- > WHITE MAGNETIC FILM WITH MAGNETISED BLACK BACK
- > 850 MICRONS
- > UP TO 2 YEARS INDOOR DURABILITY

	PRODUCT CODE	WIDTH MM	LENGTH LM
N	MB800 620	620	
		1000	5 - 10 - 15



HEXIS ADVICE

Cut by hand only, not suitable for cutting plotters. Please refer to the product data sheet before use. Handle with care.









→ SELF-ADHESIVE MAGNETIC FILM FM580

EASY MAGNETIC MARKING

This film makes any flat surface magnetic. It can be used with the **VF180WM** printable ferrous film (see page 118).

DATA SHEET

- **SMOOTH MAGNETIC NON-PRINTABLE FILM**
- **500 MICRONS**
- **COLOUR BLACK**
- UP TO 2 YEARS INDOOR DURABILITY

PRODUCT	WIDTH	LENGTH
CODE	MM	LM
FM580	1000	




HEXIS HAS DEVELOPED A FULL, **INNOVATIVE RANGE FOR** YOU TO **COMMUNICATE IN AN ORIGINAL** MANNER.



Want to make a surface magnetic so you can apply customised ferrous objects/films?

Use the FM580 self-adhesive magnetic film to make any flat surface magnetic together with the VF180WM printable ferrous film







FM580 + VF180WM INSTALLATION EXAMPLE



→ SELF-ADHESIVE FERROUS FILM **FF480**



EASY MAGNETIC MARKING

This film makes any flat surface ferrous. It can be used with the VM380WM printable magnetic film (see page 118) or any other light magnetic substrate of your choice.

DATA SHEET


- **SMOOTH** NON-PRINTABLE **FERROUS** FILM
- **400 MICRONS**
- COLOUR CHARCOAL
- UP TO 2 YEARS INDOOR DURABILITY

PRODUCT	WIDTH	LENGTH
CODE	MM	LM
FF480	1270	



Want to make a surface ferrous so you can apply customised magnetic objects/films?

Use the FF480 self-adhesive ferrous film to make any surface ferrous together with VM380WM printable magnetic film







→ **DOUBLE-SIDED**TAPE

ACRYLIC TAPES

Suitable for structural bonding on various surfaces: wood, metal, glass and most synthetic materials.

High initial tack and very high ultimate adhesion. These double-sided tapes replace screws and rivets. Perfect sealing. Resistant to UV rays, solvents and humidity.

Applications: advertising totems, mounting beadings, mouldings, emblems and reinforcement parts.

Typical applications for transparent tapes: light boxes, applications on Plexiglas®.

DATA SHEET

TT32611

- **GREY TAPE**
- > THICKNESS 1.1 MM

DATA SHEET

TT32613

- > WHITE TAPE
- > THICKNESS 1.1 MM

DATA SHEET

TT32905

- > TRANSPARENT TAPE
- > THICKNESS 0.5 MM

DATA SHEET

TT32910

- > TRANSPARENT TAPE
- > THICKNESS 1 MM

WIDTH	LENGTH LM							
ММ	TT32611	TT32613	TT32905	TT32910				
9	-	-	30	30				
12	30	30	30	30				
19	30	30	30	30				







PE FOAM TAPES

Suitable for various surfaces: wood, metal, glass and most synthetic materials.

TT21516 is especially suitable for low-energy surfaces like PE and PP.

TT21536 has a rubber adhesive with very high initial

Resistant to UV rays, solvents and humidity.

Applications: mounting beadings, emblems, displays, hooks, cable guides, mirrors.

DATA SHEET

TT21516

- > ANTHRACITE TAPE
- > THICKNESS 1 MM

DATA SHEET

TT21536

- > WHITE TAPE
- > THICKNESS 1 MM


DATA SHEET

TT21546

- WHITE TAPE
- > THICKNESS 0.95 MM

WIDTH		LENGTH LM	
ММ	TT21516	TT21536	TT21546
9	-	-	50
12	50	50	50
19	50	50	50
25	50	_	_











DOUBLE-SIDED **TAPE**

ACRYLIC FILM TAPE

Suitable for structural bonding on various surfaces: wood, metal, glass and most synthetic materials.

High initial tack and very high ultimate adhesion. These double-sided tapes replace screws and rivets. Perfect sealing. Resistant to UV rays, solvents and humidity.

Applications: advertising totems, mounting beadings, mouldings, emblems and reinforcement parts.

Typical applications for transparent tapes: light boxes, applications on Plexiglas®.

DATA SHEET

- TRANSPARENT TAPE
- > THICKNESS 0.25 MM

	PRODUCT CODE	WIDTH MM	LENGTH LM
Ī		12	
	TT13088	19	50
		25	



VELCRO FASTENING

DUO GRIP

Fastening with a readjustable clip: optimal fastening is achieved by pressing the hook structures into each other.

Suitable for both high and low loads. Can hold loads up to 5 times higher than conventional "hook and loop" fasteners.

Easy to release, but resistant to shearing.

Resistant to UV rays and humidity.

Applications: fixing boards, name plates and emblems.

DATA SHEET

- **BLACK TAPE**
- THICKNESS 3.1 MM
- FASTENING THAT CAN BE OPENED AND CLOSED BY PRESSING

PRODUCT	WIDTH	LENGTH		
CODE	MM	LM		
TTGRIP 25		12.5 LM X 2 - 1 LM X 2		







APPLICATION TAPES

APPLICATION TAPES 76 - 78

CHOOSING THE RIGHT TAPE 79

- APPLICATION

TAPES

TRANSPARENT TRANSFER FILMS

CODE	THICKNESS MICRONS	TYPE OF TAPE	TYPE OF ADHESION	RECOMMENDED FOR	WIDTH MM	LENGTH LM
				_	610	100
HEX904	150	smooth thick	HIGH	Large and small lettering Wet application	1000	
					1220	
				_	610	_
HEX905*	110 grained standard		MEDIUM	Small lettering Wet application _	1000	100
					1220	
	ug		MEDIUM Special Kit	Vinyl transfer with _ reinforced adhesive	610	- - 100 -
HEX910		grained			1000	
IILX910		special			1220	
					1500	
	grained MEDIUM standard		Large, medium and small	610	-	
HEX915		MEDIUM	graphics, excl. structured and fluo	1000	100	
			and ituo	1220		
HEX930	86	grained	MEDIUM	ETCHED GLASS _	610	100
HEA930	00	special	Special Kit	DRY APPLICATION	1220	

^{*} Available while stocks last





TRANSFER PAPERS

CODE	THICKNESS MICRONS	TYPE OF TAPE	TYPE OF ADHESION	RECOMMENDED FOR	WIDTH MM	LENGTH LM
		Special Kit		_	610	
HEX100 HEX100I	110	HEX100I branded with	HIGH	Creating kits and transferring digital prints _	1220	100
		hexis logo			1500	
		HEX900I		_	610	
HEX900I*	83	branded with hexis logo	HIGH	Small lettering –	1000*	100
					1220	
HEX901	83		LOW	Applying non-laminated	610	100
HEX901	03	03 -	LOW	digital prints	1220	
	EX902 83 branded			Large lettering	610	100
HEX902		HEX902I	MEDIUM		1000	
HEX902I		hexis logo	MEDIOM		1220	
					1500	
				_	610	
HEX909	135		Very high	Difficult & delicate transfers _	1220	100
					1500	

^{*} Width 1000 mm unavailable for HEX9001.


INFORMATION



Product codes that end in an "i" have a liner printed with HEXIS in a very light grey.

Further cutting possible for specified widths, from 50 mm onwards and by increments of 50 mm, based on original widths.

Special Kit tapes provide better dimensional stability and are intended for markings that need to be stored.



- APPLICATION

TAPES

SPECIAL TRANSFERS

CODE	THICKNESS MICRONS	TYPE OF TAPE	TYPE OF ADHESION	RECOMMENDED FOR	WIDTH MM	LENGTH LM
HEX750	100	smooth	LOW	FLUO F610, SUPTAC CARBONE S5CANB, FLEX BLOCKPRINT	500	25
	50 smooth HIGH		FLEX UFLEX5S -	500		
HEX860		smooth	HIGH	FLEX NYLPRINT FLEX SILKPRINT FLEX UFLEX7PV2 TRANSFER of UV prints	750	- 25
ПЕХООО		SHIOUH			1000	
					1500	
	50 100 smooth HIGH	_	500	_		
HEX960		FLEX UFLEX5S FLEX NYLPRINT	750	- 25		
HEX900		FLEX SILKPRINT FLEX UFLEX7PV2	1000	25		
				-	1500	









BASIC APPLICATION TIPS

Transfer papers are for wet application. Transfer films are for dry application.

TRANSFERRING SMALL LETTERING (SMALLER THAN 1 CM)?

Use a medium-tack tape such as HEX915.

APPLYING IN COLD WEATHER (UNDER 10°C)?

We recommend a high-tack tape.

TRANSFERRING DIGITAL PRINTS?

Use HEX100i transfer paper for kits. You can use it for transferring digital prints with solvent, eco-solvent and UV

TRANSFERRING S5DEPM ETCHED GLASS FILM?

Use HEX100i and HEX930 tapes.

TRANSFERRING LIGHT COLOURED **LETTERING?**

You can use HEX910. A transparent transfer film is preferable so you can better see the light colours.

WANT TO MAKE A KIT?

Use HEX100i, HEX910 or HEX930.

TRANSFERRING FLUO VINYL?

You can use the HEX750.

APPLYING ON A WALL?

HEX910 is perfect for transferring vinyl with reinforced adhesive.

Tip: leave a frame of vinyl on the tape around your cutout.

DIGITAL PRINTING

BANNER SPECIAL PREMIUM CAST FILM	82
SKINTAC THE190EVO PREMIUM CAST FILM	83
100 SERIES PREMIUM CAST FILMS	84 - 85
200 SERIES POLYMERIC FILMS	86 - 87
240 SERIES POLYMERIC FILMS	88
280 SERIES POLYMERIC FILMS	89
300 SERIES MONOMERIC FILMS	90
300 SERIES FILM AND FLOOR SOLUTION	91
3000 SERIES MONOMERIC FILMS	92 - 93
4000 SERIES MONOMERIC FILMS	94 - 95
PVC-FREE FILMS	96 - 97
100 SERIES CAST FILMS WITH REINFORCED ADHESIVE	98 - 99
200 SERIES POLYMERIC FILMS WITH REINFORCED ADHESIVE	100
300 SERIES MONOMERIC FILMS WITH REINFORCED ADHESIVE.	101
SEMI-RIGID MONOMERIC FILM WITH REINFORCED ADHESIVE	102
MICROPERFORATED POLYMERIC FILMS	103
MICROPERFORATED MONOMERIC FILMS	104
SPECIAL MICROPERFORATED FILMS	105

TOOLS FOR MICROPERFORATED FILMS	106
ETCHED GLASS POLYMERIC FILM	108
TRANSLUCENT POLYMERIC FILM	108
TRANSPARENT POLYMERIC FILMS	109
TRANSPARENT MONOMERIC FILMS	109
TRANSPARENT REMOVABLE FILMS	110
NON-ADHESIVE BACKLIT FILMS	111
PRINTABLE PVC BANNERS	112
PRINTABLE DIFFUSING POLYESTERS BANNERS	113
CANVAS	114
MEDIA FOR DISPLAYS	115
WALLPAPERS & PAPERS	116
REPOSITIONABLE FILMS	117
MAGNETIC & FERROUS FILMS	118
REFLECTIVE FILM	118
NON-ADHESIVE PAPERS	119
AQUEOUS RANGE FILMS	120

→ BANNER SPECIAL PREMIUM CAST FILM









LONG-TERM

PERMANENT

The VTB901WG1 film is equipped with a PE liner for superior print quality. Its excellent opacity and adhesion over time ensure perfect, durable results. This film offers a high resistance to adverse weather and mechanical stress (e.g. automatic cleaning). Designed for quick application, it minimizes vehicle downtime.



- TRUCK BANNER FILMS
- > PRINTABLE WHITE FILM, GLOSS
- > HIGH-PERFORMANCE CAST PVC
- > THICKNESS 80 MICRONS
- > ACRYLIC ADHESIVE & PE LINER
- > COMPATIBLE INKS: ECO-SOLVENT, SOLVENT, LATEX AND UV
- > DURABILITY OF UNPRINTED FILM: UP TO 5 YEARS
- > AVAILABLE IN WIDTHS OF **1520 MM** X **45 LM** (OTHER LENGTHS AVAILABLE)

PRODUCT		COMPATIBILITY		WIDTH	LENGTH		
CODE	FINISH	SOLV	Éco-s	LATEX	UV	ММ	LM
VTB901WG1	gloss	V	√	V	√	1520	45

CREATE YOUR OWN 130-micron PRINTED COMPOSITE

Combined with VTB901WG1, the PTB900 laminate extends the composite's durability to up to $5\ years$.

PTB900: Transparent cast PVC laminate, 50 microns

- Gloss (G), matt (M) and satin (S) finish
- Acrylic adhesive & PE liner
- · Available in 1520 mm width x 50 lm

THE HEXIS PLUS



Products compatible with HEXIS banners (FRONTM1EV2, FRONT2V3S, etc.)



HEXIS ADVICE

For easy installation, the VTB901WG1 offers a strong and immediate adhesion.

Make sure to use our HEX904 tape. Once the film is installed, you can remove the tape immediately.

RECOMMENDED LAMINATES

PTB900G	gloss	
РТВ900М	matt	SEE PAGE 122
PTB900S	satin	SEE PAGE 122







THE190EVO INSTALLATION ANSATZ-WERBUNG GERMANY







• **SKINTAC THE190EVO**PREMIUM CAST FILM











LOOKING FOR A HIGH QUALITY CAST FILM THAT'S EASY TO APPLY?

Hexis has developed **THE190EVO**, the next generation of digital printing films, for people just like you.

It offers properties like conformability, adaptability and an **excellent gloss finish**, making it suitable for use in all sorts of scenarios: wraps, vehicle fleets, interior decoration, boat wraps, etc.

THE190EVO can be used with our **PC190** range of high-performance cast laminates (gloss, satin or matt finish) and many more.

 \bigoplus



THE HEXIS PLUS



For optimum durability of the composite, the **laminate** we recommend the most is **PC190**.

Other laminates that can be combined with **THE190EVO**: the **PC500** range (PVC-free, very high protection, UV-resistant), the structured **PCCARBON** range (structured carbon effect) / **PCSTAR** (sparkle effect), etc.

DATA SHEET

- > PRINTABLE WHITE FILM, GLOSS
- > HIGH-PERFORMANCE CAST PVC
- > PERMANENT SOLVENT-BASED GREY ACRYLIC ADHESIVE, WITH A TAKE HEAT EASY® MICRO-STRUCTURE
- > THICKNESS 50 MICRONS
- > FOR INDOOR AND OUTDOOR APPLICATION
- > COMPATIBLE INKS: ECO-SOLVENT, SOLVENT, LATEX AND UV
- > DURABILITY OF UNPRINTED FILM: 10 YEARS (VERTICAL OUTDOOR APPLICATION)
- > AVAILABLE IN WIDTHS OF **1370** AND **1520 MM** X **45 LM** (OTHER LENGTHS AVAILABLE)

PRODUCT		COMPATIBILITY				WIDTH	LENGTH
CODE	FINISH	SOLV	Éco-s	LATEX	UV	ММ	LM
THE190EVO	gloss	V	V	V	V	1370 1520	45







New technology providing low initial tackthanks to the combination of a new solvent-based adhesive and textured liner.

Cast PVC offering extreme conformability for installations on 'tricky surfaces such as rivets, rear-view mirrors, etc.

- Low initial tack
- **Repositionable**, printable cast film





THE190EVO: The Benefits

TAKE HEAT EASY® (THE) combines a **new textured liner** with a **new solvent-based adhesive** to reduce the film's initial tack, making it easier to apply. All installers, including beginners, will love it

Our printable film itself has also been optimised. Like our **HX190WG2** it is still a 50-micron film, but our chemists have integrated a special layer to make it more opaque.

Try it - you'll love it!





→ 100 SERIES

PREMIUM CAST FILMS









3D

LONG-TERM

FULL WRAPS PRINTED

PERMANENT

PRINTABILITY

Compatible with all printing systems

Optimised ink coverage

Alleviates printing flaws due to inaccuracies of the printing system

INSTALLATION PROPERTIES

Multilayered film. Regardless of ink coverage, the tack perceived during installation remains the same.

Thanks to their composition, these films lower the risks associated with installation quality.

EASE OF APPLICATION

You can choose a 30- or 50-micron laminate to optimise the handling and get an easier installation.

100 SERIES	s	WHITE PVC FILM - 50 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	SOLV	OMPA [*]	TIBILIT	TY UV	WIDTH MM	LENGTH LM
V100WG2	gloss	permanent,grey	V	√	√	✓	1370	45

190 SERIE	S	WHITE PVC FILM - 50 MICRONS - HEXTPRESS & HERT LINES					TAKE LINERS	
PRODUCT			C	OMPA	ΓΙΒΙLΙΤ	Υ	WIDTH	LENGTH LM
CODE	FINISH	ADHESIVE	SOLV	ÉCO-S	LATEX	UV	MM	
THE190EVO	gloss	permanent grey or transparent	V	V	V	V	1370 1520	45
HX190WG2 Certified for HP Latex Inks	gloss	permanent grey	V	V	V	V	1370 1520	25-45

RECOMMENDED LAMINATES PC190G2 gloss **PC190S** satin PC190M3 matt PC30G2 gloss **РСЗОМЗ** matt















(

HX190WG2 + PC190G2 PHOTO CRATIVE CONSULT AB SWEDEN

HX190WG2 + PC190M3 DESIGN MONKEY'S SAUCE PHOTO HEXIS FRANCE



HX190WG2 + PC190G2 INSTALLATION THOMA WERBETECHNIK SWITZERLAND







How to install a film on highly irregular surfaces



WHAT NOT TO DO



WHAT TO DO





→ 200 SERIES POLYMERIC FILMS









2D

LONG-TERM

PERMANENT & REMOVABLE

EASE OF APPLICATION

Thanks to the Take Heat Easy technology applied to the Polymeric 200 series, our new **THE200EVO** will provide considerable time savings for your largeformat printing projects,

making it an ideal solution for any 2D projects, particularly those that require fast and accurate fitting of printed graphics.

	THE200 SERIES		WHITE PREMIU	WHITE PREMIUM PVC FILM - 70 MICRONS - TAKE LINER						
	PRODUCT CODE	FINISH	ADHESIVE	SOLV	OMPAT	TIBILIT	Y UV	WIDTH MM	LENGTH LM	
N	THE200EVO	gloss	permanent grey	√	V	V	V	1370 1600	45	

EN13501-1 tested and valid for composite **THE200EVO** and **V750B**

HX200 SERIE	ES	WHITE PVC FILM - 70 MICRONS - HEXTPRESS LINER							
PRODUCT CODE	FINISH	ADHESIVE	SOLV	OMPA1	TIBILIT	TY UV	WIDTH MM	LENGTH LM	
HX200WG2	gloss	permanent low tack grey	V	V	√	√	1370 1600	45	
HX200NTWG2	gloss	permanent standard tack grey	V	V	V	V	1050 1370 1600	45	
HX201WG2	gloss	permanent clear	V	V	√	V	1050 1370	45	









V200 SERIES		WHITE PVC FIL	_M - 70	MIC	RON	IS - I	PE LINER	
PRODUCT	FINISH	ADHESIVE	CO		TIBILIT		WIDTH	LENGTH
CODE			SOLV	ÉCO-S	LATEX	UV	ММ	LM
V200WG1 Certified for HP Latex Inks	gloss	permanent grey	V	V	√	V	1050 1370 1600	45-100
V200WM1	matt	permanent grey	✓	V	√	V	1370 1600	45
V201WG1	gloss	permanent clear	✓	V	V	V	1050 1370 1600	45
V201WM1	matt	permanent clear	V	V	√	√	1370	45
V210WG1	gloss	removable black	✓	V	√	√	1370	45
V211WG1	gloss	removable clear	✓	V	V	V	1370	45

RECOMMENDED LAM	INATES	
V750B	gloss	
V750M	matt	D.
VCR750B reinforced adhesive	gloss for UV printing	SEE PAGE 123
VCR750M reinforced adhesive	matt for UV printing	

INFORMATION

(



For lengths longer than the standard, please contact your local distributor.



V200WG1 + PG3036 INSTALLATION GSDI FRANCE





→ **240 SERIES**POLYMERIC FILMS









2D

LONG-TERM

PERMANENT

You need a durable and printable polymeric film at a fair price?
Our promotional polymeric **240 SERIES** is designed for long-term visual communication on both indoor and outdoor flat surfaces.



V240 SERIES		WHITE PVC FILM - 70 MICRONS - PE LINER							
PRODUCT	FINISH	ADHESIVE	C	OMPA	[IBILIT	Υ	WIDTH	LENGTH LM	
CODE	FINISH	ADHESIVE	SOLV	Éco-s	LATEX	UV	ММ		
V240WG1	gloss	permanent grey	V	V	√	V	1050 1370 1600	45	
V240WM1	matt	permanent grey	V	V	V	V	1050 1370 1600	45	

HX240 SERIE	ES	WHITE PVC F	WHITE PVC FILM - 70 MICRONS - HEXTPRESS LINER							
PRODUCT CODE	FINISH	ADHESIVE	C	OMPAT	ΓΙΒΙLΙΤ	Υ	WIDTH	LENGTH LM		
3051			SOLV	ÉCO-S	LATEX	UV	1-11-1			
HX240WG2 Certified for HP Latex Inks	gloss	permanent grey	V	V	V	V	1050 1370 1600	45		
HX240WM2	matt	permanent grey	V	V	V	V	1050 1370 1600	45		

RECOMMENDED LAM	INATE	
V740B	el e e	□
VCR740B	gloss	SEE PAGE 124









→ 280 SERIES POLYMERIC FILM











EASE OF APPLICATION

With a thickness of 100 microns, the **280 SERIES** offers easy application combined with the durability specific to polymeric films.

2D

LONG-TERM

PERMANENT

V280 SERIES		WHITE PVC FILM - 100 MICRONS - PE LINE				S - PE LINER		
PRODUCT CODE	FINISH	ADHESIVE	SOLV	OMPAT	[IBILIT	TY UV	WIDTH MM	LENGTH LM
V280WG1	gloss	permanent grey	√	V	V	V	1370	45

RECOMMENDED LAM	INATES	
V750B	gloss	
V750M	matt	Ps.
VCR750B reinforced adhesive	gloss for UV printing	SEE PAGE 123
VCR750M reinforced adhesive	matt for UV printing	















→ 300 SERIES

MONOMERIC FILMS









MEDIUM-TERM

FLAT SURFACES

PERMANENT & REMOVABLE

STANDARD EN 13501-1*

* This standard has been tested and is valid for use with laminate V700M for all films from the 300 series



V300 SERIES		WHITE PVC F	WHITE PVC FILM - 100 MICRONS - PE LINER						
PRODUCT			C	OMPA	ΓΙΒΙLΙΤ	Υ	WIDTH	LENGTH LM	
CODE	FINISH	ADHESIVE	SOLV	ÉCO-S	LATEX	UV	ММ		
V300WG1	gloss	permanent grey	V	V	V	V	1050 1370 1600	45	
V300WS1	satin	permanent grey	V	V	V	V	1050 1370 1600	45	
V301WG1	gloss	permanent clear	V	V	V	V	1370 1600	45	
V310WG1	gloss	removable black	V	V	V	V	1370 1600	45	
V311WG1	gloss	removable clear	V	√	V	V	1370 1600	45	

V350 SERIES		WHITE PVC FILM - 80 MICRONS - PE LINER						
PRODUCT FINISH		ADHESIVE	COMPATIBILITY				WIDTH	LENGTH
CODE	FINISH	ADRESIVE	SOLV	ÉCO-S	LATEX	UV	MM	LM
V350WG1	gloss	permanent grey	V	V	V	√	1370 1600	45
V351WG1	gloss	permanent clear	V	V	√	√	1370 1600	45

RECOMMENDED LAMINATES								
V700B	gloss	Б.						
V700M	matt	CEE DAGE 424						
V700S	satin	SEE PAGE 124						





HEXIS CATALOGUE 2021 www.hexis-graphics.com

• 300 SERIES

FILMS AND FLOOR SOLUTION









ANTI-SLIP

SHORT-TERM

FLAT SURFACES

STANDARD EN 13501-1

PERMANENT & REMOVABLE

Film for indoor application on smooth floors with light to moderate footfall. This hexagonal textured film provides extra security against the risk of slipping.



300 SERIE		WHITE PVC F	WHITE PVC FILM - 150 MICRONS						
PRODUCT FINISH		ADHESIVE	C	OMPAT	ΓΙΒΙLΙΤ	Υ	WIDTH	LENGTH	
CODE			SOLV	ÉCO-S	LATEX	UV	ММ	LM	
HW301WM1	Matt	removable	V	V	√	V	1370	30	DIN 51130** R10

" DIN 51130

Standard used in Europe, slip resistance class for shod feet

INFORMATION

(



For lengths longer than the standard, please contact your local distributor.



V300WG1 INSTALLATION ILLIMITED EDITION FRANCE







3

HW301WM1 INSTALLATION HEXIS SAS FRANCE

4

V351WG1 INSTALLATION ILLIMITED FRANCE







→ MONOMERIC FILMS

3000 SERIES









1D

SHORT-TERM

FLAT SURFACES

PERMANENT & REMOVABLE

TOR top opacity range

	TOP OPACITY RANGE		WHITE PVC FILM - 100 MICRONS - KRAFT LINER										
	PRODUCT			COMPATIBILITY							Υ	WIDTH	LENGTH
	CODE	FINISH	ADHESIVE	SOLV	ÉCO-S	LATEX	UV	ММ	LM				
N	TOR3001WG	gloss	permanent clear	V	V	V	V	1050 1370 1600	45				

HX3000 SERIES		WHITE PVC FILM - 100 MICRONS - HEXIPRESS LINER							
PRODUCT		ADHESIVE	C	OMPA	TIBILIT	Υ	WIDTH	LENGTH LM	
CODE	FINISH		SOLV	ÉCO-S	LATEX	UV	ММ		
HX3000WG2	gloss	permanent grey	V	V	V	V	1050 1370 1600	45	
HX3001WG2	gloss	permanent clear	V	√	V	V	1370	45	
HX3001WM2	matt	permanent clear	V	V	√	V	1370	45	





V3000WG INSTALLATION EURHODE I FRANCE







V3000 SERIE	ES	WHITE PVC F	ILM -	100	MIC	RON	IS - KRAFT LIN	NER
PRODUCT			C	OMPA	TIBILI	TY	WIDTH	LENGTH
CODE	FINISH	ADHESIVE	SOLV	ÉCO-S	LATEX	UV	ММ	LM
V3000WG Certified for HP Latex Inks	gloss	permanent grey	V	V	V	V	1050 1370 1520 1600 2000*	45
V3000WM Certified for HP Latex Inks	matt	permanent grey	V	V	V	V	1050 1370 1600	45
V3001WG	gloss	permanent clear	V	V	V	√	1050 1370 1600	45
V3001WM	matt	permanent clear	V	V	V	✓	1050 1370 1600	45
V3100WG	gloss	removable black	V	V	V	✓	1050 1370 1600	45
V3101WG	gloss	removable clear	V	V	V	V	1050 1370 1600	45
V3101WM	matt	removable clear	V	V	V	V	1370	45

^{*}This width is available in multiples of 4 rolls. Available with neutral liner only.

RECOMMENDED LAMINATES									
V700B	gloss								
V700M	matt								
V700S	satin	_							
V65OB	gloss	SEE PAGES 118 & 119							
V650M	matt	311 AGES 110 G 117							
VCR650B reinforced adhesive	gloss for UV printing								
VCR650M reinforced adhesive	matt for UV printing								





→ MONOMERIC FILMS

4000 SERIES









1D

PROMOTIONAL

FLAT SURFACES

PERMANENT

V4000 SERII	ES	WHITE OR TRANSPARENT PVC FILM - 80 MICRONS - PE LINER							
PRODUCT CODE	FINISH	ADHESIVE	SOLV	COMPATIBILITY SOLV (COS) (ATEX (UV)		WIDTH MM	LENGTH LM		
V4001WG1	white gloss	permanent clear	V	V	√	V	1050 1370 1600	45	
V4002CG1	transparent gloss	permanent clear	V	V	✓	V	1050 1370 1600	45	
V4002CM1	transparent matt	permanent clear	V	V	√	V	1050 1370 1600	45	







HEXIS CATALOGUE 2021 www.hexis-graphics.com





For lengths longer than the standard, please contact your local distributor.

TAKE A LOOK AT OUR **TRAINING COURSES!**

For optimum digital printing results, we recommend our dedicated HEXIS training. Theory of digital printing and colour, colour management in the digital graphics chain and the ICC workflow, calibration of various peripheral devices in the digital chain and more.







V3101WM INSTALLATION G&G WERBETECHNIK **SWITZERLAND**

V3100WG INSTALLATION PIXELDECO FRANCE

HX3000WG2 + PCAMPGB INSTALLATION HEXIS SAS FRANCE





→ PVC-FREE FILMS

2D+

LONG-TERM

PERMANENT

M1 FIRE RATING*



What are the benefits of PVC-free films?

These products reduce the impact on the environment thanks to their specific manufacturing process. HEXIS consumes less energy during production. Furthemore, fewer petroleum-based organic materials are used.

HX500WG2 is a 50-micron PVC-free film for 2D+ surfaces.

Recommended laminate

PC500G2 & PC500M offer optimised application thanks to their formulation. Your squeegee glides easily over the laminate, saving time during installation.

Recommended laminate

PL300CG2 is a laminate made of clear 30-micron latex coated with grey pressure-sensitive acrylic adhesive.

* tested and valid for composite **HX500WG2** and **PC500M**























HX500 SERIES		WHITE PVC-FREE FILM - 50 MICRONS - HEXIPRESS LINER							
PRODUCT	FINISH	ADHESIVE	С	OMPAT	BILIT	′	WIDTH	LENGTH LM	
CODE	гіміэп	ADRESIVE	SOLV	ÉCO-S	LATEX	UV	ММ		
HX500WG2	gloss	permanent grey	V	V	V	V	1520	45	

RECOMMENDED LAM	RECOMMENDED LAMINATES									
PC500G2	gloss	D								
PC500M	matt	SEE PAGE 126								
PL300CG2*	gloss	SEE PAGE 120								

^{*} Available while stocks last

	ECOLOGICAL SERIES	PRINT	WHITE PP FILM 80 MICRONS	WHITE PP FILM ECOLOGICAL PF 80 MICRONS					RINT HEXTPRESS		
	PRODUCT	FINISH	ADHESIVE	COMPATIBILITY			Υ	WIDTH	LENGTH		
	CODE	Timon	ADITESIVE	SOLV ÉCO-S LATEX UN		UV	ММ	LM			
N	HXR301EPS	satin	clear reinforced				√	1370	45		

RECOMMENDED LAMINATES

AGCR700

gloss


SEE PAGE 131

A user-friendly printable solution with HEX-PRESS technology. The reinforced adhesive lets you create designs on textured and low-energy surfaces while respecting the environment.

INFORMATION



For lengths longer than the standard, please contact your local distributor.







→ 100 SERIES

CAST FILMS WITH REINFORCED ADHESIVE









WALL WRAPS

LONG-TERM

LOW-ENERGY & COMPLEX SURFACES

These products are especially suited for wall wraps, complex surfaces (rivets, corrugated metal, etc.) and low-energy surfaces (e.g. waste containers).

The combination of ultraconformable cast vinyls and **H∈x**'⊳R∈S**S** technology enables you to achieve the highest quality while reducing installation times.

Get even better results by using our high-performance PC190 and PC30 laminates available in matt, gloss or satin finish.







ITALY















100 SERIE	ES	WHITE PVC FII	WHITE PVC FILM WITH REINFORCED ADHESIVE - 50 MICRONS								
PRODUCT	DUCT FINISH ADI		LINER	C	OMPAT	IBILIT	Υ	WIDTH	LENGTH		
CODE	riidisii	ADHESIVE	EIIVEIX	SOLV	ÉCO-S	LATEX	UV	ММ	LM		
HXR101WG2	gloss	permanent, reinforced, clear	HEX 'PRESS	V	V	V	V	1370	45		
VCSR101WG1	gloss	permanent, super-reinforced, clear	PE	V	V	V	V	1370	45		
VCXR101WG1	gloss	permanent, super-reinforced, clear	PE	V	✓	V	√	1370	45		

RECOMMENDED LAM	RECOMMENDED LAMINATES								
PC190G2	gloss								
PC190S	satin								
PC190M3	matt	SEE PAGE 122							
PC30G2	gloss	SEE PAGE 122							
РС30М3	matt								





•

→ 200 SERIES

POLYMERIC FILMS WITH REINFORCED ADHESIVE









WALL WRAPS

LONG-TERM

LOW-ENERGY & COMPLEX SURFACES

200 SERII	ES	WHITE PVC FILM WITH REINFORCED ADHESIVE - 70 MICRONS - PE LINER									
PRODUCT	FINISH	ADHESIVE	C	OMPAT	[BILIT	Υ	WIDTH	LENGTH			
CODE		7.5	SOLV	ÉCO-S	LATEX	UV	MM	LM			
VCSR200WG1	gloss	permanent, super-reinforced, grey	V	V	√	V	1050 1370	45			
VCSR201WG1	gloss	permanent, super-reinforced, clear	√	V	√	V	1050 1370 1600	45			
VCSR201WM1	matt	permanent, super-reinforced, clear	V	V	√	V	1370	45			
VCXR201WG1	gloss	permanent, extra-reinforced, clear	V	V	√	V	1050 1370	40			
VCSR201DP	gloss	permanent, super-reinforced, clear	V	V	V	V	1370	45			

RECOMMENDED LAMINATES								
V750B	gloss							
V750M	matt	Ps.						
VCR750B	gloss for UV printing	SEE PAGE 123						
VCR750M	matt for UV printing							









→ 300 SERIES



MONOMERIC FILMS WITH REINFORCED ADHESIVE









WALL WRAPS

MEDIUM-TERM

LOW-ENERGY & COMPLEX SURFACES

Specifically designed for covering grained, porous, concrete and brick surfaces, our new monomeric film VCXR301WG1 is suitable for all your indoor and outdoor projects.

300 SERII	Es	WHITE PVC I	WHITE PVC FILM WITH REINFORCED ADHESIVE									
300 SERII	-5	100 MICRON	IS - P	E LII	NER							
PRODUCT			C	OMPA	ΓΙΒΙLΙΤ	Υ	WIDTH	LENGTH				
CODE	FINISH	ADHESIVE	SOLV	ÉCO-S	LATEX	UV	ММ	LM				
VCSR300WG1	gloss	permanent super-reinforced, grey	V	V	V	V	1050 1370 1600	45				
VCSR300WM1	matt	permanent super-reinforced, grey	V	V	V	V	1050 1370 1600	45				
VCSR301WG1	gloss	permanent super-reinforced clear	V	V	V	V	1050 1370 1600	45				
VCSR301WM1	matt	permanent super-reinforced clear	V	V	V	V	1050 1370 1600	45				
VCSR301WS1	satin	Permanent extra-reinforced clear	V	V	√	V	1370 1600	45				
VCXR301WG1	gloss	Permanent extra-reinforced clear	V	√	√	V	1370	30				

RECOMMENDED LAM	RECOMMENDED LAMINATES								
V700B	gloss								
V700M	matt								
V700S	satin	В							
V650B	gloss								
V650M	matt	SEE PAGES 124 & 125							
VCR650B	gloss for UV printing								
VCR650M	matt for UV printing								



VCSR200WG1 INSTALLATION CREATEM | FRANCE



VCSR201WG1 INSTALLATION VERY PRINT | ITALY

VCXR200WG1 INSTALLATION MARILLI & MARTINI | ITALY







→ SEMI-RIGID MONOMERIC FILM

WITH REINFORCED ADHESIVE


WALL WRAPS

SHORT-TERM OR PROMOTIONAL

LOW-ENERGY & COMPLEX SURFACES

> The reinforced adhesive ensures adhesion to irregular, grained and textured substrates or low-energy surfaces (waste containers, concrete, bricks).

CSR25		SEMI-RIGID WHITE PVC FILM - 200 MICRONS - KRAFT LINER								
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY		WIDTH MM	LENGTH LM				
CSR25	matt	permanent, reinforced, clear	√	√			1370	30		







• MICROPERFORATED

POLYMERIC FILMS



2D+

LONG-TERM

PERMANENT



CSR25 PHOTO G&G WERBETECHNIK



(

MICRO2 INSTALLATION BECKER PUBLICITÉ FRANCE

3

MICRO1 PHOTO HEXIS ESPAÑA SPAIN



POLYMER	POLYMERIC FILMS				WHITE GLOSS PVC FILM WITH BLACK BACK							
PRODUCT	THICKNESS	MICRO PERFORATION			COMPATIBILITY			WIDTH	LENGTH			
CODE	MICRONS		ADHESIVE	LINER	SOLV	ÉCO-S	LATEX UV	ММ	LM			
MICDOA			permanent,	PE				1050				
MICRO1	160	30%			\checkmark	\checkmark	V	1370	30			
								1520				
MICRO2								1000	10-30-120			
M1 Certified for	165	32%	permanent, clear	Kraft	\checkmark	\checkmark	V	1370	10-30-90			
HP Latex Inks			22251					1520	10-30			

RECOMMENDED LAMINATE

PC50MICP2

gloss






HEXIS ADVICE

Use polymeric microperforated vinyl so the film adapts perfectly to the curved shape of the rear window.

Recommended laminate: **PC50MICP2**







→ MICROPERFORATED

MONOMERIC FILMS

2D

FLAT GLASS SURFACES

SHORT-TERM

PERMANENT & REMOVABLE

MONOME	RIC FILMS	WHITE GLOSS PVC FILM WITH BLACK BACK								
PRODUCT	THICKNESS	MICRO PERFORATION	ADHESIVE	LINER	COMPATIBILITY				WIDTH	LENGTH
CODE	MICRONS		ADRESIVE	LINER	SOLV	ÉCO-S	LATEX	UV	MM	LM
MICRO170UV	180	40%	removable, clear	PE				V	1370	30
MICRO6	160	30%	permanent, clear	PE	V	V			1370 1520	50

RECOMMENDED LAM	INATE	
PC50MICP2	gloss	SEE PAGE 130













HEXIS CATALOGUE 2021

• MICROPERFORATED SPECIAL FILMS

2D

(

FLAT GLASS SURFACES

PERMANENT & REMOVABLE

SPECIAL FILMS		WHITE GLOSS PVC FILMS WITH BLACK BACK (MICROINSID) TRANSPARENT GLOSS (MICROCGUV)									
PRODUCT	THICKNESS	MICRO	ADJJEGIVE	LINED	COMPATIBIL		COMPATIBILITY		WIDTH	LENGTH	
CODE	MICRONS	PERFORATION	ADHESIVE	LINER	SOLV	ÉCO-S	LATEX	UV	ММ	LM	
MICROINSID M1	140	40%	semi-permanent, clear	PET	√	V			1370	25	
MICROCGUV	145	40%	removable, clear	PET				✓	1372	50	



INFORMATION



MICROINSID is designed for indoor use (glass windows and doors). The printable side is the adhesive side. Thus, it is protected from vandalism and bad weather.

The transparent MICROCGUV film is mirrorprinted.

For further information regarding these products, please refer to the data sheets available on our website.







→ TOOLS FOR

MICROPERFORATED FILMS

PROTECTIVE MESH FOR THE EDGES OF ARTWORK

PRODUCT CODE	THICKNESS MICRONS	TYPE	ADHESIVE	ADHESIVE LINER		LENGTH LM	
FPG836	36	Polyester	permanent	PET	14	30	
FPC50MICP2	50	cast PVC	permanent	PET	14	30	














•





www.hexis-graphics.com



HEXIS SAS - ZI Horizons Sud - CS970003 - 34118 FRONTIGNAN CEDEX - FRANCE - Tel: +33 (0) 4 67 18 08 88



→ POLYMERIC FILM ETCHED GLASS









WINDOW DECORATION

ETCHED GLA	ASS FINISH	PVC FILM - 80 MICRONS - KRAFT LINER							
PRODUCT	FINICH	ADUECIVE	CC	MPA	TIBIL	ΙΤΥ	WIDTH	LENGTH	
CODE	FINISH	ADHESIVE	SOLV	ECO-S LATEX UV		UV	ММ	LM	
		permanent,					1230		
V203EG	matt	clear	V	V	V	V	1520	30	

→ TRANSLUCENT POLYMERIC FILM









LIGHT BOXES


EN 13501-1







V203EG INSTALLATION G&G WERBETECHNIK SWITZERLAND



	TRANSLUCE	NT EFFECT	PVC FILM	PVC FILM - 80 MICRONS - PE LINER								
	PRODUCT CODE	FINISH	ADHESIVE	SOLV	MPA'	TIBIL	ITY W	WIDTH MM	LENGTH LM			
M1	V201TR1	translucent satin	permanent, clear	√	V	V	√	1370	45			







HEXIS CATALOGUE 2021 www.hexis-graphics.com

→ POLYMERIC FILMS

TRANSPARENT









WINDOW GRAPHICS

WINDOWS

LIGHT BOXES

TRANSPARE	NT EFFECT	PVC FILM - 70 MICRONS - PE LINER								
PRODUCT	FINISH	ADHESIVE	co	MPA	ΓIBIL	ITY	WIDTH	LENGTH		
CODE	FINISH	ADHESIVE	SOLV	ÉCO-S	S LATEX UV		ММ	LM		
		permanent,					1370			
V202CG1	gloss	clear	V	V	V	V	1600	45		

→ TRANSPARENT

MONOMERIC FILMS











WINDOWS

LIGHT BOXES

SHORT-TERM







TRANSPARE	NT EFFECT	PVC FILM -						
PRODUCT CODE	FINISH	ADHESIVE	SOLV	COMPATIBILITY SOLV (COS (ATEX UV)			WIDTH MM	LENGTH LM
V302CG1	gloss	permanent,	√	√	√	√	1370	45
V302CGI	gloss	clear	V	V	V	V	1600	45
V252664	ol	permanent,	√	√		. /	1370	45
V362CG1	gloss	clear	V	V	V	V .	1600	45





→ TRANSPARENT REMOVABLE FILMS

WINDOW DECORATION

	TRANSPARE	NT EFFECT		PVC FILM - 80 MICRONS - PET LINER							
	PRODUCT	FINISH	ADHESIVE	co	MPA	ΓΙΒΙLΙ	TY	WIDTH	LENGTH		
	CODE	гиізп	ADHESIVE	SOLV	ÉCO-S	LATEX	UV	ММ	LM		
								1220			
N	VCLEARCG1	gloss	removable, clear	V	V	V	V	1370	50		
								1520			

	ULTRA-TRA	NSPARENT EF	FECT	PET FILM – 75 MICRONS – PET LINER							
	PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY SOLV 6003 LATEX UV	WIDTH MM	LENGTH LM					
M1	PET75CG1	gloss	removable, clear	√	1520	30					





VCLEARCG1
INSTALLATION
ILLIMITED EDITION
FRANCE

PET75CG1 INSTALLATION NEW MEDIA FAB FRANCE

PET75CG1 INSTALLATION HEXIS SAS FRANCE










→ NON-ADHESIVE BACKLIT FILMS

LIGHT BOXES & BUS SHELTERS

	DIFFUSIN	G OPAQUE EFFECT	NO	N-AD	HESI	VE PE	T FILM - 220 MI	CRONS
	PRODUCT CODE	FINISH	SOLV	COMPAT	TIBILITY	v v	WIDTHS MM	LENGTH LM
N	POD225SOLV	satin	✓	√			1372	30

DIFFUSIN	G OPAQUE EFFECT	NON-ADHESIVE PET FILM - 230 MICRONS									
PRODUCT	PRODUCT FINISH		СОМРАТ	 TIBILIT	Y	WIDTH	LENGTH				
CODE	FINISH	SOLV	Éco-s	LATEX	UV	ММ	LM				
						1067	•				
POD220SOLV	gloss	V	√	V	V	1370	30				







PRINTABLE POLYESTER BANNERS

FIRE RATING 1

PVC-COAT	PVC-COATED POLYESTER BANNER												
PRODUCT	VERSION	FINISH	GRAMMAGE	PRINTABLE	CC	MPA	ΓΙΒΙL	ITY	WIDTH	LENGTH			
CODE	VERSION	гімізп	G/M ²	SIDE	SOLV	ÉCO-S	LATEX	UV	ММ	LM			
FRONTM1EV2	promotional	satin	450	outside	√	√	√	√	1370	- 25			
M1	promotionat	Satiii	450	outside	v				1600	25			
FRONT5M1	nvenetienel	satin	340	inside	√	√	√	√	1100	- 50			
M1	promotional	Salifi	340	iriside	v	v	v	v	1370	50			
									1100				
FRONT2V3S	high-perfor- mance	satin	510	inside	V	V	V	V	V	1370	50		
									1600				

CLASSIC

PVC-COAT	TED POLYES	TER BAN	NER										
PRODUCT	VERGION		GRAMMAGE	PRINTABLE	CC	MPA	TIBIL	ITY	WIDTH	LENGTH			
CODE	VERSION	FINISH	G/M ²	SIDE	SOLV	Éco-s	LATEX	UV	ММ	LM			
									760				
FRONT2	high-perfor-	satin	560	outside	√	√	√	√	1060	30			
Certified for HP Latex Inks	mance	Sauri	500	outside	V	V	V	V	1370				
									1620				
									1060				
FRONT2V2B	high-perfor- mance	gloss	550	inside	V	V		\checkmark	1370	50			
									1600				
									1060				
FRONT2V2M	high-perfor- mance	matt	550	inside	V	V		V	1370	50			
									1600				
									1060				
FRONT3V2	intermediate	matt	450	outside	\checkmark	V	V	V	1370	25			
									1600				
									1100				
FRONT4V4	promotional	satin	440	inside	V	√	V	V	√ √	√ ✓	V	1370	50
									1600				

^{*} Available while stocks last





PRINTABLE DIFFUSING POLYESTER BANNERS



DOUBLE-SIDED

PRINTABLE ON BOTH SIDES

BACKLIT APPLICATIONS

PVC-COA	PVC-COATED POLYESTER BANNER												
PRODUCT	VERSION	FINISH	GRAMMAGE	PRINTABLE	COMPATIBILI			ITY	WIDTH	LENGTH			
CODE	VERSION	THUSH	G/M ²	SIDE	SOLV	Éco-s	LATEX	UV	ММ	LM			
	FRONTOPAC high-performance	satin							1020	_			
FRONTOPAC			680	inside outside	V	V	V	✓ .	1370	25			
									1620				
FEDONTOBAC	ONTOPAC promotional matt	matt	610	inside outside	√	√	√	√ ·	1120	- 30			
EFRONTOPAC promotional	matt	010	ii iside outside	•	•	•	٧	1370	30				

SPECIAL RANGE

(

PVC-COAT	ED POLYEST	ΓER BAN	NER							
PRODUCT	TVDE	FINISH	GRAMMAGE	PRINTABLE	CC	MPA	ΓΙΒΙL	ITY	WIDTH	LENGTH
CODE	TYPE	FINISH	G/M ²	SIDE	SOLV	ÉCO-S	LATEX	UV	MM LM	LM
PG450	small mesh	satin	450	outside	√	√		V	1370	- 30
PG450	banner	Sauri	450	outside	V	V		V	1600	30
DIF450	backlit diffus- ing banner	satin	450	outside	V	V	V	V	1370	30
PVC-FREE	POLYESTER	BANNE	R							
	eco-friendly								1020	
JT300M1	phtalate-free, anti-curling, flame retard-	catin	280	outside	√	√	./	√	1370	- 30
M1 f		satin	200	outside	V	V	✓	V	1520*	30
	ant, anti-re- flective								1620	


^{*} width available while stocks last, replaced with 1620 mm width.





REPRODUCTION OF OIL PAINTINGS

CANVAS FOR SHORT-TERM DESIGNS											
PRODUCT CODE	FINISH	GRAMMAGE _ G/M²	SOLV	COMPA	TIBILITY	UV	WIDTH MM	LENGTH LM			
CANVAS3	matt	300	V	√	√	√	1067	20			









HEXIS CATALOGUE 2021 www.hexis-graphics.com

→ MEDIA FOR **DISPLAYS**

POP UP

(

These media are designed for self-supporting displays or roll-up displays.
They can also be used for folding display stands.
POP200ECOS can be used without lamination.
compatible displays:
see our range on pages 220 to 221



OPAQUE FILMS FOR DISPLAYS COMPATIBILITY PRODUCT COMPATIBLE THICKNESS WIDTH LENGTH **FINISH** CODE **DISPLAYS MICRONS** MM LM ROLLPRIMO 914 ROLLECO85 **POPPRIMO** satin 220 30 ROLLECO100 1067 ROLLDOUBLE ROLLPRIMO POP190ECOS 914 ROLLECO85 190 satin 20 ROLLECO100 Certified for HP Latex Inks 1067 ROLLDOUBLE ROLLPRIMO 914 ROLLECO85 POP200ECOS satin 195 30 ROLLECO100 1067 ROLLDOUBLE 914 POP310ECOS satin 315 20 1370 STANDC3X3 POPNC400 420 1270 20 gloss





→ WALLPAPERS & PAPERS









WALL DECORATION

INDOOR APPLICATION

WALL COVE	WALL COVERINGS			APER	-BA	SED,	NON-ADHESIVE		
PRODUCT	PROPERTIES	GRAMMAGE	COMPATIBILITY				WIDTH LEN	LENGTH	
CODE	PROPERTIES	G/M ²	SOLV	Éco-s	LATEX	UV	ММ	LM	
P13003	Dust pattern satin finish	300	V	V	V	V	1300	50	
P13004	Mellow pattern satin finish	300	V	V	V	V	1300	50	

WALL COVE	WALL COVERINGS			PRINTABLE PVC-FREE WALLPAPER - PRE-PASTED							
PRODUCT		THICKNESS	IICKNESS CON		ΓΙΒΙLΙ [.]	ГΥ	WIDTHS	LENGTH			
CODE	PROPERTIES	MICRONS	SOLV	ÉCO-S	LATEX	UV	ММ	LM			
WALLPAPER2*	permanent adhesive	220	./	√	/		1067	54			
りむ FSC	pre-pasted paper	330	V	V	V	V	1372	51			

^{*} STANDARD EN 13501-1

WALL COVE	'TEXTILE' EFFECT SELF-ADHESIVE FABRIC							
PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	Solv	COMPATIBILITY		WIDTH MM	LENGTH LM	
TEXWALLV2	Removable adhesive PET textile	240	√	√	√	√	1370	20











HEXIS CATALOGUE 2021 www.hexis-graphics.com

• **REPOSITIONABLE** FILMS









REMOVABLE COMMUNICATION

ULTRA EASY INSTALLATION

SHORT-TERM

REPOSITIONABLE FILMS										
PRODUCT	FINIGH	THICKNESS	LINED	C	OMPA	ΓΙΒΙLΙΊ	ГΥ	WIDTH	LENGTH	
CODE	FINISH	MICRONS	LINER	SOLV	Éco-s	LATEX	UV	MM	LM	
REPOSTICK*	White matt	180	Kraft	√	√	√	./	1370	50	
M1	White matt	160	NIdit	v	V	V	√ 	1600	50	
LIGHTSTICK*	Transparent gloss	175	PET	√	V	V	V	1370	30	
EASYSTIKWS	White satin	175	PET	√	√	√	V	1370	30	
N	White Satin	1/5	PEI	v	V	V	V	1600	30	
EASYSTIKCG	Tronoporopt aloo	175	PET	V	./	./	√	1370	30	
	Transparent gloss	1/3	PEI	V	V	√	٧	1600	30	

(











^{*} Available while stocks last.

→ MAGNETIC / FERROUS

FILMS

CREATION OF REMOVABLE INDOOR MARKINGS

PRINTAE	PRINTABLE FERROUS FILM FOR APPLICATION ON FM580												
PRODUCT CODE	FINISH	THICKNESS MICRONS	PRINTABLE SIDE	ABLE SIDE COMPATIBILITY		WIDTH	LENGTH LM						
VF180WM	matt	180	outside	√	√		√	1270	30				

PRINTABLE MAGNETIC FILM FOR APPLICATION ON FF480 AND FERROUS SUBSTRATES											
PRODUCT CODE	FINISH	THICKNESS MICRONS	PRINTABLE SIDE	COMPATIBILITY SOLV (COS) (ATEX) (UV)		WIDTH MM	LENGTH LM				
VM380WM	matt	300	outside	√	√	V	√	1270	15		

→ REFLECTIVE

FILM

FOR PROMOTIONAL MESSAGES THAT CAN BE SEEN DAY AND NIGHT

MULTILAY	ERED WHITE	FILM MADE	OF AN ACRYLI	C R	ESIN	IAN	D G	LASS MICRO	DBEADS
PRODUCT	FINICII	THICKNESS	DDINITADI E CIDE	СО	MPA	TIBIL	ITY	WIDTH	LENGTH LM
CODE	FINISH	MICRONS	PRINTABLE SIDE	SOLV	Éco-s	LATEX	UV	ММ	
MLG48512*	aless	117	reflective	√		√	√	1220	10
MLG46512	gloss	11/	reitective	· ·		V	V	1220	50
R85120	gloss	140/160	reflective	V	√	√	√	1220	20

^{*} Available while stocks last









RECOMMENDED FOR INDOOR POSTERS AND NOTICES

NON-A	NON-ADHESIVE PAPERS												
PRODUCT	APPLICATION	FINISH	GRAMMAGE	СО	MPA	ΓΙΒΙLΙ	TY	WIDTH	LENGTH				
CODE	AFFEIGATION	TINIST	G/M ²	SOLV	ÉCO-S	LATEX	UV	MM	LM				
PM150V2	for postors	matt	150	√	√	√		1372	76				
Certified for HP Latex Inks	for posters	matt	150		V	V		1600	76				
P130	for posters	satin	130	√	√	√	√ -	1372	61				
F130	101 posters	Sauri	150				•	1372 1600	01				
P135	for posters	satin	135	√	√	√	√ ·	1370	60				
Certified for HP Latex Inks	101 posters	Sum	100		•		•	1620					
PAP120JF	for posters	fluo yellow matt	120	✓	V	V	√	1370	60				
PAP132DB	for paper notices	satin	130	✓	V	V	V	1372	61				
P210	photo paper	gloss	210	V	V	V		1372	45				







(



(

→ 'AQUEOUS RANGE' FILMS

SELF-ADHESIVE FILMS

These films have a permanent solvent-based acrylic adhesive. Their receptive coatings fix pigment inks perfectly. Designed for both indoor and outdoor prints. They allow you to faithfully reproduce a large range of colours. The main applications are on flat surfaces such as boards, windows, signs and stands, etc.





WHITE	MATT VINYL			AG	QUEOUS INKS		
PRODUCT CODE	USAGE	FINISH	THICKNESS MICRONS	LINER	COMPATIBILITY	WIDTHS MM	LENGTH LM
V890WR*	indoor outdoor	matt	135	Kraft	thermal printing pigment inks	1270	20

(





^{*} Available while stocks last.

LAMINATES

LAMINATES PREMIUM CAST	.122
LAMINATES BANNER SPECIAL	.122
LAMINATES POLYMERIC HIGH-PERFORMANCE	.123
LAMINATES POLYMERIC WITH REINFORCED ADHESIVE	.123
LAMINATES POLYMERIC HYBRID	.124
LAMINATES POLYMERIC HYBRID WITH REINFORCED ADHESIVE	124
LAMINATES MONOMERIC INTERMEDIATE	.124
LAMINATES MONOMERIC	.125
LAMINATES PVC-FREE	.126
LAMINATES ANTIMICROBIAL	.127
SPECIAL FINISH LAMINATES	129
LAMINATES FOR MICROPERFORATED FILMS	.130
LAMINATES ANTI-GRAFFITI	131
LAMINATES FOR DISPLAYS	.132
ANTI-SLIP LAMINATES FOR FLOOR GRAPHICS	.133
LAMINATES VERY HIGH DURABILITY	.134
LAMINATES DRY ERASE	.134
TOOLS FOR LAMINATION	.135
SPECIAL LAMINATE DECORATION KITS	.136

→ LAMINATES

PREMIUM CAST

3D

FULL WRAPS AND WALL WRAPS

LONG-TERM

These laminates are ideal to protecte your digital prints applied on a vehicle. Combined with HX190WG2 or THE190EVO (see page 83 & 84), they offer a 80 to 100-micron composite, which is easier to apply and remove than a non-laminated printed film.

Laminates recommended for the **100 SERIES** (see page 84, or for reinforced products, see page 98).

TRANS	PARENT C	AST PVC	FILMS			
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
PC30G2	gloss	30	solvent based	PE -	1370	25-50
PCSUGZ	gioss	30	acrylic	PE	1520	25-50
РСЗОМЗ	matt	30	solvent based	PE -	1370	50
PCSUMS	matt	30	acrylic	PE	1520	
PC190G2	gloss	50	solvent based	PE -	1370	25-50
PC190G2	gioss	50	acrylic	PE	1520	25-50
PC190M3	matt	50	solvent based	PE -	1370	- 50
PC190M3	matt	50	acrylic	PE	1520	50
PC190S		50	solvent	DE	1370	
	satin 50		based acrylic	PE -	1520	50

LAMINATESBANNER SPECIAL

3D

BANNER SPECIAL

LONG-TERM

Combining **PTB900** with **VTB901WG1** laminates extends the composite's durability to up to 5 years.

	TRANS	TRANSPARENT CAST PVC FILMS										
	PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM					
N	PTB900G	gloss	50	solvent based acrylic	PE	1520	50					
N	РТВ900М	matt										
W	PTB900S	satin										





POLYMERIC HIGH-PERFORMANCE

2D

FLAT & SLIGHTLY CURVED SURFACES

LONG-TERM

Laminates recommended for the **200** & **280 SERIES** (see pages 86 & 89).

TRANS	TRANSPARENT POLYMERIC PVC FILMS											
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM						
V750B		70			1050							
	gloss		solvent based acrylic	siliconised paper	1370	50						
					1600							
	matt	70	solvent based acrylic	_	1050	_						
V750M				siliconised paper	1370	50						
					1600							
Vecop*	alaaa	50	solvent	siliconised_	1370	- 50						
V850B*	gloss		based acrylic	paper	1600	50						

^{*} EN13501-1 tested and valid for composite THE200EVO + V850B

→ LAMINATES

POLYMERIC WITH REINFORCED ADHESIVE

UV PRINTS SPECIAL

The VCR750 SERIES is recommended to laminate UV prints.

(200 and 280 SERIES with or without reinforced adhesive).

	TRANSPARENT POLYMERIC PVC FILMS											
	PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM					
	VCR750B	gloss	70	reinforced solvent based	siliconised	1370	50					
	VCR/50B				paper	1600	50					
	VCR750M	matt	70		siliconised	1370	50					
					paper	1600	50					

INFORMATION



For lengths of 100 lm or more, please contact us.







→ LAMINATES POLYMERIC HYBRID

FLAT SURFACES

MEDIUM-TERM

Laminates recommended for the **240 SERIES** (see page 88).

TRANSPARENT HYBRID PVC FILM											
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM					
V740B					1050						
	gloss	70	solvent based acrylic	siliconised paper _	1370	50					
					1600						
	matt	70			1050						
V740M			solvent based	siliconised paper	1370	50					
			acrylic	1	1600	-					

LAMINATES POLYMERIC H

POLYMERIC HYBRID WITH REINFORCED ADHESIVE

M

FLAT SURFACES

MEDIUM-TERM

Laminate recommended for the **240 SERIES** (see page 88).

ADHESIVE										
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGT				

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
VCR740B	gloss	70	reinforced solvent ased acrylic	siliconised paper	1370	50

→ LAMINATES MONOMERIC INTERMEDIATE

FLAT SURFACES

MEDIUM-TERM

Laminates recommended for the **300** & **3000 SERIES** (see pages 90-93).

TRANS	PARENT	MONOME	MERIC PVC FILMS				
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM	
				_	1050		
V700B	alocc	80	solvent based acrylic	siliconised_ paper	1310	50	
V/00B	gloss	80			1370	50	
					1600		
		80	solvent based acrylic	_	1050	50	
V700M*	matt			siliconised paper _	1370		
					1600		
			solvent	_	1050		
V700S	satin	80	based acrylic	siliconised paper _	1370	50	
			aciyiic		1600		

^{*} EN13501-1 tested and valid as composite with films from the 300 Series



→ LAMINATES **MONOMERIC**

FLAT SURFACES

SHORT-TERM

Laminates recommended for the **3000 SERIES** (see pages 92 - 93); **PM150V2-P135** papers (see page 119). The **VCR650** laminate is recommended to laminate UV prints.

TRANS	PARENT	MONOME	RIC PVC	FILMS		
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
				_	1050	
V650B	aloss	70	solvent based	siliconised _	1370	50
V030B	gloss	70	acrylic	paper	1370	
					1600	
	matt	70	solvent based acrylic	-	1050	
V650M				siliconised paper	1370	50
					1600	
Veneron	alaaa	70	reinforced sovent	siliconised _	1370	
VCR650B	gloss	70	based acrylic	paper	1600	50
VCR650M	matt	70	reinforced solvent ased acrylic	siliconised paper	1370	50

INFORMATION



For lengths of 100 lm or more, please contact us.





V300WG1 + V650M PHOTO IMPULSO GRAFICA E PUBBLICITA' ITALY

→ LAMINATES

PVC-FREE

PVC-FREE FILMS

LONG-TERM

PERMANENT



Laminates recommended for **HX500WG2** films.

PVC-FRE	E PU FILM	S				
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
PC500G2	aloss	50	solvent based	PE -	1370	50
PC300G2	gloss	50	acrylic	PE	1520	30
PC500M**	maatt	50	solvent based	PE -	1370	50
РСЭООМ	matt	50	acrylic	PE	1520	30
DC200		20	solvent	DE -	1370	50
PC300	gloss	30	based acrylic	PE -	1520	50
PL300CG2*	gloss	30	solvent based	PE	1370	50

acrylic

^{*} Available while stocks last.







PC500G2 PHOTO WRAPZONE SWEDEN





→ LAMINATES

ANTIMICROBIAL

MICROBIAL PROTECTION FOR SURFACES THAT DEMAND A HIGH LEVEL OF HYGIENE

STANDARD EN 13501-1

ANTIMICROBIAL TRANSPARENT PVC FILMS											
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM					
PURZONO60B	gloss	60	solvent based acrylic	PE	1370	30					
PURZONO60M	matt	60	solvent based acrylic	PE	1370	30					
PURZONO6OC	ultra- transparent gloss	60	solvent based acrylic	PE	1370	30					

Cast PVC enriched with silver ions (Ag+). Laminates recommended for cast films.

INFORMATION



SPOTLIGHT ON... HEXIS HEALTH

In order to improve hygiene conditions inside buses, the city of Draguignan (France), in partnership with DS Publicité and HEXIS, decided to fit all of their passenger vehicles with an antimicrobial film.

This innovative product neutralises germs on bus handrails.

Concerns about hygiene discourage many people from using public transport.

The antimicrobial film prevents proliferation of bacteria by means of constant anti-bacterial action, thus ensuring protection 24 hours a day, 7 days a week.

The team at DS Publicité fitted this antimicrobial film on the handrails of 10 buses.





- SPECIAL FINISH LAMINATES


DECORATION

	TRANSPARENT POLYMERIC PVC FILM										
	PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM				
UV	VWOOD M1	knotted wood effect	130	solvent based acrylic	siliconised paper	1370	30				
Nw	VWOODO2	wood effect	130	solvent-based acrylic	siliconised paper	1370	30				
Nov	VBRUSHED	brushed effect	130	solvent-based acrylic	siliconised paper	1370	30				

	ANTIMICROBIAL PVC-FREE TRANSPARENT CAST FILM								
	PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM		
PURE	PCWOOD01*	alpine wood effect	80	solvent based acrylic	PE	1520	30		

ANTIMICRO	BIAL TRANS	PARENT CAS	T PVC FILM			
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
PCAMPGB	leather effect fine grain	120	solvent based acrylic	PE	1520	30





	TRANSPAR	ENT CAST P	/C FILMS				
	PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
UV	PCSTARO1G	pearl white sparkle effect, gloss	70	solvent based acrylic	PE	1520	25
UV	PCSTAR03G*	ocean blue sparkle effect, gloss	70	solvent based acrylic	PE	1520	25
UV	PCSTAR01S	pearl white sparkle effect, satin	70	solvent based acrylic	PE	1520	25
UV	PCWALL	mineral wall effect	110	solvent based acrylic	PE	1520	30
UV	PCCARBON	carbon effect, gloss	125	solvent based acrylic	PE	1520	30
UV	PCGATOR	alligator effect	150	solvent based acrylic	PE	1370	30
UV	PCBRUSHED	brushed alu- minium effect	110	solvent based acrylic	PE	1520	30
O OV	PCFORGED	forged carbon effect, gloss	110	solvent based acrylic	PE	1520	30





VWOOD INSTALLATION SOLUJTIONS ECO 360 -CANADA

PCFORGED
INSTALLATION FRANCK RIPOLL
FRANCE

PCBRUSHED
INSTALLATION ILLIMITED
FRANCE

PCWALL INSTALLATION ANSATZ-WERBUNG GERMANY



→ LAMINATES FOR

MICROPERFORATED FILMS

BUILDING WINDOWS

VEHICLE WINDOWS


The **PC50MICP2** laminate is designed for microperforated films on vehicle windows (both flat and curved). Its polyester liner prevents image distortion, giving the product excellent transparency.

PG836 is also designed for flat windows on buildings.

PG3036UVB is designed for flat windows on buildings. Its special composition improves the UV resistance of composites compared to PG836.

ULTRA-TRANSPARENT CAST PVC FILM							
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM	
DCEOMICDS	alaca	50	solvent	DET	1370	30	
PC50MICP2	gloss	50	based acrylic	PET	1520	30	

HIGHLY T	HIGHLY TRANSPARENT POLYESTER FILMS								
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM			
PG836	gloss	36	solvent based acrylic	DET	1370	30-120			
PG656				PET	1520				
DC30361IVD	UVB gloss 36	26	solvent based acrylic	DET	1370	- 30			
PG3036UVB		36		PET	1520				







PC50MICP2 INSTALLATION & PHOTO G&G WERBETECHNIK SWITZERLAND

PG836 INSTALLATION ILLIMITED FRANCE

AG900 PHOTO ALSTOM FRANCE



→ LAMINATES ANTI-GRAFFITI

COLD LAMINATION

EASY CLEANING

	TRANSPA	TRANSPARENT ETFE* FILM						
	PRODUCT CODE	FINISH	USAGE	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
R1 R7 N	AG300	gloss	conformable anti-graffiti	30.5	solvent based acrylic	PET	1370	30

^{*} ethylene tetrafluoroethylene

	TRANSPA	RENT PO	LYESTER FILM:	S					
	PRODUCT CODE	FINISH	USAGE	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM	
R1 R7 M1	AG436M	matt	anti-graffiti anti-reflective	30	solvent based acrylic	siliconised paper	1370	50	
			anti-graffiti	36	solvent based acrylic		1310	50	
	AG700	gloss				siliconised paper	1370		
							1520		
UV	W AGCR700	ACCR700 gloss	gloss	anti-graffiti for	36	reinforced solvent	siliconised _	1370	50
		gioss	laminating UV prints	30	based acrylic	paper	1520	50	
M1	AG900	gloss	anti-graffiti standard anti-scratch	100	solvent based acrylic	PET	1520	30.5	
F1 M1	AG800	gloss	anti-graffiti superior anti-scratch	100	solven based acrylic	PET	1520	30-120	
R1 R7	DCCCC	alasa	ultra-transparent	26	solvent	DET	1370	20.420	
MI W	PG836	gloss	microperforated anti-graffiti special	36	based acrylic	PET -	1520	30-120	
R1 R7	PG3036UVB	PG3036UVB gloss anti-graffiti special, superior UV protection	microperforated	20	solvent	DET	1370		
			36	based acrylic	PET -	1520	30		





→ LAMINATES FOR

DISPLAYS


POP-UP SPECIAL FOR POP190, POP310 AND POPPRIMO

MONOM	MONOMERIC PVC FILMS			EMBOSSED SURFACE			
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM	
PSPOP*	satin	100	solvent	siliconised paper	1060	30	
GFLI130**	satin	130	based acrylic		1370	30	

^{*} Available while stocks last.

The **GFLI130** laminate is designed to reinforce printed graphics on **POP190ECOS** and **POP310ECOS**.

It increases the lifespan of printed indoor floor graphics, protecting them against mechanical stress, and is rated R10 according to the DIN51130 standard.





GFLI130
INSTALLATION
MOON CITY FRANCE
PHOTO
IMAGE CONCEPT

GFLX210 INSTALLATION HEXIS SAS FRANCE



 $^{^{\}prime\prime}$ EN 13501-1 tested and valid as composite with films from the 200 SERIES

→ ANTI-SLIP LAMINATES FOR

FLOOR GRAPHICS

GRAINED EMBOSSED SURFACE

PROTECTION OF FLOOR GRAPHICS

This range, ideal for laminating digital prints, opens up a new communication opportunity: the floor. Also designed to reinforce digital prints and to provide protection from external stresses (abrasion, marks, humidity, etc.).


GFLX210 are rated R11, GFLI130 is rated R10 and GFLI170 are rated R9 according to the DIN51130

according to the DIN51130 standard.

There are various applications: from floor graphics (trade fairs, public areas, supermarkets, etc.) to special protection for items such as reception desks and counters.

	CALENDERED MONOMERIC PVC FILMS*				EMBOSSE	RFACE	DIN 51130**	
	PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM	
	GFLX210	satin	210	solvent based acrylic	siliconised paper	1370	30	R11
V	GFLXR210	satin	210	reinforced solvent based acrylic for UV prints	siliconised r paper	1370	30	R11
	GFLI130	satin	130	solvent based acrylic	siliconised paper	1370	30	R10
	GFLI170	satin	170	solvent based acrylic	siliconised paper	1370	30	R9
V	GFLIR170	satin	170	reinforced solvent based acrylic for	siliconised r paper	1370	30	R9

UV prints







^{*} EN 13501-1 tested and valid as composite with films from the 200 SERIES

→ LAMINATES

VERY HIGH DURABILITY

N

EXTREME UV PROTECTION

LONG-TERM



	PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
)	LHD30G	gloss	30.5	solvent based acrylic	PET	1500	30

Laminates offering very high durability (8 years), specially designed for tropical climates.



- LAMINATES DRY ERASE

FLAT SURFACES

LONG-TERM

This long-term, transparent, dry-erasable laminate can be erased easily for up to 3 months after writing. HEXIS recommends using BIC VELLEDA®-type markers for writing and window cleaners for cleaning. This erasable laminate is for indoor use only.

DRY E	RASABLE	TRANSPA				
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
DW/DOO3B	elece	00	solvent	PF	1370	30
DWP002B	gloss	90	based acrylic	PE	13/0	10







→ TOOLS FOR **LAMINATION**

This silicone paper is used to laminate graphics with an overlap.

SILICON	ISED PAPER		
PRODUCT CODE	GRAMMAGE G/M²	WIDTH MM	LENGTH LM
DADDEDDII	02	1370	- 50
PAPPERDU	82	1600	50





LHD30G PHOTO HEXIS FWI FRANCE

DWP002B LONG TERM DRY ERASE

DWP002B LONG TERM DRY ERASE



→ SPECIAL LAMINATE **DECORATION KITS**

COLD LAMINATION


SHORT & MEDIUM-TERM

PRODUCT WIDTH **THICKNESS LENGTH FINISH ADHESIVE** LINER CODE **MICRONS** MM LM siliconised solvent VRK300B 300 1370 25 gloss based acrylic paper solvent siliconised VRK300M 300 1370 25 matt based acrylic paper solvent siliconised VRK480B 1370 20 480 gloss based acrylic paper

TRANSPARENT MONOMERIC PVC FILMS

These laminates are optimised for cold lamination of digital prints as part of short-term decoration kits for motorcycles, quads, jet skis and many other short-term applications.

These thick laminates are specially engineered to protect logos and graphics against friction and mechanical wear while maintaining perfect transparency.





VRK300B MOTORBIKE KIT INSTALLATION OF COURSE MOTO

VRK480B INSTALLATION JT RACING

VRK300B JETSKI KIT INSTALLATION EKD ENRGY KIT DECO



DECORATIONSOLUTIONS

DECORATION		138 - 139
HEX'PERIENCE SHO'	WROOM	140 - 141
PRINTABLE DECORA	TION FILMS	142 - 143
SPECIAL FINISH DEC	CORATION LAMINATES	144 - 145
ANTI-SLIP DECORA	FION LAMINATES	146 - 147
PRINTABLE FILMS FO	OR WINDOW GRAPHICS	148
DICHROIC FILMS		148
ETCHED GLASS POL	YMERIC FILM	149
41111111111111111111111111111111111111		
REMOVABLE TRANS	PARENT FILMS	149

DECORATION SPECIAL

HEXIS SAS is the first supplier of self-adhesive films to provide a library of large-format textures, infinitely adaptable and in high definition, as a free service.



The material experience by HIXIS



HEX'PERIENCE IS:

- Graphics files
- in large format L = 1300 mm
- H = 3000 mm
- in a range of unique and infinitely adaptable designs
- in high resolution (200 dpi)

THE BENEFITS:

- Less stock
- More added value
- Ease of use
- Infinitely customisable
- Ability to mix the files with each other



APPLICATION EXAMPLE OF VENEZIA PATTERN PHOTO HEXIS SAS

PATTERNS BARCELONA VENEZIA OSLO

OSLO PHOTO GUILHEM CANAL





Which type of adhesive goes with which substrate?

This guide is designed to help you choose which type of printing film to use depending on the substrate to cover. We recommend you do a preliminary test on a small surface.



SMOOTH SHEETS PRINTING V200WG1 LAMINATION polymeric V700M or V750M



STONE PRINTING VCXR101\W/G1 LAMINATION cast PC190 or PCWOOD01



TEXTURED SHEETS PRINTING VCXR101WG1 LAMINATION cast PC190 or PCWOOD01



printing VCSR101WG1 LAMINATION cast PC190 or PCWOOD01



GLASS printing V200WG1 LAMINATION polymeric V700M or V750M



PMMA printing VCI FARCG1 lamination VCLEARCG1



COATING printing VCXR101WG1 lamination PC500M or PC500G2



ASPHALT printing VCXR101WG1 lamination GFLX210



UNTREATED **WOOD** printing VCXR201WG1 lamination V700M or V750M



MELAMINE printing VCSR201WG1 lamination polymeric



MEDIUM printing VCSR201WG1 lamination polymeric



CHIPBOARD printing VCXR201WG1 lamination polymeric



BA13 printing VCSR201WG1 lamination polymeric



GLASS FAB-RIC printing VCSR101WG1 lamination cast



UNTREATED CONCRETE printing VCXR101W/G1 lamination cast



MARBLE protection with BODYFENCE film

TYPE OF LAMINATE	MONOMERIC LAMINATE	INTERMEDIATE LAMINATE	POLYMERIC LAMINATE	CAST LAMINATE	REINFORCED	ANTIMICROBIAL LAMINATE	PVC-FREE LAMINATE
GLOSS FINISH	V650B	V700B	V750B V850B	PC30G2 PC190G2	VCR750B	PURZONO60B	PC500G2
MATT FINISH	V650M	V700M	V750M V740M	PC30M3 PC190M3	VCR650M	PURZONO60M	PC500M
SATIN FINISH	-	-	-	PC190S PCSTAR	-	-	-
DECORATIVE	-	-	VWOOD VWOODO2	PCWOODO1 PCWALL PCAMPGB PCCARBON PCGATOR PCBRUSHED PCSTAR	-	PCAMPGBG PCWOOD01*	-

^{*} Available while stocks last

https://youtu.be/cBOL4QxGp38





HEXISLAUNCHES

HEX'PERIENCE SHOWROOMS


HEXIS S.A.S. is pleased to offer a HEX'PERIENCE SHOWROOM design kit.

PRINTING - CUSTOMISATION - PRESENTATION - SALES - CUSTOMER LOYALTY

HEX'PERIENCE is the only decoration concept to help promote print providers. HEXIS has developed a concept enabling you to work with your customers in developing the kinds of decoration films they want.

To help you showcase everything you have to offer in your showroom, as well as at trade shows, open days and other events, HEXIS has made a kit of printable files available to create your own showroom.

BRING THE HEXIS DECORATION HEX'PERIENCE TO LIFE FOR YOUR CUSTOMERS



If you have any questions, please contact: export@hexis.fr



THE HEX'PERIENCE SHOWROOM KIT CONTAINS:

- > 1 file of wall prints
- > 1 file of floor graphic prints
- > All patterns from the HEX'PERIENCE library in HD
- > All patterns in 16 x 16 cm format for samples
- > HEX'PERIENCE logos
- > A HEX'PERIENCE email signature banner
- > A tutorial video
- > HEXIS decoration videos





SHOWROOM SET-UP GUIDE

A showroom is a platform for any company to showcase a selection of products, with the aim to whet the visitor's appetite, pique his interest and make him want to make a purchase.



Printing film selection
Choose a printing film according to the application substrate and the desired durability. Example: Painted wall for showroom (long durability) = VCSR201WG1.



Download the ICC profile of the selected digital printing film/s
To make sure you use the correct profile for your chosen printing film, the HEXIS ICC profiles can be downloaded on our website: https://www.hexis-graphics.com/en/



Printing / ink drying / lamination

Make sure to allow the necessary drying time depending on the type of ink used (see data sheet on our website).



Preparing the application substrate

Ensure application on a clean substrate without dust, grease or dirt.



Applying the print composite

Please use the correct tools and techniques for your substrate. Example: Use RIVETBRUSH and/or ROLLRIV for application on render.



HEX'PERIENCE pattern presentation platesAfter printing and laminating the pattern samples (16 x 16 cm + edges), we recommend applying them on 1 cm thick PVC plates and then attaching them to the HEX'PERIENCE wall to achieve a more striking display.



Floor Graphics

Choose the printing film based on the type of adhesive best suited to your covering. Example: Smooth concrete = VCXR101WG1 + floor graphics special laminate, DIN 51130 standard. Follow the preceding steps: floor cleaning, printing, ink drying, lamination, application.



HEXIS decoration videos

Show your customers videos of some installation examples to help them visualise their own project. The video tutorial is intended for you, but it could also be useful to help your customers understand the wide range of customisation possibilities HEX'PERIENCE has to offer.



A5 samples for your customers

Help your customers decide using A5 samples.

You can customise these samples with your own logo, as well as offer your customers unique samples you have created with them.



PRINTING FILMS

OUR PATTERNS FOR DOWNLOAD

















WALL WRAPS

LOW-ENERGY &

COMPLEX SURFACES

LONG-TERM

furnishings). The combination of ultraconformable cast vinyls and **H∈**×'PR∈SS technology enables you to achieve the highest quality while reducing

High-performance, textured finish laminates will optimise your results.

installation times.





STOCKHOLM



SAO TOME





BERLIN





DAKAR















The reinforced adhesive ensures adhesion to irregular, grained and textured substrates or lowenergy surfaces (grained surfaces, concrete, bricks).



CHARLESTON

FIRENZE

BOMBAY



CHIAPAS



LONDON













LOUVRE



TROCADERO

BROOKLYN

COSTA CAREYES

BRUSSELS

RIVOLI



EREGION

PAGE

LENGTH

LM

45

45

	VCSR101WG1	gloss	super-reinforced, clear	PE	V	√	√	√	1370	45		
	VCXR101WG1	gloss	permanent, extra-reinforced, clear	PE	V	V	V	√	1370	45		
	200 SERIE	ES	WHITE PVC FILM W	ITH RE	INFC	RCE	DAD	HESIV	E-70 MICRON	IS - PE LINER		
	PRODUCT CODE	FINISH	ADHESIVE	-	SOLV	OMPA (cos)	TIBILI	TY	WIDTH MM	LENGTH LM		
Г	VCSR200WG1	gloss	permanent super-reinforced		✓	√	v/	v/ -	1050	45		
	VOSREGOWAI	91033	grey						1370			
_			permanent						1050			
1	VCSR201WG1	gloss	super-reinforced clear		V	V	V	✓ .	1370	45		
501-			permanent						1600			
5	VCSR201WM1	matt	super-reinforced clear		V	√	√	✓	1370	45		
EN	VCXR201WG1	gloss	permanent extra-reinforced		V	√	V	v -	1050	40		
			clear						1370			
	VCSR201DP	gloss	permanent super-reinforced clear		V	V	V	✓	1370	45		
	300 SERIE	S	WHITE PVC FILM W	ITH RE	INFC	RCE	DAD	HESIV	E - 100 MICRO	NS - PE LINER		
					permanent					-	1050	
	VCSR300WG1	gloss	super-reinforced		V	\checkmark	V	√	1370	45		
			grey						1600			
									1000			
T			nermanent						1050			
-10	VCSR300WM1	matt	permanent super-reinforced		√	√	√	√ ·		45		
501-	VCSR300WM1	matt			V	√	V	√	1050	45		
13501-	VCSR300WM1	matt	super-reinforced grey		V	√	√	√ .	1050 1370	45		
501-	VCSR300WM1 VCSR301WG1	matt	super-reinforced grey permanent super-reinforced		✓✓	√√	√ √	v -	1050 1370 1600	45		
13501-			super-reinforced grey permanent		√ √	✓	√	√ .	1050 1370 1600 1050			
13501-			super-reinforced grey permanent super-reinforced clear		√	✓	√	√ .	1050 1370 1600 1050 1370			
13501-			permanent super-reinforced clear permanent super-reinforced clear		✓	✓✓	✓	v .	1050 1370 1600 1050 1370 1600			
13501-	VCSR301WG1	gloss	super-reinforced grey permanent super-reinforced clear		✓	✓✓	✓	v .	1050 1370 1600 1050 1370 1600	45		
13501-	VCSR301WG1	gloss	permanent super-reinforced clear permanent super-reinforced clear				V V V	· -	1050 1370 1600 1050 1370 1600 1050	45		
EN 13501-	VCSR301WG1 VCSR301WM1	gloss	permanent super-reinforced clear permanent super-reinforced clear permanent super-reinforced clear permanent extra-reinforced	E PVC	√	√	√	√ ·	1050 1370 1600 1050 1370 1600 1370 1600 1370	45		

WHITE PVC FILM WITH REINFORCED ADHESIVE - 50 MICRONS COMPATIBILITY

UV

 \checkmark

LINER

НХ

PΕ

WIDTH

MM

1370

1370



100 SERIES

FINISH

gloss

gloss

ADHESIVE

permanent,

reinforced,

clear permanent,

super-reinforced,

PRODUCT

CODE

HXR101WG2

VCSR101WG1


DECORATION SPECIAL FINISH LAMINATES

				•			
	for outdoor use	for indoor use	cast film	laminate for UV printing	antimicrobia	al film	easy cleaning
	TRANSPARI	ENT POLYMERIC	C PVC FILM				
	PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
	VWOOD VWOODO2	knotted wood effect	130	solvent- based acrylic	siliconised paper	1370	30
	ANTIMICRO	BIAL PVC-FREI	TRANSPA	RENT CAST FILM	1		
	PCWOODO1*	alpine wood effect	80	solvent- based acrylic	PE	1520	30
	ANTIMICRO	BIAL TRANSPA	RENT CAST	FPVC FILM			
	PCAMPGB	leather effect fine grain	120	solvent- based acrylic	PE	1520	30
	TRANSPARI	ENT CAST PVC	FILMS				
	PCSTARO1G	pearl white sparkle effect, gloss	70	solvent- based acrylic	PE	1520	25
	PCSTARO1S	pearl white sparkle effect, satin	70	solvent- based acrylic	PE	1520	25
1-10001	PCFORGED ** **	forged carbon effect, gloss	110	solvent- based acrylic	PE	1520	30
	PCWALL *** ***	mineral wall effect	110	solvent- based acrylic	PE	1520	30
	PCCARBON *** ***	carbon effect, gloss	125	solvent- based acrylic	PE	1520	30
	PCGATOR	alligator effect	150	solvent- based acrylic	PE	1370	30
1 1000 VII	PCBRUSHED *** ***	brushed aluminium effect	110	solvent- based acrylic	PE	1520	30
	TRANSPARI	ENT DRY ERASE	PVC FILM				
	DWPO02B	gloss	90	solvent- based acrylic	PE	1370	30 10
	TRANSPARI	ENT PVC FILM (RAINED E	FECT			
1-10	GFL1170	satin	170	solvent- based acrylic	siliconised paper	1370	30
-10001-1			reinforced solvent- based acrylic for UV prints	siliconised paper	1370	30	

^{*} Available while stocks last.















GRAINED EMBOSSED SURFACE

PROTECTION OF FLOOR GRAPHICS

EN 13501-1


This range of films, ideal for laminating digital prints, opens up a new decoration opportunity: the floor.

GFLX210 are rated R11 and GFLI170 are rated R9 according to the DIN51130 standard.

There are various applications: from floor graphics (trade fairs, public areas, supermarkets, etc.) to special protection for items such as reception desks and counters.

Customise your **indoor/outdoor floors** and choose from our range of certified **anti-slip** laminates.

MONOM	IERIC PVC	FILMS		EMBOSS	ED SURFA	ACE
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
GFLX210	satin	210	solvent- based acrylic	siliconised paper	1370	30
GFLXR210	satin	210	reinforced sol- vent-based acrylic for UV prints	siliconised paper	1370	30
GFLI130	satin	130	solvent- based acrylic	siliconised paper	1370	30
GFLI170	satin	170	solvent- based acrylic	siliconised paper	1370	30
GFLIR170	satin	170	reinforced sol- vent-based acrylic for UV prints	siliconised paper	1370	30



The DIN 51 130 standard determines the anti-slip properties of floor coverings. It is understood by both professionals and private individuals.





HOW TO BUILD YOUR HEX'PERIENCE IN 5 STEPS

NO. 1

Choose your printing film:

Durability, conformability, type of adhesive, indoor/ outdoor display

NO. 2

Download the texture of your choice: Infinitely customise your work via our website www.hexis-graphics.com/en/hexperience

NO. 3

Print

NO. 4

Laminate and/or protect your prints in an original and realistic way.

NO. 5

Apply, All you have to do now is to apply

Explore our dedicated decoration area at: www.hexis-graphics.com/en/hexperience

There you will find the texture library, pictures of completed projects, tips & tricks, the latest trends and lots more



HOW TO IMPORT PATTERNS INTO PHOTOSHOP



NO. 1

download the texture files


NO. 2

In Adobe Photoshop, open your chosen texture file

NO. 3


Select > **select all** (Ctrl + A in Windows / Cmd + A on Mac)

Edit > **Define pattern** (if you like, you can name the new pattern)



NO. 4

Create a new document in the **actual size** of the substrate to be covered at **200 dpi**



NO. 5

Select > select all, then edit > fill with pattern Choose the pattern and validate



WINDOW GRAPHICS









WINDOW GRAPHICS

WINDOWS

LIGHT BOXES

TRANSPARE	NT EFFECT	PVC FILM - 70	O MI	CRC	NS	- PE	LINER	
PRODUCT	FINICIA	ADUECIVE	co	MPA [*]	TIBIL	ITY	WIDTH	LENGTH
CODE	FINISH	ADHESIVE	SOLV	ÉCO-S	LATEX	UV	ММ	LM
V202001	gloss permanent, √ √ √ √	. /	1370	45				
V202CG1			V	V	V	V	1600	45

	TRANSLUCE	NT EFFECT	PVC FILM -	PVC FILM - 80 MICRONS - PE LINER								
	PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY ov cos arx (V)		WIDTH MM	LENGTH LM					
EN 15501-11	V201TR1	translucent satin	permanent, lear	V	√	V	V	1370	45			

• DICHROIC

SPECIALITY FILMS

	PRODUCT CODE	PROPERTIES	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTHLM
M1	MIAMI	dichroic, warm shade	indoor	39 %	72%	10 %	1360	15 - 30,5
N	DUBAI	dichroic, warm shade	outdoor	15 %	64%	N/A	1520	15 - 30,5
N	GLASGOW	dichroic, cool shade	outdoor	16 %	51%	N/A	1520	15 - 30,5



ETCHED GLASS









WINDOW DECORATION

ETCHED (GL <i>A</i>	ASS FINISH	PVC FILM - 8	80 M	IICR	ONS	5 - K	RAFT LINER	
PRODUCT		FINIGH	COMPATIBILITY		TY	WIDTH	LENGTH		
CODE		FINISH	ADHESIVE	SOLV	ÉCO-S	LATEX	UV	ММ	LM
		permanent, clear	,	V	V	,	1230		
V203EG			matt			V	V	1520	30

TRANSPARENT

WINDOW DECORATION

	TRANSPAREI	NT EFFECT	PVC FILM - 80) MI	CRC	NS	- PE	PET LINER			
	PRODUCT	FINICU	ADUECIVE	CC	COMPATIBILITY		TY	WIDTH	LENGTH		
	CODE	FINISH	ADHESIVE	SOLV	SOLV ÉCO-S LATEX U		UV	ММ	LM		
								1220			
N	VCLEARCG1	gloss	removable, clear	V	V	V	V	1370	50		
								1520			

	ULTRA-TRAN EFFECT	ISPARENT	PET FILM - 75 MICRONS - PET LINER							
	PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY SOLV (COS) (ATEX (UV)			_	WIDTH MM	LENGTH LM	
M1	PET75CG1	gloss	removable, clear				V	1520	30	



PAPERS









WALL DECORATION

INDOOR APPLICATION

WALL COVE	DIGIFORT® PAPER-BASED, NON-ADHESIVE WALLPAPERS								
PRODUCT	PROPERTIES	GRAMMAGE	C	OMPA	[BILI]	ГΥ	WIDTH	LENGTH	
CODE	PROPERTIES	G/M ²	SOLV	Éco-s	LATEX	UV	ММ	LM	
P13003	Dust pattern satin finish	300	V	V	V	V	1300	50	
P13004	Mellow pattern satin finish	300	V	V	V	V	1300	50	

	WALL COVE	RINGS	PRINTABLE WALLPAPER - PRE-PASTED									
	PRODUCT	PROPERTIES		C	OMPA	ΓΙΒΙLΙ	ГΥ	WIDTH	LENGTH			
	CODE	PROPERTIES	THICKNESS MICRONS	SOLV	Éco-s	LATEX	UV	MM	LM			
rEN 13501-11	WALLPAPER2 FSC	Permanent adhesive pre-pasted paper	330	V	V	V	V	1067 1372	51			

WALL COVE	'TEXTILE' EFFECT SELF-ADHESIVE FABRIC							
PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	COMPATIBILITY ov 603 ATT				WIDTH MM	LENGTH LM
TEXWALLV2	Removable adhesive PET textile	240	V	V	V	V	1370	20



FILMS FOR TEXTILE DECORATION

TEXTILE PLOT	TER AND DECORATION FILMS	152 - 162
	SPEEDCUT	152 - 153
	COLORCUT	154 - 155
	METALCUT	156 - 157
	FLOCK 200	158 - 159
	GLITFLEX	160 - 161
	NYLCUT	162
BLOCKCUT FO	DR DYE-SUBLIMATED FABRICS	163
TEXTILE PLOT	TER AND DECORATION FLEX FILMS	164 - 165
	GLOWCUT	164
	REFLEX	165
TEXTILE PRIN	TING AND DECORATION FILMS	166 - 171
TEXTILE PRINT	TING AND DECORATION FILMS	
TEXTILE PRINT		166
TEXTILE PRINT	SILKPRINT	166 167
TEXTILE PRINT	SILKPRINT UFLEX7PV2	166 167 168
TEXTILE PRINT	SILKPRINT UFLEX7PV2 UFLEX5S	166 167 168 169
TEXTILE PRINT	SILKPRINT UFLEX7PV2 UFLEX5S NYLPRINT	166 167 168 169 170
.au111	SILKPRINT UFLEX7PV2 UFLEX5S NYLPRINT BLOCKPRINT	166 167 168 169 170
TOOLS FOR TE	SILKPRINT UFLEX7PV2 UFLEX5S NYLPRINT BLOCKPRINT UFLEXCLEAR	166 167 168 169 170 171
TOOLS FOR HE	SILKPRINT UFLEX7PV2 UFLEX5S NYLPRINT BLOCKPRINT UFLEXCLEAR EXTILE DECORATION	166 167 168 169 170 171 172

TEXTILE PLOTTER AND DECORATION FILMS SPEEDCUT

CUTFLEX SPEEDCUT

ADHESIVE LINER

ESPECIALLY FOR COTTON, ACRYLIC, POLYESTER

ULTRA-FAST APPLICATION AT LOW TEMPERATURE

Especially designed for creating **charity logos and large-format graphics**.

Due to its rigidity, weeding the **SPEEDCUT** film is quick and easy.

The stretchable **SPEEDCUT** range can be applied very quickly on textile: 5 seconds of pressing at 130°C suffice.

Designed to peel off when hot, the **SPEEDCUT** film also ensures optimal shaping time, from single units to large-scale production.

DATA SHEET

- MATT POLYURETHANE FILM
- > 100 MICRONS
- > ADHESIVE LINER
- > AVAILABLE IN 19 COLOURS





SPEEDCUT	WIDTH MM	LENGTH LM
COLOURS	500	25
METALLICS	500	25
FLUO	500	25















APP	APPLICATION INSTRUCTIONS									
PRESS TEMPERATURE PRESSING TIME PRESSURE						PI	EELING	FINAI	PRESSING	
	130 °C	8	5 sec.	BAR	medium		While hot		5 sec. with protective sheet	

MAINTENANCE INSTRUCTIONS								
MACHINE WASH					NE DRY	IRONING		
	wait for at least 24h before washing	X	do not use bleach	issi	do not		iron on	
	60 °C max.				tumble dry		reverse side	



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.







TEXTILE PLOTTER AND DECORATION FLEX FILMS COLORCUT



VERY SLIGHTLY ADHESIVE LINER

ESPECIALLY FOR COTTON & POLYESTER

Especially designed for creating **charity logos and large-format graphics**.

The **COLORCUT** range is available in 27 colours, enabling the creation of an infinite number of designs.

This stretchable film can be applied on all types of textile (cotton and polyester).

DATA SHEET

- > MATT POLYURETHANE FILM
- > 75 MICRONS
- > VERY SLIGHTLY ADHESIVE LINER
- > AVAILABLE IN 27 COLOURS

COLORCUT	WIDTH MM	LENGTH LM
COLOURS	500	25
METALLICS AND FLUO	500	25



INFORMATION





Extremely fine, **COLORCUT** film can be weeded easily; its liner is peeled off when hot, optimising shaping time.

Its liner enables unlimited stacking of logos during production.









APP	APPLICATION INSTRUCTIONS								
PRESS T	EMPERATURE	PRES	SING TIME	PRESSURE		PEELING		FINAL PRESSING	
	150 °C	0	10 sec.	BAR	medium		While hot		5 sec. with protective sheet

MAINTENANCE INSTRUCTIONS								
	MACHINE WAS	МАСНІ	NE DRY	IRONING				
	wait for at least 24h before washing	W	do not use	issi	do not		iron on	
	80 °C max.		bleach		tumble dry		reverse side	



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.







TEXTILE PLOTTER AND DECORATION FLEX FILMS METALCUT

CUTFLEX METALCUT

NON-ADHESIVE LINER

ESPECIALLY FOR COTTON & POLYESTER

METALCUT is especially designed for creating charity logos and large-format graphics.

A gloss chrome effect in silver or gold achieves a trendy urban style on all textiles* (cotton and polyester).

DATA SHEET

- > FILM WITH METAL EFFECT, GLOSS, POLYURETHANE
- > 50 MICRONS
- > NON-ADHESIVE LINER
- > AVAILABLE IN 2 COLOURS

METALCUT	WIDTH MM	LENGTH
METALLICS	500	25



INFORMATION



Extremely fine, **METALCUT** film can be weeded quickly and easily.

Its non-adhesive liner enables unlimited stacking of logos during production.




MC20 INSTALLATION HEXIS SAS FRANCE

MC

MC20, MC30 INSTALLATION HEXIS SAS FRANCE





APPLICATION INSTRUCTIONS								
PRESS TEM	IPERATURE	PRESSI	NG TIME	PRES	SURE	PEE	PEELING	
	150 °C	Ö	8 sec.	BAR	medium		while cold	

MAINTENANCE INSTRUCTIONS								
MACHINE WASH					NE DRY	IRONING		
	wait for at least 24h before washing	X	do not use		do not		da wakiwa w	
	30 °C max.		bleach		tumble dry		do not iron	



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.







TEXTILE PLOTTER AND DECORATION FLEX FILMS FLOCK 200

CUTFLEX FLOCK 200

ADHESIVE LINER

ESPECIALLY FOR COTTON & POLYESTER (NON-SUBLIMATED)

Want to add a velvet effect to your textile decorations? Our flock range makes it easy!

Created with the requirements of embroidery, screen printing and flocking in mind, **FLOCK 200** lends itself to the customisation of sportswear, T-shirts, sweatshirts, polo shirts and more.

Its soft and slightly structured velvet effect makes it ideal for logos, numbers or vintagestyle graphics.

They are all the rage in sports. Or go and conquer the fashion industry!

DATA SHEET

- > VELVET LOOK AND FEEL PVC-FREE FILM
- 500 MICRONS
- > 6 SATIN COLOURS
- > ADHESIVE LINER

FLOCK 200	WIDTH MM	LENGTH LM
VELVET	500	5 - 25





FLOCK200 INSTALLATION HEXIS SAS FRANCE

2

INSTALLATION ENERGY PUB LA RÉUNION





02 FLOCK213 MIMOSA YELLOW FLOCK217 OPERA RED

FLOCK218 MOSS GREEN

FLOCK280 PACIFIC BLUE













APPLICATION INSTRUCTIONS									
PRESS TE	MPERATURE	ING TIME	PRES	SURE	PE	ELING	FINAL	PRESSING	
	150 °C		15 sec.	BAR	high		While hot		not applicable

MAINT	ENANCE INSTRUCT	IONS					
	MACHINE WAS	SH		МАСНІ	NE DRY	IRON	IING
	wait for at least 24h before washing 40°C max.	×	do not use bleach	<u> </u>	do not tumble dry		iron on reverse side



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.





TEXTILE PLOTTER AND DECORATION FLEX FILMS GLITFLEX

CUTFLEX GLITFLEX

ADHESIVE LINER

ESPECIALLY FOR COTTON & POLYESTER (NONSUBLIMATED)

GLITFLEX film is designed especially for urban-style decoration and large-scale graphics.

Its textured **sparkle finish** gives textiles a raised relief structure.

GLITFLEX remains flexible despite its thickness. It can be applied on all cotton and polyester textiles.

DATA SHEET

- > FILM WITH 3D SPARKLE EFFECT, PVC-FREE
- > 330 MICRONS
- > 8 COLOURS
- > ADHESIVE LINER

GLITFLEX	WIDTH MM	LENGTH LM
WITH SPARKLES	500	5 - 25



INFORMATION



The material must be cut in mirror mode. With a plotter, remember to use a 45° blade.



HEXIS ADVICE

It is recommended to weed the film slowly after cutting. We recommend washing your clothing items inside out.





GLITFLEX61 INSTALLATION HEXIS SAS FRANCE

GLITFLEX INSTALLATION HEXIS SAS FRANCE





















GLITFLEX01 GLITFLEX02 GLITFLEX04 GLITFLEX06 GLITFLEX08 GLITFLEX20 GLITFLEX30 GLITFLEX61
WHITE BLACK GREEN BLUE RED GOLD SILVER













MAINTENANCE INSTRUCTIONS

MACHINE WA	SH		МАСНІ	NE DRY	IRON	IING
wait for at least 24h before washing 40 °C max.	×	do not use bleach	X	do not tumble dry		iron on reverse side



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.







TEXTILE PLOTTER AND DECORATION FLEX FILMSNYLCUT

CUTFLEX NYLCUT

ADHESIVE LINER

ADHERES WELL TO NYLON

For application on nylon fabrics that have had any kind of treatment, test the **NYLCUT** flex with the fabric to assess its adhesiveness.

Carry out a resistance test on the textile at press temperature prior to any production.

DATA SHEET

- MATT **POLYURETHANE** FILM
- > 100 MICRONS
- **6** COLOURS
- > ADHESIVE LINER

N
OEKO-TEX ® COMFIDENCE IN TEXTILES STANDARD 100 CQ 1126/1 IFTH

NYL	CUT	WIDTH MM	LENGTH LM
COLC	URS	500	25



APPLICATION INSTRUCTIONS											
PRESS TEMPERATURE PRESSING TIME PRESSURE PEELING FINAL PRESSING									PRESSING		
	150 °C	Š	5 sec.	BAR	low		While hot		10 sec.		

MAINTENANCE INSTRUCTIONS

MACHINE WA	SH		МАСНІ	NE DRY	IRON	IING
wait for at least 24h before washing 30 °C max.	×	do not use bleach	<u> </u>	do not tumble dry		iron on reverse side





SPECIAL FOR DYE-SUBLIMATED FABRICSBLOCKCUT





ADHESIVE LINER

ESPECIALLY FOR COTTON, POLYESTER & BLENDS

Plotter flex preventing migration of dye-sublimated fabrics. Decoration retains its original colour thanks to the blockout 'barrier'.

DATA SHEET

N

- WHITE MATT POLYURETHANE FILM
- > 630 MICRONS
- > ADHESIVE LINER

PRODUCT	WIDTH	LENGTH
CODE	MM	LM
BLOCKCUT	500	25

APPL	APPLICATION INSTRUCTIONS											
PRESS TEMPERATURE PRESSING TIME PRESSURE PEELING FINAL PRESSING									PRESSING			
-	160 °C		20 sec.	BAR	medium		While hot		10 sec.			

MAINTENANCE INSTRUCTIONS

PIAIIN	LIVANGE INSTRUCT	10115					
	MACHINE WAS	SH		МАСНІ	NE DRY	IRON	IING
	wait for at least 24h before washing 60 °C max.	×	do not use bleach		do not tumble dry		iron on reverse side





SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.







TEXTILE PLOTTER AND DECORATION FLEX FILMS GLOWCUT

CUTFLEX GLOWCUT

ADHESIVE LINER

ESPECIALLY FOR COTTON, POLYESTER & BLENDS

GLOWCUT is a plotter flex that is photoluminescent day and night. Available in 3 colours.

DATA SHEET

- POLYURETHANE FILM
- 110 MICRONS
- 3 COLOURS
- > ADHESIVE LINER

GLOWCUT	WIDTH MM	LENGTH LM
COLOURS	500	25



APPLICATION INSTRUCTIONS											
PRESS TEM	IPERATURE	PRESSI	PRES	SURE	PEEI	LING					
	150 °C	Ö	8 sec.	BAR	low		While hot				

MACHINE WASH Wait for at least 24h before washing 60 °C max. MACHINE DRY IRONING Lan be tumble dried iron on reverse side



GLOWCUT INSTALLATION HEXIS SAS FRANCE



REFLEX INSTALLATION HEXIS SAS FRANCE





OEKO-TEX®

TEXTILE PLOTTER AND DECORATION FLEX FILMS REFLEX



ADHESIVE LINER

ESPECIALLY FOR COTTON & POLYESTER

REFLEX film has been specifically designed for accurate **high visibility** decoration.

Perfect for **Personal Protective Equipment** (PPE), this film is compliant with EN 471 and EN ISO 20471 class 2 standards for high visibility clothing.

Improving security and visibility day and night, it can also be used to personalise clothing for sporting events or promotional campaigns.



DATA SHEET

- > RETRO-REFLECTIVE PVC-FREE FILM
- > 175 MICRONS
- > COLOUR **SILVER** (REFLECTIVE), CHANGING INTO **WHITE** (LIGHTS UP IN THE DARK)
- > ADHESIVE LINER

REFLEX	WIDTH MM	LENGTH LM
RETRO-REFLECTIVE	500	25



APPLICATION INSTRUCTIONS											
PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING			
	150 °C		12 sec.	BAR	high		While hot		not applicable		

MAINT	MAINTENANCE INSTRUCTIONS										
	MACHINE WAS	SH	МАСНІ	NE DRY	IRONING						
	wait for at least 24h before washing 60 °C max.	×	do not use bleach	⊠	do not tumble dry		iron on reverse side				



TEXTILE PRINTING AND DECORATION FILMS SILKPRINT











ESPECIALLY FOR COTTON, POLYESTER & MIXED ACRYLICS

Especially designed for large-format graphics. Recommended for large scale production due to its fast application on the textile: 5 seconds of pressing at 130° C suffice.

DATA SHEET

- MATT **POLYURETHANE** FILM
- > 100 MICRONS
- WHITE OPAQUE
- > ADHESIVE LINER



WIDTH MM	LENGTH LM
500	25
750	25
1000	25
1500	25

APPL	APPLICATION INSTRUCTIONS										
PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING			
	130 °C		5 sec.	BAR	low		While hot		5 sec.		

MACHINE WASH MACHINE DRY Wait for at least 24h before washing do not use bleach Can be tumble dried iron on reverse side

INFORMATION

HEXIS ADVICE

Transfer graphics using **HEX860** or **HEX960** transfer films.

For better ink adhesion, wait one week before the first wash.



TEXTILE PRINTING AND DECORATION FILMS



UFLEX7PV2

PRINTFLEX UFLEX7PV2







NON-ADHESIVE LINER

ESPECIALLY FOR COTTON AND POLYESTER*

UFLEX7PV2 is specifically designed for printed graphics cut out during printing. Its composition makes detailed cut-outs in solid colours possible and the ink drying time is almost nil. Thanks to its non-adhesive liner, it is easy to weed.

DATA SHEET

- > STRETCHABLE POLYURETHANE FILM
- > 85 MICRONS
- WHITE MATT
- > NON-ADHESIVE LINER



WIDTH MM	LENGTH LM
500	25
750	25
1000	25
1500	25

APPL	APPLICATION INSTRUCTIONS										
PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING			
-	140 °C		15 sec.	BAR	high		While hot		5 sec. with protective sheet		

MAINTENANCE INSTRUCTIONS										
	MACHINE WAS	SH	МАСНІ	NE DRY	IRONING					
	wait for at least 24h before washing 60°C max.	×	do not use bleach	Ø	do not tumble dry		iron on reverse side			





TEXTILE PRINTING AND DECORATION FILMS UFLEX5S











ESPECIALLY FOR COTTON & POLYESTER

UFLEX5S is especially designed for small letters and charity or sponsorship logos.

UFLEX5S is recommended for large production runs when customising textiles: our highest performing printable flex film in finishing.

It is very resistant to washing

DATA SHEET

- POLYURETHANE FILM
- > 80 MICRONS
- WHITE OPAQUE
- > NON-ADHESIVE LINER



WIDTH MM	LENGTH LM
500	25
750	25
1000	25
1500	25

APPL	APPLICATION INSTRUCTIONS											
PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING				
	130 °C	Š	5 sec.	BAR	medium		While hot		5 sec. with protective sheet			

MAINTENANCE INSTRUCTIONS MACHINE WASH MACHINE DRY IRONING wait for at least 24h before washing 60 °C max. do not use bleach do not tumble dry iron on reverse side





SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.







TEXTILE PRINTING AND DECORATION FILMS

NYLPRINT









ADHESIVE LINER

ADHERES WELL TO NYLON

For application on nylon fabrics that have had any kind of treatment, test the **NYLPRINT** film with the fabric to assess its adhesiveness.

Carry out a resistance test on the textile at press temperature prior to any production.

DATA SHEET

- > MATT **POLYURETHANE** FILM
- > 100 MICRONS
- > WHITE OPAQUE
- > ADHESIVE LINER



STANDARD 100 CQ 1126/1 IFTH

WIDTH MM	LENGTH LM
500	25
750	25
1000	25
1500	25

APPL	APPLICATION INSTRUCTIONS										
PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING			
-	150 °C	8	5 sec.	BAR	low		While hot		10 sec.		

MAINTENANCE INSTRUCTIONS MACHINE WASH MACHINE DRY IRONING wait for at least 24h before washing do not use bleach 30 °C max.


INFORMATION



HEXIS ADVICE

Transfer graphics using HEX860 or HEX960 transfer films.

For better ink adhesion, wait one week before the first wash.





TEXTILE PRINTING AND DECORATION FILMS

BLOCKPRINT







ADHESIVE LINER

SPECIAL FOR DYE-SUBLIMATED FABRICS

BLOCKPRINT is specially treated for graphics intended to be transferred onto sublimated fabrics (polyester). Its composition prevents the ink from bleeding into the transferred graphics. It is the ideal product for customising sports shirts (football and cycling).

DATA SHEET



- > STRETCHABLE POLYURETHANE FILM
- 125 MICRONS
- WHITE MATT
- > ADHESIVE LINER

WIDTH MM		LENGTH LM
	500	25
	750	25

APPLICATION INSTRUCTIONS									
PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	150 °C	Ö	20 sec.	BAR	high		while lukewarm		10 sec. with protective sheet

MAINTENANCE INSTRUCTIONS MACHINE WASH MACHINE DRY IRONING wait for at least 24h before washing 40 °C max. do not use bleach do not use bleach iron on reverse side





EXTILE

TEXTILE PRINTING AND DECORATION FILMS

UFLEXCLEAR







ULTRA-TRANSPARENT

NON-ADHESIVE LINER

ESPECIALLY FOR COTTON & POLYESTER

UFLEXCLEAR is a transparent printable film, for mirror printing, that does not require tape.

It must be transferred onto light and uncoated fabrics or must include a white support layer before being transferred onto coloured fabrics.

DATA SHEET

- > STRETCHABLE **POLYURETHANE** FILM
- > 35 MICRONS
- > TRANSPARENT MATT
- > NON-ADHESIVE LINER

WIDTH MM	LENGTH LM
500	25
750	25
1250	25

APPLICATION INSTRUCTIONS									
PRESS TEM	IPERATURE	PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	140 °C		15 sec.	BAR	high		while cold		5 sec. with protective sheet

MAINTENANCE INSTRUCTIONS								
	MACHINE WAS	MACHINE DRY		IRONING				
	wait for at least 24h before washing 40°C max.	×	do not use bleach	<u> </u>	do not tumble dry		iron on reverse side	





• TOOLS FOR TEXTILE DECORATON

HOT PRESS & PLATES



PRODUCT CODE	DESCRIPTION
PAEZAC*	A semi-automatic press that closes manually and opens automatically, PAEZAC is a standard hot press with adjustable temperature and pressure. Main plate: 40 x 50 cm

^{*} Available while stocks last.

• TOOLS FOR **HOT PRESSING**

PROTECTION OF PRINTS DURING HOT PRESSING



PRODUCT CODE	DESCRIPTION
FILFLEX	protective sheet, fabric Dimensions: 600 x 400 mm
TEFLEX	Teflon® protective sheet Thickness: 130 microns Dimensions: 438 x 500 mm





→ TOOLS FOR

WEEDING TEXTILE FILM

TWEEZERS AND HOOK TO WEED FLEX



PRODUCT CODE	DESCRIPTION
WEEDER3	Weeding hook
TWEEZ	For use with the vinyls DAO or IMN, FLEX and other products that need to be weeded. The product is unbranded, without Hexis logo.

TOOLS FOR TEXTILE FILM TRANSFER

SQUEEGEES & TRANSFER FILMS



PRODUCT CODE	DESCRIPTION
MARBLEU	Soft squeegee

PRODUCT CODE	THICKNESS MICRONS	TYPE OF TAPE	TYPE OF ADHESION	RECOMMENDED FOR	WIDTHS MM	LENGTH LM
HEX750	100	smooth	LOW	FLUO F610, SUPTAC CARBONE S5CANB, FLEX NYLPRINT, FLEX BLOCKPRINT	500	25
					500	
HEX860	50	smooth	HIGH	FLEX UFLEX5S FLEX NYLPRINT FLEX SILKPRINT FLEX UFLEX7PV2 Transfer of UV prints	750	25
HEXOOU					1000	
					1500	
	400		HIGH	FLEX UFLEX5S FLEX NYLPRINT FLEX SILKPRINT FLEX UFLEX7PV2	500	_
HEX960		smooth			750	- 25
HEX900	100	SHOOTH			1000	- 25
					1500	































PROTECTION & SECURITY FILMS

BODYFENCE AUTOMOTIVE PROTECTION FILMS	176
CARPROTECT AUTOMOTIVE PROTECTION FILMS	177
HXR150BGR AUTOMOTIVE PROTECTION FILMS	177
AUTOMOTIVE PRECUT PROTECTION KITS	l 78 - 179
PROTECTIVE FILMS FOR HEADLIGHTS	180
HIGH-PERFORMANCE FILMS FOR WINDSCREEN PROTECTION	181
AUTOMOTIVE SOLAR FILMS SKYFALL 1	82 - 183
AUTOMOTIVE SOLAR FILMS MAJESTIK	l 84 - 185
BUILDING PROTECTION FILMS	86 - 188
CHOOSING THE RIGHT BUILDING SOLAR FILM1	89 - 190
PROTECTING PROPERTY AND PEOPLE	191 - 192

→ BODYFENCE AUTOMOTIVE PROTECTION FILM

VEHICLE PROTECTION AND CUSTOMISATION



> LIFETIME GUARANTEE

HEXIS is offering a newgeneration paint protection

film.

The **BODYFENCE** range, developed by HEXIS R&D, represents cutting-edge technology and offers effective protection for your bodywork paint.

PROTECTION AGAINST EXTERNAL AGGRESSIONS

> SCRATCHES > ABRASION > STONE CHIPS > UV RAYS

THE MAIN BENEFITS OF BODYFENCE:

> SELF-HEALING > CONFORMABLE
> ULTRA-TRANSPARENT > DURABLE
> CHIP-RESISTANT > SELF-CLEANING

In addition, this ultra-transparent PU film facilitates cleaning by preventing dirt from adhering to the paint, keeping your car...

LOOKING LIKE NEW!

> EASY TO APPLY

	PRODUCT CODE	FINISH	THICKNESS MICRONS	WIDTH MM	LENGTH LM
	BODYFENCE			615	
			150	760	20
		gloss	150	1230	20
				1520	
				615	
	BODVEENCEM		150	760	20
	BODYFENCEM	matt	150 -	1230	20
				1520	
	BODYFENCEX	gloss	150 -	615	
N				760	20
W				1230	20
				1520	
0	BODYFENCEP	gloss	180	760	20
•	BODTFENCEP	gloss		1520	20
0	BFBLACK	anagua black glass	150	760	20
•	DEBLACK	opaque black gloss	150	1520	20
				15	
N	RSSEAL	protective sealing strips, gloss	150	25	20
				50	



→ CARPROTECT AUTOMOTIVE PROTECTION FILMS



VEHICLE PROTECTION AND CUSTOMISATION

CARPROTECT is a self-adhesive transparent gloss film specially developed to provide durable protection of car bodywork (including headlights) against daily aggressions.

Two versions are available:

CAR100B (PVC film for short-term protection) and

CARPRO300 (PU film for extreme protection, such as off-road).



PRODUCT CODE	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM
CAR100B	100	PE	1520	30
PRODUCT CODE	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM
		LINER PE		

• HXR150BGR AUTOMOTIVE PROTECTION FILMS

PROTECTION AND DECORATION OF DOOR PILLARS AND SILLS

HXR150BGR is a calendered polymeric PVC film with reinforced adhesive and a grained, matt black finish.



PRODUCT CODE	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM
HXR150BGR	150	HEX'Press liner	1230	30











APPLY AND PROTECT

The simple solution to protect your vehicle.



Bodyfence precut kits perfectly fit the outline of your vehicle.

- 1 kit per vehicle
 - Easy to apply
- Controlled material consumption
 No cutting on bodywork
- 1 Choose required protection level
- **2** Select your vehicle
- 3 Place your order
- 4 Apply!

www.bodyfence.net

+33 (0) 4 48 17 50 76

BODYFENCE AUTOMOTIVE PRECULT PROTECTION KITS

HEXIS CATALOGUE 2021 www.hexis-graphics.com

CAR PAINT PROTECTION

HEXIS has created the most simple solution to protect your vehicle against external aggressions. BODYKIT precut kits perfectly fit the outline of your vehicle.

THE BENEFITS

- > available for all vehicles
- > BODYFENCE technology
- > 1 kit per vehicle
- > easy to apply
- > controlled material consumption
- > no cutting on bodywork

B	E	3	} ()		`	Y	•		•	E	=	r	1	C			E	Ξ
	P	Α	I	N	T	P	R	0	T	E	C	T	1	0	N		F	I	L	М

BODYKIT	
PRODUCT CODE	PROPERTIE
PRSTAGE1	Precut kit front bumper
PRSTAGE1M	Precut kit front bumper matt
PRSTAGE2	Precut kit front
PRSTAGE2M	Precut kit front matt
STAGE FULL	Precut kit entire car
STAGE FULLM	Precut kit entire car matt

BODYKIT X	
PRODUCT CODE	PROPERTIE
PRSTAGE 1X	Precut kit front bumper
PRSTAGE 2X	Precut kit front
STAGE FULL X	Precut kit entire car



APPLY AND PROTECT ON www.bodyfence.net



→ PROTECTIVE FILMS FOR

HEADLIGHTS

PROTECTION AND CUSTOMISATION OF HEADLIGHTS

Shock-absorbing protection films to keep your headlights flawless



	PRODUCT CODE	FINISH	THICKNESS MICRONS	WIDTH MM	LENGTH LM
0	BLACKLIGHT	Light arroy along	100	760	25
	BLACKLIGHT	Light grey gloss	100	1520	25
N	HEXLIGHTS1		70	615	25
	HEXLIGHTS1	dark black gloss	70	1230	25
0	UEVIJCUTCO	light blook gloog	70	615	25
	HEXLIGHTS2	light black gloss	70	1230	25





WINDSCREEN PROTECTION


WINDSCREEN **PROTECTION FOR PASSENGER VEHICLES**

Specially designed for windscreens of passenger vehicles, 3333SHIELD offers a premium solution combining protection and visual comfort.

Designed in the USA, 3333SHIELD is made up of three removable layers of optically clear, 75-micron polyester.

This film protects against UV rays whilst also preventing scratches, cracks and shocks.

Peeling off the upper layer reveals a new protective layer, regaining clear, unobstructed vision.



	PRODUCT CODE	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM	
0	3333SHIELD	230	PET	1524	30,5	

WINDSCREEN PROTECTION FOR RACING CARS

During car races and other competitions, windscreens have to withstand projectiles, scratches and mud splashes.

Specially developed for racing cars, 4444RACING offers extreme protection and is made up of four removable layers of optically clear polyester.

Applying 4444RACING to the windscreen helps regain unobstructed vision of the road and other competitors by removing the upper layer.



	PRODUCT CODE	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM
N	4444RACING	430	PET	1524	30,5

Please contact us for 750 mm width.









PROTECTION AND CUSTOMISATION FOR WINDOWS

HEXIS solar films provide better comfort and reinforced solar protection for vehicle interiors without affecting visibility through the windows or reducing brightness. Hexis offers an automotive solar protection film for **4x4 and high-performance vehicles**.


The **SKYFALL** range is the perfect marriage of style and protection for your vehicle. As well as protect windows against external aggressions, **SKYFALL** blocks **99% of harmful UV rays** for the safety of driver and passengers.

Fully in accordance with existing regulations, the SKYFALL range is available in 5 different dark tints, offering total freedom of style and privacy.

- Protection against harmful UV rays
- 100% compliant with regulations in force
- Preserves the lustre of leather, fabric and plastic
- Film free from metallic substances, no interference with mobile phone reception, GPS or satellite radio
- · Anti-scratch coating



SKYFALL solar films will give your vehicle a unique and elegant style, whilst obscuring the interior from view.







INFORMATION



In France, tinted windows are not prohibited, but the tint is now regulated for the front windows of vehicles. Article 27 of French decree No. 2016-448 of 13 April 2016, which came into force in 2017, prohibits tinted side windows at the front of a vehicle <u>if their</u> transparency is less than 70%. This new regulation does not affect the rear windows. Please refer to your country regulation.

STANDARD













JIANDAND				VER. VISIBLE LIGHT TOTAL CLIOTI	
PRODUCT CODE	LT	SER	VLR	WIDTH MM	LENGTH LM
				500	_
SKYFALL05	5 %	43 %	6%	760	2 -6 - 15 - 30,5
				1520	
				500	
SKYFALL15	12%	40%	5%	760	2 -6 - 15 - 30,5
				1520	
				500	
SKYFALL20	19%	40%	5%	760	2 -6 - 15 - 30,5
				1520	
				500	
SKYFALL35	33%	34%	5%	760	2 -6 - 15 - 30,5
				1520	
				500	
SKYFALL50	47%	28%	6%	760	2 -6 - 15 - 30,5
				1520	
				500	_
SKYFALL70	67%	32%	6%	760	2 -6 - 15 - 30,5
				1520	



PROTECTION AND CUSTOMISATION FOR WINDOWS

HEXIS solar films provide better comfort and reinforced solar protection for vehicle interiors without affecting visibility through the windows or reducing brightness. The PREMIUM solar film **MAJESTIK** combines technology, protection, innovation and aesthetics.

The cutting-edge technology used for the **MAJESTIK** range ensures maximum protection from heat generated by the sun for unrivalled comfort inside the vehicle, as well as optimum protection from harmful UV rays.

The PREMIUM **MAJESTIK** range achieves complete long-term protection for your vehicle and passengers with its high resistance and exceptional durability. Fully in accordance with existing regulations, the **MAJESTIK** range is available in 7 different shades of black for a tailor-made choice.

- Significant heat reduction of the interior
- High-performance durability
- Blocks 99% of UV rays
- 100% compliant with legislation in force
- Anti-scratch coating
- · Available in 7 tints

MAJESTIK solar films use NANO-CERAMIC technology

- + heat protection (up to 67% of solar energy rejected)
- + protection from infrared radiation (IR)
- + film durability (up to 3 times more durable than a standard solar film)

Cutting-edge technology for improved solar protection, interior temperature control and unrivalled driving comfort

INFORMATION



In France, tinted windows are not prohibited, but the tint is now regulated for the front windows of vehicles. Article 27 of French decree No. 2016-448 of 13 April 2016, which came into force in 2017, prohibits tinted side windows at the front of a vehicle if their transparency is less than 70%. This new regulation does not affect the rear windows. Please refer to your country regulation.

For all its well-known benefits, the sun can also be detrimental to our health. In the same way as classic solar protection does, automotive solar films play a key role in preventing the risks linked to prolonged sun exposure by effectively protecting against different types of radiation (UVA, UVB and infrared).

HEXIS applies all its technical know-how to offer automotive solar films that can act as a true filter against external aggressions. By embracing our range of high-protection solar films, you are making the right choice, as health concerns us all.









PREMIUM

PRODUCT CODE	LT	SER	VLR	WIDTH MM	LENGTH LM
				500	
MAJESTIKO5	5%	67%	6%	760	2 -6 - 15 - 30,5
				1520	
				500	_
MAJESTIK15	16%	63%	6%	760	2 -6 - 15 - 30,5
				1520	
				500	_
MAJESTIK25	24%	60%	7%	760	2 -6 - 15 - 30,5
				1520	
				500	_
MAJESTIK35	40%	54%	7%	760	2 -6 - 15 - 30,5
				1520	
				500	_
MAJESTIK50	54%	50%	7%	760	2 -6 - 15 - 30,5
				1520	
				500	_
MAJESTIK70	70%*	43%*	8%*	760	2 -6 - 15 - 30,5
				1520	
				500	_
MAJESTIK85	85%	30%	6%	760	2 -6 - 15 - 30,5
				1520	

• BUILDING PROTECTION FILMS

SILVER FILMS

Reflective finish - reflective, silver, mirror finish from the outside, perfect view from the inside SER: Solar energy rejected LT: Light transmission VLR: Visible light reflection



PRODUCT CODE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
BSOR2012	indoor	79%	18%	60%	1523	15 - 30,5
BSOR15X2	outdoor	80%	24%	60%	1523	15 - 30,5
BSOR35I2	indoor	67%	35%	41%	1523	15 - 30,5
BSOR35X2	outdoor	65%	43%	40%	1523	15 - 30,5
BSOR50I2	indoor	58%	59%	26%	1523	15 - 30,5
BSOR50X2	outdoor	52%	59%	22%	1523	15 - 30,5

BRONZE FILMS

Mirror finish - reflective, bronze, mirror finish from the outside, perfect view from the inside.



PRODUCT CODE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
BSOB2012	indoor	77%	20%	36%	1523	15 - 30,5
BSOB20X2	outdoor	80%	11%	18%	1523	15 - 30,5







SILVER FILMS

Mirror finish - low-reflection, tinted finish from the outside, perfect view from the inside.

SER: Solar energy rejected LT: Light transmission
VLR: Visible light reflection



	DUCT	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
BSON	N20X2	outdoor	74%	20%	37%	1523	15 - 30,5
BSO	N50I2	indoor	55%	48%	16%	1523	15 - 30,5

SILVER FILMS

Mirror finish - (combats heat loss) reflective finish. Lowers solar energy while being very clear once installed.

SER: Solar energy rejected LT: Light transmission VLR: Visible light reflection



PRODUCT CODE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
BSOT35I2	indoor	66%	38%	37%	1523	15 - 30,5

ANTI-INTRUSION AND ANTI-SCRATCH SOLAR FILMS

These films increase the intrusion time in the event of an attempted break-in. If the glass is broken, they retain the glass fragments and help prevent injury.

PRODUCT CODE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
BSE50I	indoor	19%	88%	10%	1523	15 - 30,5
BSE100IV2	indoor	16%	90%	7%	1523	15 - 30,5
BSE100XV2	outdoor	16%	90%	7%	1523	15 - 30,5



BUILDING PROTECTION FILMS

SILVER FILMS

Reflective finish - reflective, silver, mirror finish from the outside, perfect view from the incide SER: Solar energy rejected LT: Light transmission VLR: Visible light reflection

	PRODUCT CODE	PROPERTIE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
M1	BSOM15I2	one-way mirror	indoor	82%	10%	63%	1523	15 - 30,5
M1	BSORD60I2	discolouration retardant	indoor	57%	62%	14%	1523	15 - 30,5
M1	BSOAT40I2	anti-thermal shock	indoor	66%	47%	29%	1523	15 - 30,5
M1	BSOI80X2	ultra-transparent	outdoor	45%	78%	9%	1523	15 - 30,5
M1	MIAMI	dichroic, warm shade	indoor	39%	72%	10%	1360	15 - 30,5
Ø	DUBAI	dichroic, warm shade	outdoor	15%	64%	N/A	1520	15 - 30,5
N	GLASGOW	dichroic, cool shade	outdoor	16%	51%	N/A	1520	15 - 30,5

INFORMATION



For further information regarding installation and removal of these products, see the Application guides available on our website: www.hexis-graphics.com







THE RIGHT BUILDING SOLAR FILM

INFORMATION



CHOOSE YOUR BUILDING SOLAR FILM BASED ON THESE CRITERIA:

film tint

whether you want to install the film on inner or outer window pane

the type of window (single/double glazing, tinted or not)

durability

To avoid thermal shock, HEXIS recommend to use a film for outdoor installation



INFORMATION



For further information regarding installation and removal of these products, see the Application guides available on our website:

www.hexis-graphics.com







	APPLICA-		COMPATIBILITY DEPENDING ON GLAZING										
	TION			SING	SINGLE GLAZING DOUBLE GLAZING						TRIPLE GLAZING		
PRODUCT CODE	INDOOR	OUTDOOR	LNIL	CLEAR	TINTED	REFLECTIVE TINT	CLEAR	TINTED	REFLECTIVE TINT	LOW EMISSION (IN- ERT GAS FILLING)	LAMINATED (LAMI- NATED GLASS FAC- ING OUTWARDS)	LAMINATED (LAM- INATED GLASS FACING INWARDS)	TRIPLE GLAZING
BSOR2012	V			√	√	✓							
BSOR15X2		V		√	√	✓	√	√	V	✓	✓	√	√
BSOR35I2	√		reflective,	✓	√	✓	✓		√				
BSOR35X2		V	silver	√	√	✓	✓		V	✓	✓	√	✓
BSOR5012	V			V	√	V	V		V		✓		
BSOR50X2		V		V	V	V	V		V	✓	✓	✓	✓
BSOB2012	V		bronze	V		V			V				
BSOB20X2		V	bronze	V		✓	✓		V				
BSON20X2		V	grey, low-	V	V	✓	✓	V	V			√	
BSON5012	✓		reflection	V		✓			V				
BSOT35I2	√		reflective (heat reflection)	✓	V	V	√		V		√		
BSOM15I2	√		one-way mirror	V		✓			V				
BSORD6012	V		discolouration retardant	V	√	V	V	√	V		✓		
BSOI80X2		V	ultra- transparent	✓		✓	✓		V			✓	
BSOAT4012	V		anti-thermal shock	V	√	V	V	V	V	✓	✓		
DUBAI		V	dichroic	V									
GLASGOW		V	dichroic	V									
MIAMI	V		dichroic	√		V			V				



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to export@hexis.fr or contact your local distributor.







PROTECTING PROPERTY

AND PEOPLE

TDANCDADENTA	NTIMICROBIAL PVC FILMS FOR SURFACES AND OBJECTS PROT	FECTION
IRVNZBARENIV	NTIMIC BOBIAL PVC. FILMS FOR SURFACES AND OBJECTS PROT	

	PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	WIDTH MM	LENGTH LM
N	PURECOVER	Flexible and transparent, adhesive-free antimicrobial protection film	60	1520	40
N	PROTECTPZ	Transparent gloss protection film for touchscreens	-	1370	30

	TRANSPARENT FILM FOR SURFACES AND OBJECTS PROTECTION						
	PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	WIDTH MM	LENGTH LM		
D	PETSAFE	Transparent, non-adhesive anti-projection film	60	1250	50		

	TRANSPA	RENT ANTIMIC	ROBIAL PVC	FILMS FOR SU	JRFACES PF	ROTECTION	
	PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
	PURZONO60B	gloss	60	solvent-based acrylic	PE	1370	30
	PURZONO60M	matt	60	solvent-based acrylic	PE	1370	30
)	PURZONO6OC	ultra-transparent gloss	60	solvent-based acrylic	PE	1370	30

	TRANSPA	RENT SELF-AD	HESIVE PVC FILMS FOR SURFAC	CES PROTECTION
	PRODUCT CODE	FINISH	WIDTH MM	LENGTH LM
			615	
N	SP	gloss 150 microns	1230	10 - 15 - 20
			1520	
			615	
N	SPM	matt 150 microns	1230	10 - 15 - 20
			1520	
			615	
N	SPP	gloss 180 microns	1230	10 - 15 - 20
			1520	

HEXIS CATALOGUE 2021 www.hexis-graphics.com

→ PROTECTING PROPERTY

AND PEOPLE

HYDROALCOHOLIC GEL					
PRODUCT CODE	PROPERTIES		CAPACITY		
GELO5	Canister containing 5 litres (5000 ml) of hydroalcoholic gel. GEL05 is a clear liquid that has been specially developed for disinfecting hands.		5 L		
GELBOTTLE*	Bottle containing 0.5 litres (500 ml) of hydroalcoholic gel.		4 X 500 ML		
GELBOTTLE*	GEL05 is a clear liquid that has been specially developed for disinfecting hands.	を言	24 X 500 ML		

^{*} Please note: the bottles are delivered empty and the labels must be glued by you.

HYDROALCOHOLIC SOLUTION					
PRODUCT CODE	PROPERTIES		CAPACITY		
SHA05	Canister containing 5 litres (5000 ml) of hydroalcoholic solution	SHA5	5 L		
SHABOTTLE [,]	150 ml-spray bottle.	SHA	4 X 150 ML		
2HABOTTE.	The bottles come with a sticky label kit.	S1A (*)	24 X 150 ML		

^{*} Please note: the bottles are delivered empty and the labels must be glued by you.



TOOLS

TOOLS & DISPLAYS

APPLICATION TOOLS SHAG	194 - 195
APPLICATION TOOLS	196 - 199
STORAGE TOOLS	200
REMOVAL TOOLS	201 - 202
SWATCHBOOKS & COLOUR GUIDANCE	203
TOOLS FOR ROLLS	203
TOOLS FOR CUTTING	204 - 208
TOOLS FOR FULL WRAPS	209 - 210
TOOLS FOR SOLAR FILMS	211 - 212
TOOLS FOR BANNER FINISHING	213 - 214
CLEANING FLUID	215 - 216
CAR MAINTENANCE PRODUCTS	217 - 218
ROLL-UP DISPLAYS	219
SELF- SUPPORTING DISPLAYS	220
FOLDING STANDS & ACCESSORIES	221
SWATCHBOOKS	222 - 223
RING BINDER	224
SAMPLE KIT	224
BROCHURES	224 - 229
DOCUMENTATION	230
PROMOTIONAL ITEMS	230 - 233
MENSWEAR / WOMENSWEAR	234 - 235
UNISEX CLOTHING	236 - 237
HEXIS ENERGY	238 - 239

→ APPLICATION TOOLS SHAG


HIGH-PERFORMANCE SQUEEGEES























PRODUCT CODE	DESCRIPTION
LIBERTE	Blue squeegee - soft
EGALITE	White squeegee - hard
FRATERNITE	Red squeegee - medium
FRENCHBOX	Box of 3 squeegees + 3 squeegee protectors
MAGSQUEEG	Magnetic squeegee
NINJATOOL	Tool to help insert films into window seals
SHAGFENCEM	Squeegee for applying BODYFENCE and solar protection films - 15 cm
SHAGFENCES	Squeegee for applying BODYFENCE and solar protection films - 9.5 cm
MAXBLUE	Soft squeegee for applying solar films For use with MAXHANDLE and POIGNVITR
SHAGCHIZ	Finishing squeegee for automotive solar film
SHAGBODY	Standard squeegee for applying BODYFENCE and solar protection films



OTHER TOOLS
























PRODUCT CODE	DESCRIPTION	
POIGNVITR	Handle for cleaning blade, compatible with LAMEVITR15, LAMEVITR30, LAMEVITRE and MAXBLUE	
SHAGKNIFE	Cutter Compatible blades: LAMOLFA30, LAMOLFAS10, LAMOLFAS50, LAMOLFAXBL	
SHAGDRILL	Bubble popper For releasing air after the film has been applied	
TWEEZ	Standard weeding tweezers For use with DAO or IMN vinyls, FLEX and other products that need to be weeded Unbranded product, no Hexis logo	
SHAGCUT	Liner shaping tool (slits liner)	
SHAGFELT	Pre-cut felt edges (pack of 5)	
WRAPBELT	SHAG tool belt	
SHAGWIRE	Wire for removing logos, letterings and markings from vehicles	
SPRAYBOX	SHAG 1.5-litre spray bottle	
SHAGSPRAY	19-litre metal sprayer for dispersing large quantities of liquid (soapy water) onto glass surfaces	
HEXSTRAP	Magnetic strap	
SQUEEBAND	Magnetic band for squeegee	
HEXMAGNET	Magnet with fabric protector	

HIGH-PERFORMANCE SQUEEGEES



STANDARD SQUEEGEES & TOOLS






FELTS







SPECIALITIES







PRODUCT CODE	DESCRIPTION
EASYSEAL	Set of 2 seal lifters
SQUEEGEEXL	Large squeegee with felt for large areas

SEALING







PRODUCT CODE	DESCRIPTION
SEALIT	Varnish pen for sealing the edges of graphics Sold individually
VR7077	Sealing varnish to consolidate overlaps and/or extend the durability of edges Used mainly with microperforated or solar films Sold in a 250 ml bottle with a paintbrush in the cap

	PRODUCT CODE	FINISH	THICKNESS MICRONS	WIDTH MM	LENGTH LM
				15	_
N RSSEAL	protective sealing strips, gloss	150	25	20	
				50	

^{*} Available while stocks last



PRODUCT CODE	DESCRIPTION
TIRO19X50	Masking tape Used for positioning vinyl before application Size: 19 mm x 50 lm or 25 mm x 50 lm
TIRO25X50	Sold individually or in boxes of 24 or 48 rolls.

SPRAY BOTTLES



PRODUCT CODE	DESCRIPTION	
PULVERISAT	Spray bottle for liquids such as Easypose capacity 750 ml	

DRY ERASE MARKERS / WAX PENCILS







PRODUCT CODE	DESCRIPTION
ERASMARKER	4 BIC VELLEDA dry erase markers
BLACK	ALL STABILO™ wax pencils For use on a variety of substrates such as glass, metal, plastic, etc.
WHITE	Sold in packs of 12

ROLL-OUT TAPE MEASURE



PRODUCT CODE	DESCRIPTION	
DMTRUBFR	Measuring tape, 5 m Box customised with the HEXIS logo	





APPLICATION ROLLER



PRODUCT CODE	DESCRIPTION
GANTSCOV**	Thin gloves specially designed for applying full wraps Sold in pairs, one size

 $^{^{\}ast\ast}$ While stocks last. To be replaced with SHAG equivalent.

DOUBLE-SIDED





PRODUCT CODE	DESCRIPTION
DOUBLEF25	Standard double-sided tape for indoor use Size 25 mm x 50 lm
DOUBLEF50	Standard double-sided tape for indoor use Size 50 mm x 50 lm

MEDIA UNWINDER



PRODUCT CODE	DESCRIPTION
UNWINDER	Tabletop roll holder Makes unwinding, cutting and laminating graphics easier Dimensions: 1040 x 200 x 100 mm

APPLICATION ROLLER



PRODUCT CODE	DESCRIPTION
APPLIC15	Rubber roller (15 cm wide) with wooden handle Perfect for applying graphics and letters





PRODUCT CODE	DESCRIPTION	
STOCKNROLL	Storage and transportation of up to 6 rolls	







SECURE

Patented roll











CLEAN Slightly elevated platform







EXIS CATALOGUE 2021	EΙ
www.hexis-graphics.com	드느















PRODUCT CODE	DESCRIPTION		
CARSCRAPER	Set including a scraper and 25 blades		
SCRUBFLOOR	Floor and window scraper		
SCRUBBLADE	Replacement blades for SCRUBFLOOR		
GRATLAM100	Retractable metal scraper for LAME100		
LAME100	Replacement blades for GRATLAM100 Sold in packs of 100		
GRATTOIR	Soft scraper		
GRATTOIR10	10 soft scrapers		



PRODUCT CODE	DESCRIPTION
POIGNVITR	Handle for cleaning blade, compatible with LAMEVITR15, LAMEVITR30, LAMEVITRE and MAXBLUE
MAXHANDLE	Handle for MAXBLUE
LAMEVITR15	15 cm cleaning blade for POIGNVITR
LAMEVITR30	30 cm cleaning blade for POIGNVITR
LAMEVITRE	20 cm cleaning blade for POIGNVITR
TOCLEAN	Squeegee for cleaning of tear-off film 3333 SHIELD and 4444 RACING

VINYL ZAPPER





PRODUCT CODE	DESCRIPTION		
мвх	Electric sander with rubber wheel This tool makes it quick and easy to remove old vinyls and adhesive		
WHEEL	Wheel for Vinyl Zapper Sold individually		



COLOUR GUIDANCE

SWATCHBOOKS





PRODUCT CODE	DESCRIPTION	
PANTONE20	Swatchbook PANTONE COLOR BRIDGE COATED	
RAL	Swatchbook RAL K7	

→ TOOLS FOR **ROLLS**

ROLL COLLARS AND HEX'NOTE







PRODUCT CODE	DESCRIPTION
DSERBORGM	Roll collar, large, red For clipping onto open digital printing or plotter film rolls Sold in packs of 50
DSERBORPM	Roll collar, small, red For clipping onto open digital printing or plotter film rolls Sold in packs of 50
HEX'NOTE	Roll identification tabs For inserting into roll cores when stored vertically in order to identify them. Sold in packs of 10

PRODUCT	DESCRIPTION
CODE	
ROLAND CAMM1	Blade angle 45°
GRAPHTEC	Blade angle 30°
MIMAKI / SUMMAGRAPHIC (REF 3D)	Blade angle 45°

CUTTERS












PRODUCT CODE	DESCRIPTION		
CUTSOFT	Cutter with adjustable pressure on the blade		
BLADESOFT	Blades for CUTSOFT		
CUTOLFA25	OLFA® cutter with 25 mm blade		
LAMOLFA25	Refill: 5 x 25 mm steel blades for CUTOLFA25		
CUTVITRE	OLFA® cutter with retractable blade Sold with 1 blade		

CUTTERS	PRODUCT CODE	DESCRIPTION
0	CUTOLFA30	OLFA® 30° cutter
	CUTLAME	Refill: 25 mm steel blades for CUTVITRE, pack of 50
	LAMOLFA30	Refill: OLFA® blades for SHAGNIFE, pack of 10
	LAMOLFAS10	Refill: Silver OLFA® blades for SHAGNIFE, pack of 10
	LAMOLFAS50	Refill: Silver OLFA® blades for SHAGNIFE, pack of 50
	LAMOLFAXBL	Refill: Excel Black OLFA® blades for SHAGNIFE, pack of 50
W. C.	BLADECAN	Blade breaker and box for used cutter blades
	GUIDEDCUT	Cutter with cutting guide
	GCBLADE	Blades for GUIDEDCUT

CUTTERS



^{*} Available while stocks last



PRODUCT CODE	DESCRIPTION		
CURVCUTTER	Cutting pliers for rounding angles		
CURVPADS	Protective pads for CURVCUTTER Sold in packs of 5		
CURVBLADE	Replacement blade for CURVCUTTER		
мат	Anti-slip cutting mat, resistant to tools like cutters and scalpels Mat sold without cutter Dimensions 90 x 62 cm		



RULERS

PRODUCT CODE	DESCRIPTION
REGLET30	Metal ruler 30 cm
REGLET50	Metal ruler 50 cm
 REGLET100	Metal ruler 100 cm

SAFETY RULERS





PRODUCT CODE	DESCRIPTION
SAFERULO50	Safety ruler with ergonomic rail, 50 cm
SAFERUL100	Safety ruler with ergonomic rail, 100 cm
SAFERUL150	Safety ruler with ergonomic rail, 150 cm

TWEEZERS & WEEDING HOOKS

	PRODUCT CODE	DESCRIPTION
	HEXCROCH	Application finishing hook Ideal for getting into hard-to-reach areas
# m	TWEEZ	Standard weeding tweezers For use with DAO or IMN vinyls, FLEX and other products that need to be weeded Unbranded product, no Hexis logo
	FLATTWEEZ	Round-tipped tweezers Used for applying or removing full wraps The round tips make it possible to handle the film without any risk of scratching it Unbranded product, no HEXIS logo
	WEEDER3	Weeding hook Makes weeding vinyl easy
	EDGEBLADES*	Refill: pack of 10 blades for EDGETRIMER
	* Available while stocks last	



	PRODUCT CODE	DESCRIPTION
	MANCHETTE3	Leather wristband Tool holder
	PISTHERMIQ	Heat gun
	PISTLASER3	Laser thermometer
	AIMANT2	Magnet for easily positioning graphics on car bodies Sold individually
	AIMANTXL	XL magnet for positioning graphics on car bodies Sold individually
	COVSEAT4	Castor stool with wheels
	STRIKERSET	Staple remover kit for standard vehicles
	RIVETBRUSH	Application tool for riveted surfaces
Base .	ROLLCOV	Application roller
S.F.	ROLLRIV	Application roller for application over rivets









PRODUCT CODE	DESCRIPTION
TIRODECO	Thin positioning tape for cutting Size 6 mm x 33 lm
BODYKNIFE2	"Cutting wire" tape for applying BODYFENCE and solar protection films
WRAPKNIFE	For cutting films, from simple to very complex shapes, without scratching bodywork Size 3 mm x 50 lm
GANTSCOV**	Thin gloves specially designed for applying full wraps Sold in pairs. One size
STEAMERSC1	High pressure steamer for applying BODYFENCE

 $^{^{\}ast\ast}$ to be replaced with glove from the SHAG range.



















PRODUCT CODE	DESCRIPTION
BERLAP	White squeegee for applying solar films on rear windows of vehicles
GRATLAM100	Retractable metal scraper for LAME100
LAME100	Replacement blades for GRATLAM100 Sold in packs of 100
GRATTOIR	Soft scraper
GRATTOIR10	10 soft scrapers
BODYKNIFE2	"Cutting wire" tape for applying BODYFENCE and solar protection films
PIADZGREY	Application squeegee Hard finish
PIADZROUGE	Application squeegee Medium finish
PORTECOV	Protection for vehicle interiors while applying solar films

→ TOOLS FOR **SOLAR FILMS**

PRODUCT CODE	DESCRIPTION
POIGNVITR	Handle for cleaning blade, compatible with LAMEVITR15, LAMEVITR30, LAMEVITR and MAXBLUE
LAMEVITR15	15 cm cleaning blade for POIGNVITR
MAXHANDLE	Handle for MAXBLUE
MAXBLUE	Very soft Teflon® squeegee for applying solar films. For use with MAXHANDLE and POIGNVITR.
MARBLEU	Soft squeegee
MARBLEUF	Soft squeegee with red felt
MAROR	Medium squeegee
MARNOIR	Hard squeegee
MARVITRE	Standard squeegee for windows



→ TOOLS FOR BANNER FINISHING

FASTENING & HANGING SYSTEM

	PRODUCT CODE	DESCRIPTION
4	KITPRESSE	Manual eyelet press Kit contains: - 1 manual press - 1 crimping set, 10 mm - 1 lot of 1000 eyelets, 10 mm - 1 elastic cord - 1 carrying case
	HARDEYELET	Alternative to metal eyelets and/or plastic reinforcement for eyelet contours Sold in boxes of 100
	OEILLET1OL	Pack of 1000 brass eyelets Ø 10 mm
A DESCRIPTION OF THE PARTY OF T	OEILLET10N	Pack of 1000 nickel eyelets Ø 10 mm
	JEUSERT10	Crimping set, 10 mm Sold individually
8	OEILLET12L	Pack of 500 brass eyelets Ø 12 mm
	OEILLET12N	Pack of 500 nickel eyelets Ø 12 mm

→ TOOLS FOR BANNER FINISHING

FASTENING & HANGING SYSTEM

PRODUCT CODE	DESCRIPTION
JEUSERT12	Crimping set, 12 mm Sold individually
OEILLET15L	Pack of 250 brass eyelets Ø 15 mm
OEILLET15N	Pack of 250 nickel eyelets Ø 15 mm
JEUSERT15	Crimping set, 15 mm Sold individually
STRONGBAN3	Strong double-sided adhesive tape for banner hems Size 25 mm x 50 lm
DRISSE	Rope, diameter 6 mm Sold by linear meter, length upon request
SANDOW	Sandow stretch rope, diameter 8 mm Sold by linear meter, length upon request





BEFORE APPLICATION



	PRODUCT CODE	DESCRIPTION	
	SHAGREMOV	SHAGREMOV is an active, high-performance foam for eliminating traces of adhesive, insects and other residue.	51
			20 l
	SHAGCLEAN	SHAGCLEAN is designed for final cleaning before a full wrap application. Its formulation ensures fast drying and reduces the number of times the microfibre cloth needs to be wiped across the surface.	11
			5 l
			20 l
	MFKIT	This pack of microfibre cloths helps remove contaminants wrapped surfaces without leaving any traces and without any scratching; also avoids mixing products during the cleaning p Dimensions 40 x 40 cm	risk of
	PAINTRUB	For decontamination of substrates Always use with an aqueous solution	





CLEANINGFLUIDS

DURING APPLICATION

	PRODUCT CODE	DESCRIPTION
	CANTAP	Tap-cap for 5-litre can. Not compatible with SHAGCLEA5L and SHAGREMOV5L
LASTFOM	EASYPOSE2L	Fluid facilitating the application of adhesive products by reducing their tack Ideal for applying CRISTAL and etched glass films Do not use with HX products or solar films
EASTPORE.	EASYPOSE5L	Fluid facilitating the application of adhesive products by reducing their tack Ideal for applying CRISTAL and etched glass films Do not use with HX products or solar films
HOSTO DE LES	HEXISO2L	Mild degreaser
MENTS O	HEXISO5L	Mild degreaser
MAGIC SPRAV	MAGICSPRAY	For easier application of vinyl without scratching Capacity 500 ml
HEXIS	HEXISGEL1L	For easier application of adhesive products (BODYFENCE, V202CG1, CRISTAL, PURE ZONE®, etc.)
The Commission of the Part of	HEXISGEL5L	For easier application of adhesive products (such as BODYFENCE, V202CG1, CRISTAL, PURE ZONE®, etc.)





CLEANING FLUIDS

MAINTENANCE PRODUCTS







PRODUCT CODE	DESCRIPTION
SHAMPCARV2	ProTech® concentrated car shampoo is specially formulated to remove static charges and restore lustre to the paintwork It can be applied on any paintwork and does not leave any traces. Capacity 500 ml
MATCLEAN	ProTech® MATCLEAN cleaner is specially formulated for vehicles wrapped with matt films. It cleans, protects and mattifies the wrapped surface. Capacity 500 ml



FOR SKINTAC FILMS (GLOSS)





Complete maintenance kit for SKINTAC films consisting of:

- Kit 1 SHAGRELOAD (cleaning fluid)
- 1 SHAGSHINE (polishing cream)



CLEANING FLUID FOR SKINTAC **FILMS**



polishing cream for SKINTAC films

SPECIAL FLUIDS



PRODUCT CODE	DESCRIPTION
HEXAG	Product for removing graffiti from anti-graffiti films. Can also be used to soften the majority of HEXIS films (except PET films) for easier removal. 5-litre canister

MULTIPUR-POSE FLUIDS



PRODUCT CODE	DESCRIPTION			
		11		
SHAGREMOV	SHAGREMOV is an active, high-performance foam for eliminating traces of adhesive, insects and other residue.	5 l		
		20 l		

→ **ROLL-UP**DISPLAYS

PROMOTIONAL ROLL-UPS

ROLLDOUBLE

 PRODUCT CODE
 DIMENSIONS
 WEIGHT

 DISPLAY
 GRAPHICS

 ROLLDOUBLE
 85 x 200 cm
 850 x 2200 mm
 5.4 kg

ROLLDOUBLE has a double mast allowing front and back display.

RECOMMENDED PRINTABLE MEDIA		
JT300M1	SEE PAGE 113	
FRONT5M1	SEE PAGE 112	
POP190ECOS	SEE PAGE 115	
POP200ECOS	SEE PAGE 115	
POPPRIMO	SEE PAGE 115	

PROMOTIONAL ROLL-UPS

ROLLFIRST, ROLLSHOW85 & ROLLSHOW10


ROLLFIRST offers numerous benefits: reliability, simplicity, lightness, quick and easy assembly.

ROLLFIRST, ROLLSHOW85 and ROLLSHOW10 are sold with a carry bag.

PRODUCT CODE	DIMENSIONS		WEIGHT
	DISPLAY	GRAPHICS	WEIGHT
ROLLFIRST	85 x 200 cm	850 x 2200 mm	2 kg
ROLLSHOW85	85 x 200 cm	850 x 2200 mm	2 kg
ROLLSHOW10	100 x 200cm	1000 x 2200 mm	2.5 kg

PRODUCT CODE	DIMENSIONS		WEIGHT
	DISPLAY	GRAPHICS	WEIGHT
ROLLPRIMO*	85 x 200 cm	850 x 2200 mm	2 kg
ROLLECO85*	85 x 200 cm	850 x 2200 mm	3 kg
ROLLECO100*	100 x 200cm	1000 x 2200 mm	3.5 kg

^{*} Available while stocks last



RECOMMENDED PRINTABLE MEDIA		
JT300M1	SEE PAGE 113	
FRONT5M1	SEE PAGE 112	
POP190ECOS	SEE PAGE 115	
POP200ECOS	SEE PAGE 115	
POPPRIMO	SEE PAGE 115	

- SELF-SUPPORTING

DISPLAYS

PROMOTIONAL DISPLAYS

PREMIO & PREMIO XL

PREMIO is a self-supporting display with a lightweight structure.

The graphics are attached by 4 eyelets (minimum diameter 10 mm).

Two sizes are available: 60 x 160 (PREMIO) and 80 x 200 cm (PREMIO XL). PREMIO and PREMIO XL are sold with a carry bag.

PRODUCT	DIMENSIONS		WEIGHT
CODE	DISPLAY	GRAPHICS	WEIGHT
PREMIO	60 x 160 cm	600 x 1600 mm	0.980 kg
PREMIOXL	80 x 200 cm	800 x 2000 mm	0.980 kg



RECOMMENDED PRINTABLE MEDIA		
JT300M1	SEE PAGE 113	
FRONTM1EV2	SEE PAGE 112	
FRONT5M1	SEE PAGE 112	
FRONT2	SEE PAGE 112	
FRONT2V2B	SEE PAGE 112	
FRONT2V2M	SEE PAGE 112	
FRONT3V2	SEE PAGE 112	







ROLLECO100 HEXIS SAS FRANCE

ROLLPRIMO AVIS COMMUNICATION



→ FOLDING STAND &

ACCESSORIES

CURVED STAND S3X3

SC3X3C* & SC3X3H*

PRODUCT VERSION CODE SC3X3H* Bag

POPNC400

POP310ECOS

This curved magnetic folding stand can be deployed quickly and easily. Supplied with hangers and kickers that are attached by hooks. The stand comes with 18 vertical bars, 5 hangers (673 mm), 3 kickers (673 mm) and a 30 m roll of magnetic tape.

Spotlights are available as an optional accessory.

- > CONTAINER version: the stand is stored in a wheeled container allowing you to organise and protect your graphics.
- > BAG version: the stand is stored in a carry bag.




HEXIS CATALOGUE 2021

SEE PAGE 115

SEE PAGE 115

www.hexis-graphics.com



PRODUCT CODE	ACCESSORY	DESCRIPTION
SC3X3SPMAV*		Kit comprising hangers and kickers for the front + magnetic tape
SC3X3SPMAR*	- New version	Kit comprising hangers and kickers for the back + magnetic tape
TOPDESK*		Wooden top that fixes onto the container to transform it into a desk
SPOT*		150 W halogen spotlights for folding stands (sold in pairs in a bag)
STDC3X3SPM*	Old Version	Kit comprising hangers and kickers for the front
STDC3X3AR*		Kit comprising hangers and kickers for the back

^{*} Available while stocks last



FAN DECKS



















PRODUCT



DESCRIPTION

Automotive films

Hex'perience decoration and pattern films

CODE	DESCRIPTION	
HX20HX30 N2NUANCIEREVE	SKINTAC HX30000 & HX20000 High-performance cast PVC film with Hex'Press technology (Includes a transparent page – the best way to visualise a film applied on a car or a piece of furniture)	
HX45V1 N2NUANCIEREVE*	SKINTAC HX45000 High-performance cast PVC film with Hex'Press technology (Includes a transparent page – the best way to visualise a film applied on a car or a piece of furniture)	
KG8V1 N2NUANCIEREVE	SMARTAC KG8000 High-performance cast PVC film	
A5000EVO N2NUANCIEREVE	SMARTAC EVOLUTION A5000 High-performance PVC-free cast film	
POLY5000 N2NUANCIEREVE	SUPTAC S5000/SUPTAC HXS5000/TRANSLUCIDE T5000 High-performance polymeric film	
E3000M2000 N2NUANCIEREVE	ECOTAC PLUS E3000+ /MICROTAC Intermediate monomeric film	
TEXIS N2NUANCIEREVE	Plotter and printing films for textile decoration	
FPSBATV3 N2NUANCIEREVE	Building films	

FPSAUTOV2 N2NUANCIEREVE

DECO N2NUANCIEREVE



Available while stocks last

A4 SWATCHBOOKS





PRODUCT CODE	DESCRIPTION
HX20HX30 N2NUANCIERA4	SKINTAC HX30000 & HX20000 High-performance cast PVC film with Hex'Press technology
HX45V1 N2NUANCIERA4*	SKINTAC HX45000 High-performance cast PVC film with Hex'Press technology
KG8 N2NUANCIERA4	SMARTAC KG8000 High-performance cast PVC film
A5000EVO N2NUANCIERA4	SMARTAC EVOLUTION A5000 High-performance cast PVC film
POLY5000 N2NUANCIERA4	SUPTAC S5000/SUPTAC HXS5000/ TRANSLUCIDE T5000 High-performance polymeric film
E3000M2000 N2NUANCIERA4	ECOTAC PLUS E3000+/MICROTAC M2000 Intermediate monomeric film
SPVITRES N2NUANCIERA4	LUXTAC Films for windows
FPSBAT N2NUANCIERA4	Building films
FPSAUTO N2NUANCIERA4	Automotive films
SPRETRO N2NUANCIERA4	SPECIALITIES (including reflective) Fluo - polyester - reflective - masking film Whiteboard - blackboard
SPECIAL N2NUANCIERA4	SPECIALITIES (excluding reflective) Fluo - polyester - masking film Whiteboard - blackboard
ailahle while stocks last	

^{*} Available while stocks last





PRODUCT CODE	DESCRIPTION
DAOCASTHX	A5 Ring Binder HX20000/
N2NUANCIERCLAS	HX30000

^{*} Available while stocks last

→ SAMPLE KIT

A5 SAMPLE KIT NEW PRODUCTS



PRODUCT CODE	DESCRIPTION
ECHANTILLON ECHA4A5P2*	A5 sample kit new products

^{*} Available while stocks last

→ BROCHURES

HX45000 CATALOGUE



PRODUCT CODE	DESCRIPTION
HX45FR N2CATALOGUE*	Catalogue FR HX45000
HX45EN N2CATALOGUE*	Catalogue EN HX45000

^{*} Available while stocks last





2021 CATALOGUE



PRODUCT CODE	DESCRIPTION
CATAFR2021 N2CATALOGUE	2021 Catalogue France
CATAEXFR20 N2CATALOGUE	2021 International Catalogue French
CATAEX2021 N2CATALOGUE	2021 International Catalogue English
CATADE2021 N2CATALOGUE	2021 Catalogue Germany
CATAIT2021 N2CATALOGUE	2021 Catalogue Italy
CATAES2021 N2CATALOGUE	2021 Catalogue Spain
CATASW2021 N2CATALOGUE	2021 Catalogue Sweden
CATADA2021 N2CATALOGUE	2021 Catalogue Denmark

A4 SWATCHBOOKS



PRODUCT CODE	DESCRIPTION
PUREZONEFR DOCUMENT	Pure Zone Brochure FR
PUREZONEEN DOCUMENT	Pure Zone Brochure EN
PUREZONEDE DOCUMENT	Pure Zone Brochure DE *
PUREZONEIT DOCUMENT	Pure Zone Brochure IT *
PUREZONEES DOCUMENT	Pure Zone Brochure ES *
PUREZONESE DOCUMENT	Pure Zone Brochure SE *
* On special request	

^{*} On special request

SHAG TOOLS CATALOGUE



PRODUCT CODE	DESCRIPTION
SHAGFR2019 N2CATALOGUE	SHAG CATALOGUE FR
SHAGEN2019 N2CATALOGUE	SHAG CATALOGUE EN

BOAT WRAPS CATALOGUE



PRODUCT CODE	DESCRIPTION
BOATFR N2CATALOGUE	Boat wraps catalogue FR
BOATEN N2CATALOGUE	Boat wraps catalogue EN
BOATDE N2CATALOGUE	Boat wraps catalogue DE*
BOATIT N2CATALOGUE	Boat wraps catalogue IT*
BOATES N2CATALOGUE	Boat wraps catalogue ES*

^{*} On special request

INTERIOR DECORATION CATALOGUE



PRODUCT CODE	DESCRIPTION
DECOFRO2 N2CATALOGUE	Decoration catalogue FR
DECOENO2 N2CATALOGUE	Decoration catalogue EN
DECODEO2 N2CATALOGUE	Decoration catalogue DE*
DECOITO2 N2CATALOGUE	Decoration catalogue IT*
DECOESO2 N2CATALOGUE	Decoration catalogue ES*

^{*} On special request





REARVIEW MIRROR HANGER WRAPS



PRODUCT CODE	DESCRIPTION	PRICE EXCL. TAX
DRETROWRFR GOODIES	Rearview mirror hanger wraps FR	00.12
DRETROWREN GOODIES	Rearview mirror hanger wraps EN	− €0.12

REARVIEW MIRROR HANGER SOLAR FILMS



PRODUCT CODE	DESCRIPTION
DACRETRO GOODIES*	Rearview mirror hanger Solar films

* On special request

BODYFENCE PRESENTATION KIT



PRODUCT CODE	DESCRIPTION
BODYKITXFR DOC-KIT BODYFENCE	Presentation kit FR
BODYKITXEN DOC-KIT BODYFENCE	Presentation kit EN
BODYKITXDE DOC-KIT BODYFENCE	Presentation kit DE*
BODYKITXES DOC-KIT BODYFENCE	Presentation kit ES*
BODYKITXIT DOC-KIT BODYFENCE	Presentation kit IT*
BODYKITXSE DOC-KIT BODYFENCE	Presentation kit SE*

* On special request



PRODUCT CODE	DESCRIPTION
BODYFPORTX DOCUMENT	Sample holder

BODYFENCEX FLAP POCKET



PRODUCT CODE	DESCRIPTION
BODYFPOCHX DOCUMENT	Flap pocket

BODYFENCEX BROCHURE



PRODUCT CODE	DESCRIPTION
BODYFBRXFR DOCUMENT BODYFENCEX	BODYFENCEX BROCHURE FR
BODYFBRXOEN DOCUMENT BODYFENCEX	BODYFENCEX brochure EN
BODYFBRXDE DOCUMENT BODYFENCEX	BODYFENCEX brochure DE*
BODYFBRXES DOCUMENT BODYFENCEX	BODYFENCEX brochure ES*
BODYFBRXIT DOCUMENT BODYFENCEX	BODYFENCEX Brochure IT*
BODYFBRXSE DOCUMENT BODYFENCEX	BODYFENCEX brochure SE*

^{*} On special request

BODYFENCE REARVIEW MIRROR HANGER



PRODUCT CODE	DESCRIPTION
ACRETBODEN GOODIES	Rearview mirror hanger Bodvfence EN

KIT THE190EVO



PRODUCT CODE	DESCRIPTION
THE190AUS DOC-KIT	THE190 presentation kit AUS*
THE190DE DOC-KIT	THE190 presentation kit DE*
THE190EN DOC-KIT	THE190 presentation kit EN
THE190ES DOC-KIT	THE190 presentation kit ES*
THE190FR DOC-KIT	THE190 presentation kit FR
THE190FWI DOC-KIT	THE190 presentation kit FWI*
THE190IT DOC-KIT	THE190 presentation kit IT*
THE190SE DOC-KIT	THE190 presentation kit SE*
THE190US DOC-KIT	THE190 presentation kit US*

^{*} On special request

KIT THE200EVO



PRODUCT CODE	DESCRIPTION
THE200AUS DOC-KIT	THE200 presentation kit AUS*
THE2000DE DOC-KIT	THE200 presentation kit DE*
THE200EN DOC-KIT	THE200 presentation kit EN
THE200ES DOC-KIT	THE200 presentation kit ES*
THE200FR DOC-KIT	THE200 presentation kit FR
THE200FWI DOC-KIT	THE200 presentation kit FWI*
THE200IT DOC-KIT	THE200 presentation kit IT*
THE200SE DOC-KIT	THE200 presentation kit SE*

^{*} On special request

DOCUMENTATION

TUBE THE190EVO



PRODUCT	
CODE	

DESCRIPTION

TUBETHE190 DOC-KIT

THE190EVO sample in a printed tube

A1 POSTER DIGITAL PRINTING RANGE



PRODUCT CODE	DESCRIPTION
PIMNA1FR DOCUMENT	Poster FR
PIMNA1EN DOCUMENT	Poster EN
PIMNA1DE DOCUMENT	Poster DE*
PIMNA1IT DOCUMENT	Poster IT*
PIMNA1ES DOCUMENT	Poster ES*
PIMNA1SE DOCUMENT	Poster SE*

^{*} On special request

- PROMOTIONAL ITEMS

TRANSLUCENT PEN



PRODUCT CODE	DESCRIPTION
BSTYLO GOODIES	Senator pen red

CRITERIUM PENCIL



PRODUCT CODE	DESCRIPTION
BCRITERIUM GOODIES	CRITERIUM Pencil



--- PROMOTIONAL **MATERIAL**

CUTTER



PRODUCT CODE	DESCRIPTION
BCUTTERABS GOODIES	ABS cutter

USB STICK



PRODUCT CODE	DESCRIPTION
BCLEUSB GOODIES*	USB stick

^{*} Available while stocks last

LANYARD



PRODUCT CODE	DESCRIPTION
VTOURDECOU GOODIES	HEXIS lanyard


HEXIS GRAPHICS NOTEPAD



	PRODUCT CODE	DESCRIPTION
)	BBLOCA4HG GOODIES	HEXIS Graphics A4 notepad
	BBLOCA5HG GOODIES	HEXIS Graphics A5 notepad



→ **PROMOTIONAL** ITEMS



PRODUCT CODE	DESCRIPTION
CARNETFR GOODIES	Notepad 10 x 15 cm

PRODUCT CODE	DESCRIPTION
BSTICKY GOODIES	Notepad 101 x 75 mm

	PRODUCT CODE	DESCRIPTION
HEXIS FOLDER	DPOCHETTE2 GOODIES	HEXIS folder with extra space
	POCHA5 GOODIES	Empty A5 HEXIS folder
575	DPOCHETTE GOODIES	Standard HEXIS folder

HEXIS BAG	PRODUCT CODE	DESCRIPTION
	CSACSALON2 GOODIES	Polypropylene bag



RING BINDER



PRODUCT CODE	DESCRIPTION
CCLASSEUR2 GOODIES	A4 RING BINDER

MINIT-SHIRT FOR FLEX DEMOS



PRODUCT CODE	DESCRIPTION	
MTSHFLEXBL N2ECHANT	Mini T-shirt white	
MTSHFLEXJA N2ECHANT	Mini T-shirt yellow	
MTSHFLEXNO N2ECHANT	Mini T-shirt black	
MTSHFLEXRO N2ECHANT	Mini T-shirt red	
MTSHFLEXBE N2ECHANT	Mini T-shirt Blue	
MTSHFLEXVE N2ECHANT	Mini T-shirt green	

ILLUMINATED SIGN




PRODUCT CODE	DESCRIPTION
BODYSIGN GOODIES	BODYFENCE illuminated sign

PRESENTATION HOOD



PRODUCT CODE	DESCRIPTION
BODYHOODX GOODIES	BODYFENCE presentation hood

MAT



PRODUCT CODE	DESCRIPTION
BODYCARPET GOODIES	BODYFENCE mat

LONG-SLEEVE SHIRT WHITE MEN



PRODUCT CODE	DESCRIPTION
VCHHSUPS GOODIES	Men's shirt white S
VCHHSUPM GOODIES	Men's shirt white M
VCHHSUPL GOODIES	Men's shirt white L
VCHHSUPXL GOODIES	Men's shirt white XL
VCHHSUP2XL GOODIES	Men's shirt white XXL

WHITE POLO SHIRT MEN



PRODUCT CODE	DESCRIPTION	PRICE EXCL. TAX
VPOHSUPS GOODIES	Men's polo shirt white S	_
VPOHSUPM GOODIES	Men's polo shirt white M	_
VPOHSUPL GOODIES	Men's polo shirt white L	- 630.06
VPOHSUPXL GOODIES	Men's polo shirt white XL	— €28.86 _
VPOHSUP2XL GOODIES	Men's polo shirt white XXL	_
VPOHSUP3XL GOODIES	Men's polo shirt white XXXL	



LONG-SLEEVE BLOUSE WHITE WOMEN



PRODUCT CODE	DESCRIPTION
VCHFSUPS GOODIES	Women's blouse white S
VCHFSUPM GOODIES	Women's blouse white M
VCHFSUPL GOODIES	Women's blouse white L
VCHFSUPXL GOODIES	Women's blouse white XL
VCHFSUP2XL GOODIES	Women's blouse white 2XL

WHITE POLO SHIRT WOMEN



PRODUCT CODE	DESCRIPTION
VPOFSUPXS GOODIES	Women's polo shirt white S
VPOFSUPS GOODIES	Women's polo shirt white M
VPOFSUPM GOODIES	Women's polo shirt white L
VPOFSUPL GOODIES	Women's polo shirt white XL
VPOFSUPXL GOODIES	Women's polo shirt white 2XL

RED POLO SHIRT WOMEN



PRODUCT CODE	DESCRIPTION
VPOLORFS GOODIES	Women's polo shirt red XS
VPOLORFM GOODIES	Women's polo shirt red S
VPOLORFL GOODIES	Women's polo shirt red M
VPOLORFXL GOODIES	Women's polo shirt red L
VPOLORF2XL GOODIES	Women's polo shirt red XL

TOOLS DISPLAYS

CORPORATE DOWN JACKET







PRODUCT CODE	DESCRIPTION
VKHCOATXS GOODIES	Down Jacket XS
VKHCOATS GOODIES	Down jacket S
VKHCOATM GOODIES	Down jacket M
VKHCOATL GOODIES	Down Jacket L
VKHCOATS GOODIES	Down jacket XL
VKHCOAT2XL GOODIES	Down jacket 2XL
VKHCOAT3XL GOODIES	Down jacket 3XL

SOFTSHELL JACKET



PRODUCT CODE	DESCRIPTION
VKHSOFTXS GOODIES	Softshell jacket XS
VKHSOFTS GOODIES	Softshell jacket S
VKHSOFTM GOODIES	Softshell jacket M
VKHSOFTL GOODIES	Softshell jacket L
VKHSOFTXL GOODIES	Softshell jacket XL
VKHSOFT2XL GOODIES	Softshell jacket 2XL
VKHSOFT3XL GOODIES	Softshell jacket 3XL





HOODIE



PRODUCT CODE	DESCRIPTION
VKHSWTCXS GOODIES	Sweater XS
VKHSWTCS GOODIES	Sweater S
VKHSWTCM GOODIES	Sweater M
VKHSWTCL GOODIES	Sweater L
VKHSWTCXL GOODIES	Sweater XL
VKHSWTC2XL GOODIES	Sweater 2XL
VKHSWTC3XL GOODIES	Sweater 3XL





HEXIS GRAPHICS SWEATER



PRODUCT CODE	DESCRIPTION
VKHSWTXS GOODIES	HEXIS Sweater XS
VKHSWTS GOODIES	HEXIS Sweater S
VKHSWTM GOODIES	HEXIS Sweater M
VKHSWTL GOODIES	HEXIS Sweater L
VKHSWTXL GOODIES	HEXIS Sweater XL
VKHSWT2XL GOODIES	HEXIS Sweater 2XL
VKHSWT3XL GOODIES	HEXIS Sweater 3XL







★ New for 2021 ★





HEXIS ENERGY DRINK

	PROI CO		DESCRIPTION
0	ISUS HEXIS	CAN250ML	HEXIS Star Energy x 24 Can
8	THE REAL PROPERTY.	PETFULL1L	PET HEXIS Full Energy 6 x1 litre FULL ENERGY
8	HEXISON	CAN250MLX4	HEXIS Star Energy x 4 Can STAR ENERGY



SPECIAL PRICES FOR HEXIS CUSTOMERS

GOODIES

		DUCT DE	DESCRIPTION
		FRIGO20L	Fridge 20L - 2 shelves
		FRIGO70L	Fridge 70L - 3 shelves
		STYLO	Ball-point pen (50 units)
	A MANAGEMENT	TAPISBAR	Bar mat
		BONNETBLANC*	White tassel hat
N		BONNETNOIR	Black hat
8	IE COS	CASQROUGE	HEXIS Energy cap - red
	NEXUS I	CASQROSE	HEXIS Energy cap - pink
	ASUS ASIA	CASQVERTE	HEXIS Energy cap - green
N	HEXIS	CASQNOIRE	HEXIS Energy cap - black
N	Eds	CASQBLANCHE	HEXIS Energy cap - white
		TOURDECOU	HEXIS Energy lanyard (25 units)
	I I I I I I I I I I I I I I I I I I I	PORTECLE	HEXIS Energy keyring (100 units)
	9	TOUILLETTE	HEXIS Energy cocktail stirrer (100 units)
N	Coming soon	MASK	HEXIS Energy category 2 face mask for general public













Who better than HEXIS to teach you how to apply selfadhesive films?

export@hexis.fr or call us on +33 467 186 686

For all courses, the training centre offers:

- The basic tools for starting your activity
 Films for training purposes
 A framed training certificate
 A training centre T-shirt
 A tour of the production unit
 10% discount on catalogue on day of



SUPERVISOR.

www.hexis-training.com



hexis---training-centre

TRAINING CENTRE

CHOOSING THE RIGHT COURSE	242
CHOOSING THE RIGHT PACK	244
SIGNS	246 - 247
FULL WRAPS	248 - 251
BODYFENCE PAINT PROTECTION FILM	252 - 253
INTERIOR DECORATION	254 - 255
AUTOMOTIVE PROTECTION FILM	256
FILM FOR WINDOW GRAPHICS	257
RACING OPTICS	
RACING OPTICS	258 - 259
	258 - 259
PURE ZONE	258 - 259 260
RACING OPTICS	258 - 259 260
PURE ZONE DIGITAL PRINTING.	258 - 259 260 261
PURE ZONE	258 - 259 260 261
PURE ZONE DIGITAL PRINTING	258 - 259 260 261 262
PURE ZONE DIGITAL PRINTING.	258 - 259 260 261 262
PURE ZONE DIGITAL PRINTING	258 - 259 260 261 262

COURSES CAN BE BOOKED INDEPENDENTLY

	COURSE NAME	COURSE TYPE	COURSE DURATION
	SIGNS	Basic	2 days
		Discovery	5 days
	FULL WRAPS	Basic	3 days
		Advanced	2 days
	BODYFENCE	Basic	3 days
		Advanced	2 days
	HEX'PERIENCE	The world of HEXIS decoration	2 days
	AUTOMOTIVE SOLAR PROTECTION FILMS	Basic	3 days
		Advanced	2 days
	WINDOW GRAPHICS	Basic	2 days
	RACING OPTICS	Basic	2 days
0	PURE ZONE	Basic	1 day
	DIGITAL PRINTING	Basic	1 day
		Advanced	2 days
	CERTIFICATIONS	BODYFENCE Certification	1 day
		SIGN Certification	1 day
		Full Wrap Certification	1 to 2 days









AUTOMOTIVE WINDOW FILM

PROTECTION PERFORMANCE INNOVATION STYLE





PACK EXAMPLES, 20% DISCOUNT

PACK CODE	COURSE DURATION	COURSE TYPE
PACK TCOV + PPF*	6 days	Full wraps basic course + BODYFENCE PPF
PACK TCOVP • PPF*	5 days	Full wraps advanced course + BODYFENCE PPF
PACK TCOVB + TCOVP	5 days	Full wraps basic course and full wraps advanced course (these courses must be taken at least 1 month apart)
PACK TCOVD + TCOVP**	7 days	Full wraps discovery course and full wraps advanced course (these courses must be taken at least 1 month apart)
PACK SIGNS + DECO	4 days	Training pack comprising signs + interior decoration
PACK FPS + PPF*	6 days	Automotive solar film basic course + BODYFENCE PPF
PACK FPS AUTO P • PPF*	5 days	Automotive solar film advanced course + BODYFENCE PPF

^{*} Paint (car body) protection film

OTHER PACKS ARE AVAILABLE. PLEASE ASK YOUR USUAL CONTACT.

^{**} The full wraps discovery course already includes a 20% discount, so the 'Pack' discount only applies to the full wraps advanced course.







BASIC

WHO IS THIS COURSE FOR?

This course is recommended for any professional planning to work in the fields of sign-making and visual communications. It aims to teach the basic principles of self-adhesive films, how they should be handled and applied.



DURATION	NUMBER OF PARTICIPANTS
2 days	4

PROGRAMME

- > KNOWLEDGE AND EVALUATION OF THE DIFFERENT TYPES OF SELF-ADHESIVE FILMS
- > INTRODUCTION TO TOOLS AND ACCESSORIES
- > SUBSTRATE PREPARATION
- > WEEDING AND USE OF TRANSFER TAPE
- > USE OF THE SQUEEGEE
- > METHODS FOR DRY AND WET APPLICATION
- > APPLICATION TECHNIQUES BY FILM TYPE
- > CUTTING TECHNIQUES ON DIFFERENT SUBSTRATES (PANELS, WINDOWS, VEHICLES)
- > FINISHES











DISCOVERY

WHO IS THIS COURSE FOR?

Recommended for novices in self-adhesive film application and/or people intending to start up a full wraps business.



DURATION	NUMBER OF PARTICIPANTS
5 days	4

PROGRAMME

- > LEARN TO RECOGNISE AND EVALUATE DIFFERENT SELF-ADHESIVE FILMS
- > INTRODUCTION TO APPLICATION TOOLS
- > LEARN TO USE THE SQUEEGEE
- > PREPARATION OF THE VEHICLE AND WHICH FLUIDS TO USE
- > TIPS FOR PREPARING FILM APPLICATION
- > ANALYSING THE TARGET SURFACE STRUCTURE
- > APPLICATION TECHNIQUES FOR VINYL
- > TECHNIQUES FOR APPLICATION OVER DEFORMATIONS
- > USE OF THE HEAT GUN
- > TECHNIQUES FOR CUTTING VINYL ON THE VEHICLE
- > FINISHES





BASIC

WHO IS THIS COURSE FOR?

Those wishing to gain experience in applying self-adhesive films on flat surfaces.

THE BENEFITS

It covers all the tips and tricks needed to handle our self-adhesive films skilfully when performing a full wrap. The trainer will answer any questions and demonstrate the techniques in practice, taking into account the level of knowledge of each participant.



DURATION	NUMBER OF PARTICIPANTS

3 days

PROGRAMME

> INTRODUCTION TO THE WORLD OF SELF-ADHESIVE FILMS,
HOW TO CHOOSE A PRODUCT ACCORDING TO APPLICATION,
THE TYPES OF ADHESIVES, TEMPERATURES

4

- > CALCULATE THE AMOUNT OF VINYL NEEDED TO COVER A VEHICLE
- > TIPS FOR PREPARING FILM APPLICATION
- > TOOLS AND ACCESSORIES
- > PREPARATION OF THE VEHICLE AND WHICH FLUIDS TO USE
- > APPLICATION TECHNIQUES FOR SELF-ADHESIVE FILMS FOR FULL WRAPS
- > CUTTING AND FINISHES

INFORMATION



The training sessions are not intended for actual full wrap jobs.
All films will be removed from the substrate at the end of the session.
At the end of the course, each participant will be given a certificate of attendance.





ADVANCED

WHO IS THIS COURSE FOR?

This course is aimed at people who have previously attended the **FULL WRAPS BASIC** or **DISCOVERY**course

In this course, participants practise in detail how to apply the different parts of a full wrap on a car.

It has been developed for experienced installers who want to further their knowledge and acquire more advanced application techniques: front and rear bumpers, exterior mirrors, door handles, cutting techniques, etc. The focus will depend on requests received and on the previous experience of the participants.



DURATION	NUMBER OF PARTICIPANTS
2 days	4

PROGRAMME

- > LEARN TO RECOGNISE AND ANALYSE DIFFERENT SELF-ADHESIVE FILMS FOR TOTAL WRAPS CHOOSE A PRODUCT ACCORDING TO APPLICATION
- > INTRODUCTION TO APPLICATION TOOLS
- > PREPARATION OF THE VEHICLE
- > TIPS FOR PREPARING FILM APPLICATION
- > ANALYSING THE TARGET SURFACE STRUCTURE
- > APPLICATION TECHNIQUES FOR VINYL
- > TECHNIQUES FOR APPLICATION OVER DEFORMATIONS
- > USE OF THE **HEAT GUN**
- > TECHNIQUES FOR **CUTTING VINYL** ON THE VEHICLE
- > FINISHES











PAINT PROTECTION FILM

BASIC

WHO IS THIS COURSE FOR?

This course is aimed at all professionals currently applying, or intending to start applying **BODYFENCE** paint protection films.


The trainer will support each participant, taking into account their level of knowledge. The target of the course is to learn how to apply **BODYFENCE** paint protection film.



DURATION	NUMBER OF PARTICIPANTS
3 days	4

- > INTRODUCTION TO THE BODYFENCE RANGE
- > PREPARING THE VEHICLE
- > ANALYSING THE TARGET SURFACE STRUCTURE
- > DEFINING AREAS TO BE PROTECTED
- > APPLICATION TECHNIQUES FOR 'TRADITIONAL' PAINT PROTECTION FILM
- > APPLICATION TECHNIQUES FOR PRECUT PAINT PROTECTION FILM
- > INTRODUCTION TO HEXIS DESIGN COMPLETE CUTTING SOFTWARE
- > TECHNIQUES FOR APPLICATION OVER DEFORMATIONS
- > CUTTING TECHNIQUES
- > FINISHES









ADVANCED

WHO IS THIS COURSE FOR?

This course is aimed at people who have previously attended the **BODYFENCE BASIC** course. At this stage, installers can upgrade their application techniques of **BODYFENCE** and learn to work faster.

The focus of this course may evolve based on requests and the previous experience of the participants. At the end of this course, **BODYFENCE** will have no more secrets for you.

DURATION	NUMBER OF PARTICIPANTS
2 days	4

PROGRAMME

- > EVALUATION OF THE PARTICIPANT'S EXPERTISE
- > REFINING TRADITIONAL APPLICATION TECHNIQUES
- > APPLICATION TECHNIQUES OF PRECUTS ON COMPLEX VEHICLES
- > CUTTING TECHNIQUES
- > FINISHES
- > ADVANCED PRESENTATION TO HEXIS DESIGN COMPLETE CUTTING SOFTWARE

BENEFITS

- > MORE PROFITABLE
- > EASY TO USE
- > MATERIAL SAVING
- > INCREASED PRODUCTIVITY

INFORMATION



The Basic and Advanced courses can be combined. The trainer will remove all films from the substrate at the end of the session. At the end of the course, each participant will be given a certificate of attendance.





CUTTING SOFTWARE MORE THAN 60 000 PRECUTS AVAILABLE! **www.bodyfence.net**



THE WORLD OF DECORATION AND INTERIOR DESIGN



WHO IS THIS COURSE FOR?

Interior decoration is practised in a wide range of settings: homes, shops, restaurants, hotels and places of work or leisure. Based on your artistic and technical expertise, you will be able to suggest the perfect decorations for your customers' needs.


Above all else, this course is creative, but you will also acquire essential professional know-how and techniques.

Our goal is to help you assert your creative personality and master the tricks of the trade that will make you a leading professional.

DURATION	NUMBER OF PARTICIPANTS
2 days	4

- > INTRODUCTION TO VINYLS (MONOMERIC, POLYMERIC, CAST)
- > UNDERSTANDING DIFFERENT SUBSTRATES (PLASTIC, GLASS, WOOD, PLASTER, CONCRETE)
- > APPEARANCE AND CHARACTERISTICS OF SUBSTRATES (FLAT, CURVED AND ANGULAR SURFACES)
- > IDENTIFYING WHICH PRODUCT TO USE FOR WHICH SUBSTRATE
- > SUBSTRATES PREPARATION AND CLEANING
- > INTRODUCTION TO APPLICATION TOOLS
- > APPLICATION TECHNIQUES FOR SPECIFIC OBJECTS (FURNITURE, FURNISHINGS, WINDOWS)
- > IDENTIFYING POTENTIAL RISKS AND PROBLEMS ASSOCIATED WITH REMOVAL
- > CUTTING AND FINISHES















VCLEARCG1 + P6871B + PCWALL HEXIS S.A. | FRANCE

HEXIS INTERNATIONAL CONVENTION HEXIS S.A. | FRANCE

PASCAL BAZONNARD - TRAINING CENTRE HEXIS S.A. | FRANCE



→ AUTOMOTIVE SOLAR PROTECTION FILMS

BASIC

WHO IS THIS COURSE FOR?

Recommended for anyone wishing to start applying automotive solar protection films.

THE BENEFITS

This course covers application techniques, tools required and handson exercises for special automotive films.

The trainer will take into account the level of knowledge of each participant, answering any questions they may have.

ADVANCED

WHO IS THIS COURSE FOR?

This course is aimed at people who have previously attended the BASIC SOLAR PROTECTION course.

THE BENEFITS

The aim is to improve your application technique, in particular thermoforming.

This complementary course is designed to consolidate your skills and help you work faster.

DURATION	NUMBER OF PARTICIPANTS
3 days	4

PROGRAMME

- > INTRODUCTION TO THE RANGE OF SOLAR FILMS
- > APPLICATIONTOOLS AND ACCESSORIES
- > DIFFERENT TECHNIQUES FOR APPLYING SOLAR FILM
- > THERMOFORMING TECHNIQUES (ON WINDOWS, QUARTER PANELS AND REAR WINDOWS)
- > CLEANING METHODS
- > CUTTING AND FINISHES (PRESSING, SHAVING, ANGLE FINISHES)

DURATION	NUMBER OF PARTICIPANTS
2 days	4

- > TREATING JOINTS
- > ANALYSING CURVES, CHOOSING FILMS
- > PRINCIPLES OF THERMOFORMING
- > CUTTING METHODS
- > APPLICATION TECHNIQUES
- > FINISHING TECHNIQUES / SCREEN PRINTING





• FILMS FOR WINDOW GRAPHICS

WINDOW GRAPHICS


WHO IS THIS COURSE FOR?

This course is designed for companies aiming to expand into the fields of architectural and shop window films. Participants will learn the basics of transparent films and how they should be handled and applied.

DURATION	NUMBER OF PARTICIPANTS
2 days	4

PROGRAMME


- > APPLICATION TECHNIQUE FOR SOLAR PROTECTION FILMS FOR BUILDINGS
- > **DISTINGUISHING** AND **ANALYSING** VARIOUS GLAZING TYPES USING MEASURING DEVICES
- > AWARENESS OF THE RISKS OF THERMAL SHOCKS
- > COMPOSITION OF SOLAR AND SECURITY FILMS
- > APPLICATION TECHNIQUE FOR TRANSPARENT FILM ON WINDOWS
- > APPLICATION TECHNIQUE FOR ETCHED GLASS, CRISTAL AND MICROPERFORATED FILMS
- > CUTTING TECHNIQUES
- > FINISHES





VCLEARCG1
AGENCE MANYMANY
FRANCE

PET75CG1
AGENCE MANYMANY
FRANCE



TRAINING

HEXIS has joined forces with Racing Optics to offer you high-performance multilayered protective films.

With improvements in safety, visibility and efficiency constantly in mind, the multilayered Racing Optics film offers perfect vision at any time.

Discover the Racing Optics protective film, perfect for protecting windscreens from scratches and impacts.

The course covers cutting and finishing techniques for two types of film.


OBJECTIVES

The objective of this course is to learn how to apply the **Racing Optics** protective film and become a certified **Racing Optics** installer.



DURATION	NUMBER OF PARTICIPANTS	
2 days	4	

- > INTRODUCTION TO FILMS AND APPLICATION TOOLS
- > PREPARING THE SUBSTRATE
- > APPLICATION TECHNIQUE FOR3333SHIELD FILM (3 REMOVABLE LAYERS OF 75 MICRONS EACH)
- > APPLICATION TECHNIQUE FOR 4444RACING FILM (4 REMOVABLE LAYERS OF 100 MICRONS EACH)
- > THERMOFORMING TECHNIQUE
- > CUTTING AND FINISHES







BASIC

WHO IS THIS COURSE FOR?

This course is recommended for professionals working within the medical sector and/or wherever hygiene is vital.

Participants who have completed the course will be listed on our website.



DURATION	NUMBER OF PARTICIPANTS
1 day	6

- > KNOWLEDGE AND EVALUATION OF THE DIFFERENT TYPES OF SELF-ADHESIVE FILMS
- > INTRODUCTION TO PURE ZONE FILMS
- > INTRODUCTION TO APPLICATION TOOLS
- > TIPS FOR SUBSTRATES PREPARATION
- > LEARNING TO USE THE SQUEEGEE
- > APPLICATION TECHNIQUES FOR ANTIMICROBIAL FILM ON SUITABLE SUBSTRATES
- > HOW TO WRAP AN ANGLE (TABLE CORNER)
- > CUTTING TECHNIQUES FOR DIFFERENT SUBSTRATES
- > FINISHES









BASIC

WHO IS THIS COURSE FOR?

This course is for digital printing professionals wishing to enhance their output by better controlling the various elements (peripherals and software) of their workflow whilst seeking to obtain optimum colour accuracy.

ADV	\N(CED
------------	-----	-----

WHO IS THIS COURSE FOR?

This advanced training is intended for digital printing professionals who wish to master the digital printing process both in prepress, color management and the settings of their printing system in order to optimize their large format production, to know choose their media and get a quality impression.

DURATION	NUMBER OF PARTICIPANTS
1 day	1 to 2

PROGRAMME

- > THE BASICS OF COLORIMETRY: PRINCIPLE, COLOUR SPACES AND COLOUR MANAGEMENT
- > PREPARING PRINTING FILES (ILLUSTRATOR)
- > MASTERING DIGITAL PRINTING: RIP, PRINTERS, USE AND MANAGEMENT OF ICC PROFILES
- > CREATING 1 TO 2 MEDIA PROFILES
- > CASE STUDY BASED ON PARTICIPANT'S EXPERIENCE

DURATION	NUMBER OF PARTICIPANTS
2 days	1 to 2

- > INTRODUCTION TO DIGITAL PRINTING: DEFINITION, BASIC PRINCIPLES AND HOW IT WORKS
- > THE DIGITAL IMAGE: PRINCIPLES, COLOUR SPACES AND GENERAL COLOUR CONCEPTS
- > PREPARING, OPTIMISING AND ANALYSING PRINTING FILES (ILLUSTRATOR PHOTOSHOP ACROBAT PRO)
- > MASTERING DIGITAL PRINTING: RIP, PRINTERS, USE AND MANAGEMENT OF ICC PROFILES
- > CREATING 3 4 MEDIA PROFILES
- > CASE STUDY BASED ON PARTICIPANT'S EXPERIENCE





HEXIS CERTIFICATION PROGRAMMES

WHAT IS CERTIFICATION AND WHO CAN BE CERTIFIED?

Our aim is to provide a formal framework for professionals in our field to validate their skills as film application and/or vehicle wrap specialists. To be certified, installers must demonstrate skills on several levels, including the technical knowledge, the practical skills and the know-how to tackle all known situations as well as to overcome new challenges.

The skill set required is highly specific. It takes experience (including learning from trial and error), practice, training, a passion for this line of work, an eye for detail, the will to constantly progress and a natural aptitude for manual work. It also requires discipline and a logical approach to problem solving.

NETWORK

Becoming part of the HEX'Perts network means you will be able to rely on other members when big jobs call for extra hands. In addition, HEXIS may also require your expertise, whether for product demos, trade shows, new customers, problem-solving or large-scale jobs.

REPUTATION

Being part of the HEX'Perts network is a compelling argument when it comes to building customer trust and winning new business.

GUARANTEES

Offer your clients the assurance of quality work. Your expertise in this field will have been refined, tested, qualified and certified. You will be able to better guarantee each new job with confidence.

INFORMATION



HEXIS certified installers are listed in the worldwide network of the HEXIS APPLICATION DIVISION:

www.hexis-training.com

Should you have any questions, please contact us on export@hexis.fr



Ready to join the HEXIS adventure?





→ HEXIS OFFERS 3 CERTIFICATIONS

SIGN CERTIFICATION



WHO IS THIS COURSE FOR?

Designed for professional installers wishing to be certified for all types of flat and simple curved substrates such as signs, windows, walls, trucks and trains as well as special films.

DURATION		NUMBER OF PARTICIPANTS
1 day (PRACTICAL TEST)		4 HEX'Perts

Mandatory online test, evaluated before the practical test. http://www.hexis-formations.com/demande-certification.html

FULL WRAP CERTIFICATION



WHO IS THIS COURSE FOR?

For professionals wishing to be certified for applying selfadhesive films on 2D and 3D surfaces.

DURATION	NUMBER OF PARTICIPANTS
2 days (PRACTICAL TEST)	4 HEX'Perts
1 day Sign certification acquired	4 HEX'Perts

Mandatory online test, evaluated before the practical test. http://www.hexis-formations.com/demande-certification.html

BODYFENCE CERTIFICATION



WHO IS THIS COURSE FOR?

Aimed at experienced installers of paint protection films. HEX'Perts will be evaluated on their "traditional" application techniques as well as their precut film expertise.

DURATION	NUMBER OF PARTICIPANTS
1 DAY (PRACTICAL TEST)	4 HEX'PERTS

Mandatory online test, evaluated before the practical test. https://www.hexis-training.com/certification-request.html





BODYFENCE CORNER, AN INNOVATIVE CONCEPT

BODYFENCE CORNER is a workshop designed specifically for the application of paint protection film.

HOW DO I OPEN A BODYFENCE CORNER?



1/ FOLLOW THE TRAINING PROGRAMME

You must have attended at least one BODYFENCE training session.



2/ GET CERTIFIED

Once training is over, apply for certification online. The purpose of the certification is to validate your technical knowledge and skills.



Finally, to open a BODYFENCE CORNER, you must:

- Comply with the graphics charter
- Apply the specifications
- Master the application techniques



WHAT ARE THE BENEFITS OF A BODYFENCE CORNER?

BODYFENCE CORNER is not just a name, it's an entire work philosophy, supported by professionals who will provide you with the necessary tools for your shop.

- Discounts on materials and accessories
- Listing on our website
- Communication tools reserved for the network
- Access to a special catalogue
- Free further training
- Featured on social networks
- Support for trade fairs and events

INFORMATION



For more information about BODYFENCE CORNER, please write to:

contact@hexis-design.







IN THE OFFICE OR ON THE MOVE WWW.HEXIS-TRAINING.COM

VIDEOS SHARING APPLICATION TIPS
NEWS FROM OUR TRAINING CENTRES
TECHNICAL DATA SHEETS AND APPLICATION GUIDES FOR HEXIS FILMS



DISCOVER A WHOLE RANGE OF VIDEOS ILLUSTRAT-ING OUR TRAINING SESSIONS:

SIGNS - FULL WRAPS - BODYFENCE
INTERIOR DECORATION - SOLAR PROTECTION FILMS
- WINDOW GRAPHICS - RACING OPTICS - PURE ZONE
- DIGITAL PRINTING ICC PROFILES - CERTIFICATIONS

A @hexistrainingacademy



https://www.linkedin.com/showcase/hexis---centre-de-formation/



THE **HEXIS** PLUS

THE HEXIS PLUS	268 - 269
INDEX	270 - 273
DESIGNS AND PROJECTS OF OUR CUSTOMERS	274 - 275
NOTES	276

THE HEXIS PLUS

HEXIS KNOW-HOW

Since 1989, HEXIS® has been providing professionals in signage and advertising graphics with expertise in the production of visual communication media.

The only French manufacturer specialised in PVC adhesive coatings, HEXIS® also produces its own cast films, whose conformability and durability are globally acclaimed.

HEXIS® products are exported to some 50 countries across all continents.

Our in-house chemists are constantly improving our product formulations, innovating to fine-tune the products of tomorrow. In 2010, their research enabled us to launch "green" cast films, free of PVC and plasticisers, and a film with antimicrobial properties, boosting the fight against nosocomial diseases. The latest innovation from HEXIS® R&D is BODYFENCE, a self-healing furniture and paint protection film (PPF) available in ultra-transparent and matt finishes.

In 2020, HEXIS has been able to obtain three ISO certifications. The joint efforts of all teams have enabled the company to renew its ISO 9001:2015 certification for its quality management system. In addition, two new certifications have been obtained: ISO 14001:2015 for the environment management system and ISO 13485:2016 for medical devices, opening up new perspectives in terms of product development and specification in certain specialist markets.

WHAT HAS MADE OUR FILMS SO SUCCESSFUL?

For 30 years, HEXIS® films have proven their quality, in particular thanks to:

- > Their performance and our stringent selection of raw materials
- > Total traceability of all production batches
- > Easy weeding and cutting
- > Premium-quality adhesives
- > Outstanding durability

CALENDERED OR CAST FILMS?

At HEXIS®, each film has its purpose and its market.

We have perfected the manufacture of cast films offering high deformation potential, extreme conformability and long durability. Our calendered films are perfect for applications on flat and slightly curved substrates. Smooth or rough surfaces; applications on floors, walls, windows, boards, cars, trains or boats; for lifespans ranging from 2 months to 10 years, HEXIS® has the solution!

Our decorative effects (chrome, sparkle and leather) are ideal for enhancing everyday objects (electronics, household appliances), for furniture restoration and wall decoration.

TAKE HEAT EASY AND HEX'PRESS LINERS

Our innovative TAKE HEAT EASY® (THE) and HEX'Press liners® are specifically designed for our high-performance full wrap films.

TAKE HEAT EASY $^{\mathbb{B}}$ (THE) combines a new textured liner with a novel solvent-based adhesive to reduce the film's initial tack, making it easier to apply. All installers, including beginners, will love it.

The HEX'Press liner, a polyethylene-coated silicone kraft paper with an embossed surface structure, offers unrivalled adhesive properties: thanks to its air egress system, the film can be repositioned during application, and bubbles and creases can be eliminated much more easily. This results in significant time savings.

HEX'Press and THE products are readily identifiable: product codes starting with "HX" indicate the structured HEX'Press liner, and product codes starting with "THE" indicate the TAKE HEAT EASY® liner.

THE HEXIS NETWORK, A TEAM OF EXPERTS AT YOUR SERVICE

Our partners are ready to assist you with your projects. A HEXIS team® of application, colorimetry and digital printing professionals is also at your disposal. They offer the essential training you will need to master new applications like full wraps and large-format digital printing – jobs that demand greater expertise to take full advantage of our innovative media.

To support our experts, the "Professionals" section of our website, www.hexis-graphics.com, provides all the technical information you could ever need: data sheets, application guides, ICC profiles, application photos, etc.

MADE IN FRANCE

HEXIS products are manufactured in France at our production sites in Frontignan (Hérault) and Hagetmau (Landes). All our packaging bears a "Made in France" label.

By doing our bit to promote French know-how, we are able to both save jobs and protect the environment.



PRODUCT SAMPLES AND SWATCHBOOKS

To receive sample sheets of our products in A4 or A5, swatchbooks or colour charts, please contact us at export@hexis.fr, or your local distributor.

TECHNICAL DATA SHEETS AND PRACTICAL APPLICATION GUIDES

Technical data sheets for our products can be downloaded free of charge from our website:

http://www.hexis-graphics.com under the "Professionals" section

They provide precise technical descriptions of our products. Since specifications may change over time, we recommend you check this section regularly.

ICC PROFILES

Get optimum results from our digital imaging media by downloading the ICC profiles corresponding to your RIP/printer configuration. Regularly check the list of new profiles available:

www.hexis-graphics.com ("Professionals" section)

For any queries regarding ICC profiles, please contact: profils@hexis.fr

CUSTOM COLOURS

A custom colour service is available for our colour plotter and wrap vinyls.

For more information, including pricing and lead times, please contact your local distributor.

TRAINING COURSES

Interested in digital printing, solar films, full wraps, Bodyfence or application methods for self-adhesive films? HEXIS® has a training solution to meet your needs.

Please send training-related enquiries to formations@hexis.fr or call +33 467 184 278.

IMPORTANT INFORMATION

· Thicknesses and dimensions of products:

Thicknesses are provided for information and for comparison with similar product ranges available on the market. The dimensional tolerances of the rolls conform to the processing and cutting data sheet used by HEXIS®, which can be downloaded from our website: www.hexis-graphics.com 'Professionals' section

The life spans indicated are for information only and relate to specific colours under specific climate conditions. For further information, please refer to the specifications available on our website.

Colours presented in our catalogue are for guidance only and are not contractual. Please contact your local HEXIS® distributor for swatchbooks and colour cards. Free swatchbooks are also available from swatches@hexis.fr

· Media for cutting plotters:

Cutting plotter vinyls may have splices. If so, this will be indicated on the packaging.

· Media for digital printing:

Our media are developed and tested for machines using the manufacturer's original inks.

· Photos and illustrations:

All illustrations, especially photos of accessories, are non-contractual. Actual appearance of accessories may vary.

THE REACH REGULATION (REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF **CHEMICALS**)



This regulation was adopted by the European Parliament and the Council of the European Union on 18 December 2006. It updates the European legislation with regard to chemical substances and sets up a unique integrated system for registering, evaluating and authorising chemical substances within the European Union. Its aim is to improve the protection of both human health and the environment while maintaining competitiveness and enhancing the spirit of innovation within the European chemicals industry.

→ INDEX

#		В		D	
3333SHIELD	181	BODYRELOAD	217	ETCHED GLASS KG15DEPM	50
4444RACING		BODYSHINE	217	ETCHED GLASS WHITE SPARKLE	52
		BODYSIGN GOODIES	233	ETCHED GLASS CLASSIC	
A		BONNETBLANC	239	UNWINDER	199
		BONNETNOIR	239	DICHROIC	
A5000		BONOIR	56	DIF450	113
A5000EVO N2NUANCIERA4		BS0AT40I2	190	PRIVACY	54
A5000EVO N2NUANCIEREVE		BS0B20I2	186, 190	DISPLAYS	115, 132
ACRETBODEN GOODIES		BS0B20X2	186, 190	DMTRUBFR	198
REINFORCED ADHESIVE87,		BS0I80X2	190	DOUBLEF25	199
AG300		BS0M15I2	190	DOUBLEF50	
AG436M		BS0N20X2	187.1902	DPOCHETTE GOODIES	232
AG700		BS0N50I2	187, 190	DPOCHETTE2 GOODIES	
AG800		BS0R15X2	186, 190	DRETROWREN GOODIES	
AG900		BS0R20I2	186, 190	DRETROWRFR GOODIES	
AGCR700	•	BS0R35I2	186, 190	DRISSE	
MAGNET2		BS0R35X2	186, 190	DSERBORGM	
MAGNETXL		BS0R50I2	186, 190	DSERBORPM	
AG900		BS0R50X2	186, 190	DSVG180	
AG900		BS0RD60I2	190	DUBAI	
APPLIC15		BS0T35I2	187, 190	DWP001B	
AUTOMOTIVE BODYFENCE	179	BSTICKY GOODIES	232	DWP002B	
		BSTYLO GOODIES	230	DVVI 002D	0, 104, 144
В				E	
BACS1	64	C			
BACS4		CAN25CL	220	E3000+	
BACS44				E3000M2000 N2NUANCIERA4	
BBLOCA4HG GOODIES		CANZ5CLX4		E3000M2000 N2NUANCIEREVE	
BBLOCA5HG GOODIES		CANTAPA		E3GIVMV2	53
BBNOIR		CANVAS3		EASYPOSE2L	
BCLEUSB GOODIES		CAR100B		EASYPOSE5L	216
BCRITERIUM GOODIES		CARNETFR GOODIES		EASYSEAL	197
BCUTTERABS GOODIES		CARPRO300		EASYSTIKCG	117
BERLAP		CARPROTECT		EASYSTIKWS	117
BFBLACK		CARSCRAPER		SAMPLE ECHA4A5P2	224
CHOOSING THE RIGHT TAPE		CASQBLANCHE		ECOLOGICAL CUT ECE3000	41
BLACKLIGHT		CASQNOIRE		ECOTAC PLUS E3000+	38
BLADECAN		CASQROSE		ECOTAC SUPER + VCRE3000	
BLADESOFT		CASQROUGE		EDGEBLADES	208
WHITE		CASQVERTE		EFRONTOPAC	113
BLOCKCUT		CATADA2021 N2CATALOGUE		EGALITE	194
BOATDE N2CATALOGUE		CHEVS7		ERASMARKER	198
BOATEN N2CATALOGUE		CHEVS77			
BOATES N2CATALOGUE		CHOOSING A BUILDING SOLAR FILM.		F	
BOATFR N2CATALOGUE		COLORCUT		FEUTRE	104
BOATIT N2CATALOGUE		PREMIUM CAST			
BOBLANC		COVSEAT4		FEUTROUGE1	
BODYCARPET GOODIES		CSACSALON2 GOODIES		FEUTROUGE2	
BODYFBRXDE DOCUMENT BODYFENCEX.	228	CSR25		FF480	
BODYFBRXES DOCUMENT BODYFENCEX		CURVBLADE		FILFLEX	
BODYFBRXFR DOCUMENT BODYFENCEX.		CURVCUTTER		BUILDING SOLAR FILM	
BODYFBRXIT DOCUMENT BODYFENCEX		CURVPADS		AQUEOUS RANGE FILMS & PAPERS.	
BODYFBRXOEN DOCUMENT BODYFENCEX		CUTBLADE		PRINTING FILMS	
BODYFBRXSE DOCUMENT BODYFENCEX		CUTLAME		FLATTWEEZ	208
BODYFENCE		CUTOLFA25		FLOCK 200	158
BODYFENCEM		CUTOLFA30		FLU0 F610	47
BFBLACK		CUTSH0ES		FM580	70
BODYFENCEX		CUTSOFT		FPC50MICP2	106
BODYFINISH		CUTTER		FPG836	
BODYFPOCHX DOCUMENT		CUTVINYLXL		FPSAUTO N2NUANCIERA4	
BODYFPORTX DOCUMENT		CUTVITRE	204	FPSAUTOV2 N2NUANCIEREVE	
BODYHOODX GOODIES		_		FPSBAT N2NUANCIERA4	
BODYKITXDE DOC-KIT BODYFENCE		D		FPSBATV3 N2NUANCIEREVE	
BODYKITXEN DOC-KIT BODYFENCE		DACRETRO GOODIES	227	FRATERNITE	
BODYKITXES DOC-KIT BODYFENCE		DAOCASTHX N2NUANCIERCLAS		FRENCHBOX	
BODYKITXFR DOC-KIT BODYFENCE		DECO N2NUANCIEREVE		FRIG020L	
BODYKITXIT DOC-KIT BODYFENCE		DECORATION CATALOGUE		FRIGO70L	
BODYKITXSE DOC-KIT BODYFENCE	227	DECORATION		FRONT2	
BODYKNIFE22	10, 211	ETCHED GLASS		FRONT2V2B	
					-,



F		Н		M	
FRONT2V2M	112, 220	HX240WM2	88	MAJESTIK85	185
FRONT2V3S	112	HX30000	24	MANCHETTE3	209
FRONT3V2		HX3000WG2	92	MARBLEU	196, 212
FRONT4V4		HX3001WG2		MARBLEU	•
FRONT5M1		HX3001WM2		MARBI FUF	
FRONTM1EV2		HX45000		MARBLEUF	
FRONTOPAC		HX45EN N2CATALOGUE		MARNOIR	
PRUNTUPAC	113	HX45FR N2CATALOGUE			,
				MAROR	•
G		HX45V1 N2NUANCIERA4		MARVITRE	
GANTSCOV	199, 210	HX45V1 N2NUANCIEREVE		MASK	
GCBLADE	205	HX500WG2		MATCLEAN	
GEL05		HX5DEPM		MAXBLUE	•
GELBOTTLE		HX5DP03	52	MAXHANDLE	
GFLI130		HXE3GIVMV2	53	MB800	69
		HXR101WG2	99, 143	MBX	202
GFLI170	, ,	HXR150BGR		ME2000	42
GFLIR170	, ,	HXR301EPS		METALCUT	
GFLX210	•	HXS5000		MFKIT	
GFLXR210	•	11/33000		MG2000	
GLASGOW	148, 190			MIAMI	
GLITFLEX	160				- ,
GLOWCUT	164	PRINTABLE	112	MICR01	
GRAPHTEC		PRINTABLE DIFFUSING		MICR0170UV	
GRATLAM100				MICR02	
GRATLAM100				MICR06	104
SCRAPER		J		MICROCGUV	105
	,	JEUSERT10	213	MICROINSID	105
SCRAPER10	,	JEUSERT12	214	MICROTAC M2000	42
GUIDEDCUT	205	JEUSERT15	214	MIMAKI / SUMMAGRAPHIC	
		JT300M1	113, 219, 220	MLG48512	
Н			, ,	MM2000	
HARDEYELET	213	V			
HEX100		K		MONOMERIC	
		KG8 N2NUANCIERA4	223	MONOMERIC, INTERMEDIATE	
HEX100I		KG8000	30	MINI T-SHIRT FOR FLEX DEMOS	233
HEX750	,	KG8V1 N2NUANCIEREVE			
HEX860	,	PRESSKIT		N	
HEX900		DECORATION KITS		N2CATALOGUE	225 227
HEX9001	77	DECONATION TOTAL	100		. ,
HEX901	77			N2PAPECRI	
HEX902	77	L		N2PAPSILI	
HEX9021	77	LAMBREQUIN	61	NINJATOOL	
HEX904	76	LAME100	201, 211	NON-ADHESIVE	111
HEX905	76	LAMEVITR15		NYLCUT	162
HEX909		LAMEVITR30			
HEX910	76	I AMEVITRE		0	
HEX915		L/ (1 1 L ¥ 1 1 1 C			
		LAMINATES		OEILLET10L	
HEX930		LAMINATES, SPECIAL FINISH		OEILLET10N	
HEX960	,	LAMINATES, ANTI-SLIP		OEILLET12L	213
HEXAG		LAMOLFA25	204	OEILLET12N	213
HEXCROCH	208	LAMOLFA30	205	OEILLET15L	214
HEXFELT	197	LAMOLFAS10	205	OEILLET15N	214
HEXÍNOTE		LAMOLFAS50	205	OPACIFYING BLOCK-OUT	56
HEXÍPERIENCE	140	LAMOLFAXBL	205	HEADLIGHTS	
HEXISGEL1L	216	LHD30G		TIEADEIOTTIS	100
HEXISGEL5L	216	LIBERTE		В	
HEXISO2L		LIGHTSTICK		P	
HEXISO5L		LIGHTSTICK	117	P130	119
HEXLIGHTS1				P13003	
		M		P13004	,
HEXLIGHTS2		M1000	61		
HEXMAGNET		MAGICSPRAY		P135	
HEXSTRAP				P210	
HW301WM1		MAGNETIC / FERROUS		P6000	
	84	MAGSQUEEG		P8104	
			184	P8106	63
		MAJESTIK		1 0100	
HX20000	26	MAJESTIK05	185	P8107	63
HX20000 HX200NTWG2	26 86		185		
HX20000 HX200NTWG2 HX200WG2	26 86 86	MAJESTIK05	185 185	P8107	63
HX20000 HX200NTWG2 HX200WG2 HX201WG2	26 86 86 86	MAJESTIK05	185 185 185	P8107 P8108 P8109	63 63
HX190WG2HX20000HX200NTWG2HX200WG2HX201WG2HX201WG2HX20HX30 N2NUANCIERA4HX20HX30 N2NUANCIEREVEHX20HX30 N2NUANCIEREVE	26 86 86 86 223	MAJESTIK05 MAJESTIK15 MAJESTIK25		P8107 P8108	63 63

→ INDEX

P		P		S	
PAINTRUB	215	PULVERISAT	198	SHAGCHIZ	194
PANTONE20		PURECOVER		SHAGCLEAN	
PAP120JF		PUREZONE DOCUMENT		SHAGCUT	
PAP132DB		PURZON060B		SHAGDRILL	
PAPERS		PURZON060C		SHAGEN2019 N2CATALOGUE	
PAPERS. NON-ADHESIVE			•		
		PURZON060M	127, 191	SHAGFELT	
PAPERS, TRANSFER		_		SHAGFENCEM	
PAPPERDU		R		SHAGFENCES	
PC190G2		R3000	67	SHAGFINISH	218
PC190M3		R3511		SHAGFR2019 N2CATALOGUE	226
PC190S	.84, 99, 122	R3541		SHAGKNIFE	195
PC300	126	R3551		SHAGREI OAD	218
PC30G2	84, 99, 122			SHAGREMOV	
PC30M3		R3561		SHAGSHINE	•
PC500G2		R3581		SHAGSPRAY	
PC500M	,	R85120			
PC50MICP2		RAL		SHAGWIRE	
PCAMPGB		REFERENCE		SHAMPCARV2	
		REFLEX	165	SHARPTOOL	196
PCBRUSHED		REFLECTIVE	118	SKINTAC HX20000	
PCCARBON		RULER100	207	SKINTAC HX30000	24
PCFORGED	•	RULER30		SKINTAC HX45000	22
PCGATOR	,	RULER50		SKINTAC THE190EVO	
PCSTAR01G	•	REPOSITIONABLE		SKYFALL	
PCSTAR01S	129, 144	REPOSTICK		SKYFALL05	
PCSTAR03G	129			SKYFALL20	
PCSTAR04G	129	RIVETBRUSH			
PCWALL		ROLAND CAMM1		SKYFALL35	
PCW00D01		ROLLCOV		SKYFALL50	
PET75CG1	•	ROLLDOUBLE		SKYFALL70	
PETFULL1L	•	ROLLECO100	219	SMARTAC EVOLUTION A5000	
		ROLLEC085	219	SMARTAC KG8000	30
PETSAFE		ROLLFIRST	219	SNAILCUT	206
PG3036UVB	•	ROLLPRIMO	219	BANNER SPECIAL	122
PG450		ROLLRIV	209	BANNER SPECIAL	82
PG836	130, 131	ROLLSHOW10		BANNER SPECIAL B3000	
PIADZGREY	211	ROLLSHOW85		BANNER SPECIAL, TRUCK TB9000	
PIADZROUGE	211	RSSEAL		SPECIAL N2NUANCIERA4	
POSTER DIGITAL PRINTING RANGE	230	KSSEAL	170, 177		
PISTHERMIQ	209			SPEEDCUT	
PISTLASER3	209	S		SPM	
PL300CG2		S5000	34	SP0T	
PLASMOYEN	,	S5CANB		SPP	191
PLASSOUPLE		S5DEPM		SPRAYBOX	195
PM150V2		S5DP03	······································	SPRETRO N2NUANCIERA4	223
POCHA5 GOODIES		S6DE00		SPVITRES N2NUANCIERA4	223
				SQUEEBAND	195
POD220SOLV		SAFERUL050	207	SQUEEGEEXL	
P0D225S0LV		SAFERUL100	207	STDC3X3AR	
POIGNVITR	195, 202	SAFERUL150	207	STDC3X3SPM	
POIGNVITR		SANDOW	214		
POLY5000 N2NUANCIERA4	223	PVC-FREE	96. 126	STEAMERSC1	
POLY5000 N2NUANCIEREVE	222	SC3X3H	•	STENCIL	
POLYMERIC HYBRID	124			STOCKNROLL	200
POLYMERIC HYBRID, REINFORCED AI		SC3X3SPMAR		STRIKERSET	209
POLYMERIC, REINFORCED ADHESIVE		SC3X3SPMAV		STRONGBAN3	214
POLYMERIC, HIGH-PERFORMANCE		SCRUBBLADE	201	STRONGCUT	206
		SCRUBFLOOR	201	STYLO	
POP190ECOS		SEALIT	197	SUPTAC HXS5000	
POP200ECOS		100 SERIES. REINFORCED ADHESIVE	98	SUPTAC 17X33000	
P0P310EC0S		200 SERIES, REINFORCED ADHESIVE	100	SUPTAC 55000	34
POPNC400	115, 221	280 SERIES		_	
POPPRIMO	115, 219			T	
PORTECLE	239	300 SERIES, REINFORCED ADHESIVE		T5000	55
PORTECOV	211	4000 SERIES		MATBAR	
PREMIO		100 SERIES	84	TEFLEX	
PREMIOXL		200 SERIES	86		
WINDSCREEN PROTECTION		240 SERIES	88	TEXIS N2NUANCIEREVE	
		300 SERIES		TEXWALLV2	
PROTECTPZ		3000 SERIES	•	THE190AUS DOC-KIT	
PSP0P		SHA05		THE190DE DOC-KIT	
PTB900G		SHABOTTLE		THE190EN DOC-KIT	
PTB900M	•			THE190ES DOC-KIT	229
PTB900S	82, 122	SHAGBODY	174	THE190EV0	83, 84



Т		V		V	
THE190FR DOC-KIT	229	V3001WG	93	VKHCOATM GOODIES	236
THE190FWI DOC-KIT		V3001WM		VKHCOATS GOODIES	
THE190IT DOC-KIT		V300WG1		VKHCOATXL GOODIES	
THE190SE DOC-KIT		V300WS1		VKHCOATXS GOODIES	
THE190US DOC-KIT		V301WG1		VKHSOFT2XL GOODIES	
THE2000DE DOC-KIT		V302CG1			
THE2000DE DOC-KIT				VKHS0FT3XL G00DIES	
		V3100WG		VKHS0FTL G00DIES	
THE200EN DOC-KIT		V3101WG		VKHS0FTM G00DIES	
THE200ES DOC-KIT		V3101WM		VKHSOFTS GOODIES	
THE200EVO*		V310WG1	90	VKHSOFTXL GOODIES	236
THE200FR DOC-KIT	229	V311WG1	90	VKHSOFTXS GOODIES	236
THE200FWI DOC-KIT	229	V350WG1	90	VKHSWT2XL GOODIES	237
THE200IT DOC-KIT	229	V351WG1	90	VKHSWT3XL GOODIES	
THE200SE DOC-KIT	229	V362CG1	109	VKHSWTC2XL GOODIES	
TIR019X50	198	V4001WG1	94		
TIR025X50	198	V4002CG1		VKHSWTC3XL GOODIES	
TIRODECO	210	V4002CM1		VKHSWTCL GOODIES	
TOBLUEMAX		V450B		VKHSWTCM GOODIES	
TOCLEAN				VKHSWTCS GOODIES	237
CANVAS		V650M	, ,	VKHSWTCXL GOODIES	237
TOPDESK		V700B		VKHSWTCXS GOODIES	237
		V700M	, , ,	VKHSWTI GOODIES	237
TOR3001WG		V700S		VKHSWTM GOODIES	
COCKTAIL STIRRER		V740B	•	VKHSWTS GOODIES	
LANYARD		V740M	124	VKHSWTXL GOODIES	
VERY HIGH DURABILITY		V750B	87, 89, 100, 123		
TRANSLUCENT	108	V750M	87, 89, 100, 123	VKHSWTXS GOODIES	
TRANSLUCENT T5000	55	V850B		VM380WM	
TT13088	74	V880WR		VPOFSUPL GOODIES	235
TT21516	73	V890WR		VPOFSUPM GOODIES	235
TT21536	73	VC104R-21		VPOFSUPS GOODIES	235
TT21546	73			VPOFSUPXL GOODIES	235
TT32611		VC104R-41		VPOFSUPXS GOODIES	235
TT32613		VC104R-51		VPOHSUP2XL GOODIES	
TT32905		VCHFSUP2XL GOODIES		VPOHSUP3XL GOODIES	
TT32910		VCHFSUPL GOODIES			
TTGRIP		VCHFSUPM GOODIES	235	VPOHSUPL GOODIES	
		VCHFSUPS GOODIES	235	VPOHSUPM GOODIES	
TUBETHE190 DOC-KIT		VCHFSUPXL GOODIES	235	VPOHSUPS GOODIES	
TWEEZ	173, 195, 208	VCHHSUP2XL GOODIES	234	VPOHSUPXL GOODIES	234
		VCHHSUPL GOODIES		VPOLORF2XL GOODIES	235
U		VCHHSUPM GOODIES		VPOLORFL GOODIES	235
ULS 804	62	VCHHSUPS GOODIES		VPOLORFM GOODIES	235
ULS 805		VCHHSUPXL GOODIES		VPOLORFS GOODIES	235
		VCLEARCG1		VPOLORFXL GOODIES	
ULS 806			•	VR7077	
ULS 807		VCR650B	, ,	VRK300B	
ULS 812		VCR650M			
ULS 818	62	VCR740B	•	VRK300M	
ULX804	63	VCR750B	87, 89, 100, 123	VRK480B	
ULX805	63	VCR750M	87, 89, 100, 123	VTB901WG1	82
ULX806	63	VCRE3000	40	VTOURDECOU GOODIES	231
ULX812		VCSR101WG1	99, 143	VW00D VW00D02	128, 144
ULX818		VCSR200WG1	100, 143		
02/10/10/10/10/10/10/10/10/10/10/10/10/10/		VCSR201DP	100, 143	W	
V		VCSR201WG1	•		
V		VCSR201WM1	•	WALLPAPER2	•
V100WG2	84		•	WALLPAPERS & PAPERS	
V200WG1	87	VCSR300WG1VCSR300WM1	•	WEEDER3	
V200WM1	87		•	WHEEL	202
V201TR1	108, 148	VCSR301WG1	•	WRAPBELT	195
V201WG1	•	VCSR301WM1	•	WRAPKNIFE	210
V201WM1		VCSR301WS1			
		VCXR101WG1			
V202CG1	,	VCXR201WG1	100, 143		
V203EG	•	VCXR301WG1	101, 143		
V210WG1		FROSTED GLASS	53		
V211WG1		VF180WM			
V240WG1		FLOOR GRAPHICS			
V240WM1		WINDOW GRAPHICS			
V280WG1	89	VKHCOAT2XL GOODIES			
V3000WG	93				
V3000WM	93	VKHCOAT3XL GOODIES			
		VKHCOATL GOODIES	236		

















































THANK YOU TO OUR FAITHFUL CUSTOMERS FOR SHARING THEIR PROJECTS.

If you also wish to appear in our catalogue and get published on our social networks, you can now upload your pictures on our website.

Connect to: http://upload.hexis-graphics.com and send us your favourite projects

Discover our publications with the hashtag #HEXISGRAPHICS on: 🕒 🕤 🔯 🛅























→ NOTES

GENERAL TERMS & CONDITIONS OF SALE

1- PREAMBLE

- 1.1 The Company 'HEXIS' means all legal entities belonging to the HEXIS group.
- 1.2 These general terms and conditions of sale represent all the stipulations that constitute the offer issued by HEXIS. They shall apply in their entirety to any contract between HEXIS and Customers in France or abroad, regardless of the place of delivery.
- 1.3 These general terms and conditions of sale prevail over all conditions of purchase, except in the case of formal and express derogation from HEXIS. Any conditions contrary to these general conditions posed by the Customer, in the general conditions of purchase or in any other document, shall be unenforceable against HEXIS as long as HEXIS does not expressly accept it.

2 - ORDERS

- 2.1 The Customer's order will only be considered accepted after it has been validated by the Sales Department.
- 2.2 Any request for modification or resolution of the order, requested in writing, must be received by HEXIS prior to shipment of the goods and be agreed upon by HEXIS. If HEXIS does not accept this application, any advance payments may only be returned in product value.

3 - PRICES - OFFERS

3.1 Prices are given only as an indication and are in euro excluding taxes; this means that they do not include sales taxes, value added tax or similar taxes, commissions, customs duties or other taxes, insurance or transportation and handling costs.
3.2 The prices applicable are those in force on the day of placing the order subject to the special conditions of sale.

4 - INVOICING - PAYMENT PERIODS - PENALTIES

- **4.1** Invoicing will occur on the prices in effect on the day of the order.
- **4.2** Payment of invoices shall be made in advance, except in the event of special conditions of sale.
- 4.3 The payment method accepted by HEXIS is bank transfer. Any other means of settlement will be considered after prior agreement by HEXIS.
- 4.4 Any delay in payment or non-payment on the agreed due dates will, automatically, without formality or formal notice, lead to the requirement of all sums due and the application of penalties equal to three times the legal interest rate referred to in Article L.441-6 of the French Code of Commerce from the date of settlement recorded on the invoice until full payment.
- 4.5 By way of a penalty clause, it is agreed that all remaining sums due will be increased by an amount of interest equal to the legal interest amount plus two points and by 10% for collection costs. If HEXIS uses an outside collection company, the costs incurred by the outside collection company will be automatically reflected (or rebilled) to the Customer.
- **4.6** These fees and penalties may be charged directly to Customer discounts where such discounts exist.
- **4.7** In the event of late payment, HEXIS may suspend all outstanding orders, without prejudice to any other route of action.
- 4.8 In the event of a material deterioration in the solvency of the Customer, as well as in the event of the cessation or pledge of all or part of the Customer's business assets and even before the execution of the order, HEXIS reserves the possibility either to cancel the order or require payment in advance, or to request additional quarantees.
- 4.9 Any right of retention or compensation with receivables that the Customer may possibly have against HEXIS is expressly excluded.

5 - DELIVERY TIMES

- 5.1 The delivery times are given only as an indication unless otherwise stipulated.
- 5.2 Any delays due to a case of force majeure as defined in Article 7 of these conditions or justified by a serious reason shall not justify a cancellation of sale, a refusal of goods or a request for damages, or even a deferment.
- 5.3 Delivery times are extended in the event of force majeure or a fortuitous event such as war, riots, local or national strikes, fire, water damage or machinery breakage or any other cause beyond the control of HEXIS or its suppliers. HEXIS will notify the Customer of the problems encountered in order to establish equitable alternatives together.
- 5.4 In case of late delivery, the goods will be delivered and

invoiced under the initial conditions.

6 - DELIVERY

- 6.1 With the prices including ex works (EXW Hagetmau, France; ICC Incoterm 2020), unless otherwise agreed in writing, the transfer of ownership and risk to the buyer for all the products becomes effective upon delivery of the products by HEXIS to the buyer's forwarder or agent, independent of the conditions of carriage, the rules of settlement and the costs of carriage.
- **6.2** Liability being transferred to the purchaser once the goods are loaded for transportation, the purchaser is responsible for receiving the complete delivery or, failing that, for making a claim to the carrier if the delivery or part of the delivery is damaged or missing.
- 6.3 Due to damage that may occur during transport, the Customer must check the packages upon arrival. It is essential to check products immediately upon receipt. In case of missing goods or damage or partial loss of the goods, the Customer must express reservations with the carrier on the delivery note. Any concealed damage must be communicated to the carrier within two weeks of receipt of the goods.

7 - FORCE MAJEURE

- 7.1 Any event that is unpredictable or independent of the will of HEXIS meaning that HEXIS is unable to carry out their contractual obligations shall be considered as constituting a case of force majeure, within the meaning of Article 1218 of the French Civil Code.
- **7.2** Total or partial strikes by carriers or within HEXIS and/or its suppliers will be considered force majeure.
- 7.3 Consequently, no liability against HEXIS for nonperformance or poor performance of the contract in the event of force majeure or similar under Article 7.2 may be sought.

8 - RETURN/ GUARANTEES

- 8.1 Without prejudice to the arrangements to be made with respect to the carrier, claims for defects in production or for the non-conformity of goods delivered to the goods order or to the packing slip must be made by international consignments (TNT/DHL) within two weeks of receipt of the goods.
- 8.2 The Customer, to whom it is the responsibility to provide all supporting documents (including batch numbers), undertakes to leave HEXIS the ability to proceed with the finding of defects or anomalies and to remedy them; the Customer is prohibited from intervening, directly or indirectly, with the products.
- 8.3 The goods shall not be taken back or exchanged except in the event of defects in the manufacture or non-conformity of the goods, as duly observed by a person from HEXIS. Any return of goods must be the subject of a formal, written agreement from HEXIS and sent, postage paid, to the address indicated by HEXIS.
- **8.4** No claim will be possible if the goods have been used or processed by the Customer or, in general, if they are no longer in the state in which they were delivered, from the moment when the manufacturing defects or non-conformities which are the subject of the claim may be detected before use.
- 8.5 In the event of a manufacturing defect or non-conformity of the delivered products, duly recognised by HEXIS under the above conditions, the Customer may obtain, at the discretion of HEXIS, and subject to the conditions laid down in the HEXIS warranty documents, free replacement or refund of the goods, excluding any compensation or damages except in respect of goods benefiting from special guarantee conditions.
- $\bf 8.6$ Returns of goods will not delay the payment of invoices on the due date.

9 - RESERVATION OF OWNERSHIP

- 9.1 All deliveries are made subject to reservation of ownership until full payment of the price in principal and related charges. Payment means the effective receipt of the entire price, the delivery of a check or any other document that creates an obligation to pay not forming a payment.
- 9.2 In the event of non-payment or failure to comply with the payment terms, HEXIS may terminate the sale automatically by registered letter addressed to the Customer and may request the return of the goods at the Customer's expense and risk. The loss or deterioration of the goods will be borne by the Customer in the event of termination of the sale.
- HEXIS may unilaterally and immediately draw up an inventory of the unpaid products held by the Customer, without the Customer being able to oppose it, and the Customer will also bear the

costs of the litigation services as well as any legal and court costs. The products thus held shall give rise to the payment of a depreciation allowance equal to 3% of the price including tax of the goods, per month of detention from delivery to return. The Customer will ensure that product identification is always possible. In-stock products are assumed to correspond to the most recent deliveries (FIFO rule) and will be assumed to be the unpaid ones.

- 9.3 The Customer may resell the goods as part of the normal operation of its business. However, the Customer will lose this option in the event of cessation of payment or non-payment of the price on the due date. In particular, HEXIS reserves the right to claim from the third-party purchaser the price or part of the price that the third-party purchaser has not yet paid to the Customer.
- 9.4 Notwithstanding the application of the aforementioned articles, the transfer of risks to the Customer takes place as soon as the goods are handed over to the carrier.

10 - CONFIDENTIALITY

- 10.1 All information communicated to the Customer or to one of its representatives, including but not limited to technical, industrial, commercial or financial information, whatever the form of communication, including in particular drawings, diagrams, descriptions and specifications, and related documentation, is confidential.
- 10.2 It is the responsibility of the Customer to take all necessary steps to ensure that none of this information is communicated or disclosed to a third party.
- Failure to comply with this obligation of confidentiality may result in termination of the contract, notwithstanding any damages

11 - INTELLECTUAL AND INDUSTRIAL PROPERTY

- 11.1 HEXIS retains ownership of patents, studies, plans, models and all documents issued or products presented, including materials, ideas, data or other information relating to research and development activities, trade secrets or business affairs communicated to the Customer or known to the Customer in the context of a proposal, offer and/or contract.
- 11.2 These documents are confidential and the Customer shall not report, use, distribute or communicate them to third parties without the prior written permission of HEXIS.

12 - LIABILITY

- 12.1 HEXIS's liability cannot be incurred in any case in the event of the use of HEXIS products which does not comply with the requirements set out in the Data Sheets. No complaint or claim for compensation for HEXIS products, or for any damage to the media on which the HEXIS product was affixed or for its reconditioning, will be admissible in the event of non-conforming use.
- 12.2 In no event shall HEXIS be liable for any physical or material damage of any kind, which could be a direct or indirect consequence of improper adaptation of the product or its use which does not comply with the requirements of the HEXIS Data Sheet.
- 12.3 Given the excessive variability of processing tools and application methods, HEXIS cannot be held responsible for the results obtained by the Customer or the implementing conditions of HEXIS Products.

13 - THE COMPETENT JURISDICTION AND APPLICABLE LAW

- 13.1 All disputes arising from the validity, interpretation and performance of these General Terms and Conditions of Sale are subject to French law. All disputes and disagreements, whatever they may be, shall fall within the exclusive jurisdiction of the courts local to the registered office of HEXIS, including in the case of multiple defendants, an interlocutory application or guarantee claim and even in the case of a different jurisdiction attributed on the part of the Customer.
- 13.2 Payment drafts or acceptances do not constitute a novation of or exemption from this clause which grants jurisdiction.
- 13.3 In the event of a dispute, prior to litigation, the parties agree to meet in order to find an amicable solution.



HEXIS FRONTIGNAN SIÈGE SOCIAL

Z.I. Horizons Sud CS 970003 34118 FRONTIGNAN CEDEX

T. +33 467 186 686 M. export@hexis.fr

HEXIS HAGETMAU

Z.I. Montplaisir 187, Route de Saint Cricq Chalosse 40700 HAGETMAU



www.**hexis-graphics**.com











GRAPHICS DIVISION.

Value: 9,00 €

